

PART 2

AbleSpace Take Data

Product Understanding & UX Review

A screenshot-led review of the Caseload experience, the visible path into Take Data, and the highest-value UX / functionality opportunities supported by the supplied assessment material.

SOURCE BOUNDARY

The provided assessment includes the Caseload screen and highlights the “Take Data” action. The Take Data screen itself is not shown, so its fields, save flow, feedback, and hidden actions are not fabricated or evaluated.

Primary source	AbleSpace assessment screenshot
Workflow entry point	Caseload → student row → Take Data
Deliverable type	Product understanding + UX recommendations

01 Executive summary

The Caseload screen provides a clear, repeatable entry point to student-level actions. Its strongest qualities are structure and consistency: navigation is grouped, the student list is easy to scan, and Take Data appears in a predictable position. The highest-value opportunities are small efficiency multipliers rather than a redesign.

What works	What could improve
Clear hierarchy, logical navigation groups, useful tab counts, visible collaborator context, and a consistent primary row action.	Surface urgency in due dates, add richer filtering, normalize service-time display, surface bulk actions, and clarify the Take Data CTA.

02 Workflow at a glance

01	02	03
Open Caseload	Find a student	Take Data
Select Caseload in the left navigation.	Use tabs, search, and the visible table context.	Use the row-level Take Data action.

Only steps 01–03 are directly supported by the source. The next screen and completion flow are unknown.

03 Caseload overview




FIGURE 01 | OBSERVED SOURCE — full Caseload screen

The supplied screen combines persistent navigation with a dense student table. Visible information includes student identity, IEP / Eval dates, collaborators, service time, school, and row-level actions.

OBSERVED	INFERRED	UNKNOWN
----------	----------	---------

Directly visible in the supplied screenshot.	Interpretation supported by context, but not shown.	Not visible or not supported by the source.
--	---	---

04 Step-by-step walkthrough

1. Entry point - Caseload is selected from the left navigation. The page title and active state confirm the destination.
2. Student identification - Students / Groups / Unassigned tabs, search, dates, collaborators, service time, and school support quick scanning.
3. Take Data entry point - Each row exposes a consistent Take Data action. The assignment screenshot explicitly calls out the first-row action.




FIGURE 02 | OBSERVED SOURCE — Take Data entry point

UNKNOWN

The supplied material does not show what opens after Take Data is selected. The actual Take Data screen, data-entry fields, save mechanism, confirmation, and error states remain outside the evidence set.

05 What works well

- **Clear information hierarchy:** Page title and student names establish strong visual priority.
- **Logical navigation grouping:** CAPTURE / TRACK / MISC creates an easy-to-scan structure.
- **Predictable action placement:** Take Data appears in a consistent location for every row.
- **Useful tab overview:** Students, Groups, and Unassigned show counts at a glance.
- **Fast search access:** The search field advertises a keyboard shortcut.
- **Collaborator context:** Avatar stacks communicate team involvement compactly.
- **Strong Add Student CTA:** The primary creation action is visually prominent.
- **Scannable table:** Consistent row height and spacing support wide-table scanning.

06 Data hierarchy & density

Search students... ⌕ ⌕ ⌕							
☐ Full Name	Last Name	IEP Due	Eval Due	Collaborators	Service Time	School	
☐ Demo Student1	Student1	11/06/2024	03/25/2020	  +1	OT - 30mins/Wk	Demo School 1	
☐ Demo Student2	Student2	03/02/2020	02/28/2020	  +3	OT - 30mins/Wk, Spe	Demo School2	
☐ Max Planck	Planck	09/06/2024	-	  +3	30 Mins/Week		
☐ Albert Einstein	Einstein	09/19/2024	-	  +4	0		
☐ Tim David	David	09/19/2024	-	  +3	0		
☐ Charles Darwin	Darwin	-	-	  +3	0		

FIGURE 03 | OBSERVED SOURCE — data hierarchy and table density

07 Highest-value UX opportunities

P0 DEADLINE VISIBILITY

Add explicit urgency states to IEP / Eval dates so overdue and near-term items are recognizable without reading every value.

P0 CASELOAD FILTERING

Add School, Service Type, IEP status, and Collaborator filters with removable chips and clear-all.

P1 SERVICE TIME NORMALIZATION

Standardize one format and replace ambiguous “0” values with a semantic state such as “Not scheduled”.

P1 BULK ACTIONS

If row checkboxes represent selection, add Select All and a contextual action bar with clear batch operations.





P1 TAKE DATA CLARITY

Add a small tooltip or icon that explains the action in plain language.

08 Evidence highlights



FIGURE 04 | OBSERVED SOURCE — date urgency opportunity

Eval Due		Collaborators			Set
03/25/2020	  	+1		OT	
02/28/2020	  	+3		OT	
-	  	+3		30	
-	  	+4		0	
-	  	+3		0	
-	  	+3		0	

09 Prioritized recommendations

Priority	Recommendation	Impact	Effort
P0	Due-date urgency states	High	Low
P0	Caseload filtering	High	Medium
P1	Service Time normalization	Medium	Low
P1	Bulk selection + action bar	Medium	Medium
P1	Take Data CTA clarity	Medium	Low
P2	Last Name redundancy	Low	Low
P2	3-dot menu discoverability	Low	Low
P2	Grid/List active state	Low	Low

10 What remains unknown

01	Take Data screen layout and fields.
02	Data entry, validation, editing, and save behavior.
03	Confirmation / success state after recording data.
04	Contents of the row-level 3-dot menu.
05	Groups / Unassigned behavior beyond visible labels and counts.
06	Mobile / responsive behavior.
07	Loading, empty, and error states.
08	Role-based differences associated with Switch to Admin.
09	Relationship between the Data section and Take Data.

11 Closing perspective

LIMITATION

The assignment asks for exploration of the Take Data screen, but the supplied assessment material exposes only the Caseload screen. This review therefore analyzes the visible entry experience and deliberately does not fabricate the missing Take Data interface.

The Caseload experience is structurally strong. The best opportunities are targeted improvements that make the interface more data-aware and efficient - surface deadline urgency, add meaningful filters and batch actions, normalize Service Time presentation, and make the Take Data entry point more self-explanatory.

KEY INSIGHT

Improve the signal around the data that clinicians already have before adding more UI. The strongest product opportunity is to make important states easier to scan and the most common actions easier to repeat.

MAKE URGENCY VISIBLE

Dates should communicate urgency, not only values.

REDUCE SEARCH COST

Filters and batch actions should shorten repetitive caseload work.

VALIDATE BEFORE REDESIGNING

The missing Take Data screen should be reviewed before changing that workflow.

Any redesign of the actual Take Data form should be validated against the real workflow and screen before implementation.