

AUTONOMOUS AGENT STUDIO

Dry Run Preview — Social Media Content Optimizer

Day 46 • #60DayClaudeChallenge


DRY RUN SCENARIO

Task: Create a professional LinkedIn post about my latest AI project. Make it authentic, technically accessible, engaging, and avoid exaggerated claims.

Target: 9/10 quality score

Stop logic: Plateau OR target threshold OR hard safety cap

WORKFLOW VISUALIZATION



ROUND STEP 1 — PLANNER

Responsibility: Defines the strategy and evaluation rubric.

Illustrative dry-run output: A concise rubric covering audience, clarity, authenticity, technical accessibility, engagement and factual restraint.

ROUND STEP 2 — EXECUTOR

Responsibility: Creates the initial draft.

Illustrative dry-run output: A first LinkedIn post based on the task and planner rubric.

ROUND STEP 3 — EVALUATOR

Responsibility: Scores the current draft with a live model response.

Illustrative dry-run output: Example dry-run result: score 7.8/10. The post is strong but could improve its hook and specificity.

Score: 7.8

ROUND STEP 4 — CRITIC

Responsibility: Finds the highest-impact weaknesses.

Illustrative dry-run output: Strengthen the opening, reduce generic phrasing, and connect the project to a concrete learning outcome.

ROUND STEP 5 — MEMORY MANAGER

Responsibility: Extracts reusable lessons.

Illustrative dry-run output: Keep the strongest hook and prioritize concrete project evidence in future iterations.

ROUND STEP 6 — SAFETY MONITOR

Responsibility: Checks the evolving draft.

Illustrative dry-run output: No material safety issue found; avoid unsupported performance claims.

ROUND STEP 7 — IMPROVER

Responsibility: Uses the current evaluation, critique and memory to rewrite.

Illustrative dry-run output: A stronger second draft with clearer positioning and tighter language.

ITERATION HISTORY — ILLUSTRATIVE

Round 1: 7.8/10 • Initial evaluation

Round 2: 8.6/10 • +0.8 improvement

Round 3: 9.1/10 • +0.5 improvement

Stop check: Threshold fired because the score crossed 9/10.

Important: these scores are a preview illustration, not actual Claude API responses.

FINAL REVIEW

Stop reason: Threshold — target score crossed.

Final branch: Final Reviewer receives the last draft, latest evaluation and exact stop reason, then packages the final output.

Execution stats: 3 illustrative rounds • 0 illustrative retries • live runtime implementation in the HTML.

WHAT THE REAL APP DOES

The HTML application uses a runtime loop rather than a fixed sequence. Each pass makes fresh Evaluator, Critic and Improver API calls, threads the previous state forward, checks plateau → threshold → safety cap, records history, and branches to Final Reviewer when a stop condition fires.