Internet and Web programming

Lab Cat -1

Name: Ayush Lodh

Registration Number: 19BCE2553

Slot Number: L27/L28

Course Code: CSE3002

Guided By: Dr. Mary Mekala A.

Question 1:

Create a webpage(s) advertisement for Kids Summer Camp

Code:

Login.html:

```html
<html>
<head>
 <link rel="stylesheet" href="styles.css">
 <link href="https://fonts.googleapis.com/css?family=Ubuntu" rel="stylesheet">
 <title>Sign in</title>
</head>
<body>
 <div class="main">
  <p class="sign" align="center">Sign in</p>
  <form class="form1">
   <input class="un " type="text" align="center" placeholder="Username">
   <input class="pass" type="password" align="center" placeholder="Password">
   <a class="submit" align="center">Sign in</a>
   <p class="forgot" align="center"><a href="#">Forgot Password?</a></p>
  </div>
  <footer>
   This page was built as a partial fulfilment of the course Internet and Web Programming<br />
   By: Ayush Lodh 19BCE2553
  </footer>
</body>
</html>
```

Styles.css:

```css
body {
 background-color: #F3EBF6;
 font-family: 'Ubuntu', sans-serif;
}

.main {
 background-color: #FFFFFF;
 width: 400px;
 height: 400px;
 margin: 7em auto;
 border-radius: 1.5em;
}

.sign {
 padding-top: 40px;
 color: #8C55AA;
 font: 'Ubuntu', sans-serif;
 font-weight: bold;
 font-size: 23px;
```

```
3

}

.un {
  width: 76%;
  color: rgb(38, 50, 56);
  font-weight: 700;
  font-size: 14px;
  letter-spacing: 1px;
  background: rgba(136, 126, 126, 0.04);
  padding: 10px 20px;
  border: none;
  border-radius: 20px;
  outline: none;
  box-sizing: border-box;
  border: 2px solid rgba(0, 0, 0, 0.02);
  margin-left: 46px;
  text-align: center;
  margin-bottom: 27px;
  font-family: 'Ubuntu', sans-serif;
}

form.form1 {
  padding-top: 40px;
}

.pass {
  width: 76%;
  color: rgb(38, 50, 56);
  font-weight: 700;
  font-size: 14px;
  letter-spacing: 1px;
  padding: 10px 20px;
  border-radius: 20px;
  outline: none;
  box-sizing: border-box;
  border: 2px solid rgba(0, 0, 0, 0.02);
  margin-left: 46px;
  text-align: center;
  margin-bottom: 27px;
  font-family: 'Ubuntu', sans-serif;
}

.submit {
  cursor: pointer;
  border-radius: 5em;
  color: #fff;
  background: linear-gradient(to right, #9C27B0, #E040FB);
  padding: 10px 40px 10px 40px;
  font-family: 'Ubuntu', sans-serif;
  margin-left: 35%;
  font-size: 13px;
  box-shadow: 0 0 20px 1px rgba(0, 0, 0, 0.04);
```

4

```css
}

.submit:hover {
  cursor: pointer;
  border-radius: 5em;
  color: #fff;
  background: linear-gradient(to right, #FE8F8F, #FF5C58);
  padding: 10px 40px 10px 40px;
  font-family: 'Ubuntu', sans-serif;
  margin-left: 35%;
  font-size: 13px;
  box-shadow: 0 0 20px 1px rgba(0, 0, 0, 0.04);
}

.forgot {
  color: #E1BEE7;
  padding-top: 15px;
}

a {
  color: #E1BEE7;
  text-decoration: none
}
footer {
  margin: 0 300px 0 300px;
  padding: 10px 0 10px 0;
  text-align: center;
  font-family: 'Ubuntu', sans-serif;
  background: linear-gradient(to right, #F56FAD, #C32BAD);;
  color: #3F0071;
  border-radius: 5%;
}
```

Output:

Home.html

```html
<!DOCTYPE html>
<html lang="en" dir="ltr">
  <head>
    <meta charset="utf-8">
    <title>Home</title>
    <link rel="stylesheet" href="homestyles.css">
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link
href="https://fonts.googleapis.com/css2?family=Merriweather:ital,wght@1,300&family=Montserrat:ital,wght
@1,200&family=Sacramento&display=swap" rel="stylesheet">
  </head>
  <body>
    <header>
      <div class="head1">
        <h1>Welcome to the homepage of our website.</h1>
      </div>
      <a href="login.html">Login</a>
      <a href="#profile">Home</a>
      <a href="Review.html">Review</a>
    </header>
    <div class="div1">
      <img style="position: absolute; top: 10%; right: 30%; height: 50px; width: 150px;"
src="Images/cloud.png" alt="cloud-img">
      <h1>Kids Carnival</h1>
      <p id="p1">A wonderful event open now!</p>
      <img style="position: absolute; left: 30%; bottom: 55%; height: 50px; width: 150px;"
src="Images/cloud.png" alt="cloud-img">
      <img src="Images/mountain.png" alt="mountain-png">
    </div>
    <div class="middle-container">
      <hr>
      <div id="profile">
       <img src="Images/kids1.png" alt="My picture" class="pic1">
       <h2>Location</h2>
       <p class="intro">Vijaya Heritage, <br> Kadma, Jamshedpur <br /> Jharkhand, India - 831005</p>
      </div>
      <hr>
      <div class="skills">
       <h2>Facilities in our event</h2>
       <div class="skill-row">
        <img class="pic2" src="Images/rides.jpg" alt="picture of children playground">
        <h3>A wonderful park</h3>
        <p class="ss">As you can see from this above pic we will be having a wonderful park where children
can play and will be under constant monitoring such that no mishaps take place at any moment.</p>
       </div>
       <div class="skill-row">
        <img class="pic3" src="Images/singing.jpg" alt="singing class">
        <h3>A singing competition</h3>
```

```html
      <p class="ss1">All children's event is incomplete without a singing competition, So we decided to
have one and with children singing makes the place more energetic and increses the morality of kids.
      <br> Do You Agree with me?</p>
    </div>
    <div class="skill-row">
      <img class="pic4" src="Images/create.jpg" alt="create-o-fun">
      <h3>Create-o-fun</h3>
      <p class="ss1">The final thing we are going to host is a small event called create-o-fun in which we
will help the child nourish his/her creative skills and make something out of everyday tools.
      <br> Do You Agree with me? Do you think it will be beneficial to your kid as well?</p>
    </div>
   </div>
   <hr>
   <div class="contact-me">
     <h2>Do you think it will be helpful for your kid?</h2>
     <h3>If you want your kid to have a wonderful time then what are you waiting for?</h3>
     <p>Please log into our website and we will be issuing tickets for the same and I hope your child will be
having a wonderful time there and surely make new friends.
     <br> Thank you for visiting our Website</p>
   </div>
  </div>
  <footer>
    <hr class="last">
    <p>This page was built as a part of in-lab activity for the course Internet and Web
Programming</p><br>
   <p>19BCE2553 Ayush Lodh.</p>
  </footer>
 </body>
</html>
```

Homestyles.css

```css
body {
 color: #40514E;
 margin: 0;
 text-align: center;
 font-family: 'Merriweather', 'French Script MT', serif;
 font-size: 16px;
}
header {
 text-align: left;
 padding: 0 5px 15px 5px;
 background: linear-gradient(to right, #D5EEBB, #7FC8A9);
}
.head1 {
 text-align: center;
 margin: 0 300px 0 300px;
 border-radius: 5%;
}
h1 {
 margin: 50px auto 0 auto;
 font-family: 'Sacramento', 'Brush Script MT', cursive;
```

```css
  font-size: 46px;
  color: #CD113B;
  line-height: 2;
}
p {
  line-height: 2;
}
#p1 {
  font-size: 16px;
  margin: 0 auto 10px auto;
  font-weight: normal;
  color: #CD113B;
}
h2 {
  font-family: 'Montserrat', sans-serif;
  color: #11999E;
  padding-bottom: 10px;
  font-size: 25px;
}
h3 {
  color: #11999E;
  font-size: 19px;
}
a {
  color: #170055;
  font-size: 20px;
  font-family: 'Montserrat', sans-serif;
  margin-left: 50px;
  text-decoration: none;
  padding: 0 10px 0 10px;
}
hr {
  background-color: #71EFA3;
  margin: 0 auto;
  border-style: dotted none none;
  border-color: white;
  border-width: 7px;
  width: 10%;
}
.skill-row {
  width: 50%;
  margin: 100px auto 100px auto;
  text-align: center;
  display: block;
}
.pic1 {
  padding-top: 35px;
  height: 250px;
  width: 450px;
}
.pic2 {
  margin-right: 30px;
```

```css
  height: 40%;
  width: 50%;
}
.pic3 {
  height: 40%;
  width: 40%;
}
.pic4 {
  height: 40%;
  width: 40%;
}
.div1 {
  background-color: #78DEC7;
   position: relative;
  padding-top: 100px;
  padding-bottom: 30px;
}
.ss {
  font-size: 12px;
}
.ss1 {
  font-size: 12px;
}
.middle-container {
  padding-top: 50px;
  background-color: #71EFA3;
  padding-bottom: 10px;
}
footer {
  margin: 0;
  padding-top: 20px;
  background-color: #7DEDFF;
}
.intro {
  width: 30%;
  margin: 3px auto 2px auto;
  color: #FF3D68;
}
#profile {
  padding-bottom: 20px;
}
.last {
  background-color: #7DEDFF;
  margin: 0 auto;
  border-style: dotted none none;
  border-color: white;
  border-width: 7px;
  padding-bottom: 15px;
  width: 10%;
}
.contact-me {
  width: 40%;
```

9

```
margin: 40px auto 10px;
}
```

Output:

Facilities in our event

A wonderful park

As you can see from this above pic we will be having a wonderful park where children can play and will be under constant monitoring such that no mishaps take place at any moment.

A singing competition

All children's event is incomplete without a singing competition, So we decided to have one and with children singing makes the place more energetic and increases the morality of kids.
Do You Agree with me?

Create-o-fun

The final thing we are going to host is a small event called create-o-fun in which we will help the child nourish his/her creative skills and make something out of everyday tools.
Do You Agree with me? Do you think it will be beneficial to your kid as well?

Review.html

```
<!DOCTYPE html>
<html lang="en" dir="ltr">

<head>
  <meta charset="utf-8">
  <title>Review</title>
  <link rel="stylesheet" href="reviewcss.css">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
href="https://fonts.googleapis.com/css2?family=Merriweather:ital,wght@1,300&family=Montserrat:ital,wght
@1,200&family=Sacramento&display=swap" rel="stylesheet">
</head>

<body>
  <header>
    <div class="head1">
      <h3 style="color: white; text-align: center; background-color: #FF7878; padding: 20px 0 20px 0; margin:
0 300px 20px 300px;">Welcome to Review Section</h3>
    </div>
    <div>
    <a href="#Tables">Info. Tab</a>
    <a href="#Objectives">Objectives</a>
    <a href="#Event_Details">Event Info</a>
    <a href="#Complains">Complaint</a>
  </div>
  </header>
```

Ayush Lodh || 19BCE2553 || Lab Cat 1 || Internet and Web Programming ||

```
<aside>
  <h3>List of Contributers who helped us succeed:</h3><br>
  <ul>
    <li class="asides">Ayush Lodh</li>
    <li class="asides">Dr. Mary Mekala A.</li>
  </ul>
</aside>
<main>
  <h2 id="Tables">Presenting to You the Timings of Carnival</h2>
  <table border="1">
    <tr style="background-color: #FFDEDE; color: black;">
      <th>Day</th>
      <th>Timings</th>
      <th>Event Details</th>
    </tr>
    <tr>
      <td>Saturday 25-09-2021</td>
      <td>10am till 8pm</td>
      <td>
        10$ - entry <br>
        5$ - playground access <br>
        1$ - singing contest <br>
        3$ - create-o-fun
      </td>
    </tr>
    <tr>
      <td>Sunday 26-09-2021</td>
      <td>10am till 8pm</td>
      <td>
        10$ - entry <br>
        5$ - playground access <br>
        1$ - singing contest <br>
        3$ - create-o-fun
      </td>
    </tr>
    <tr>
      <td>Monday 27-09-2021</td>
      <td>10 am till 8pm</td>
      <td>
        10$ - entry <br>
        5$ - playground access <br>
        1$ - singing contest <br>
        3$ - create-o-fun
      </td>
    </tr>
  </table>
</div>
<div class="obj">
<h2 id="Objectives">Objectives of organising this event</h2>
<ul id="obje">
  <li class="listtype">To grant your child an oppertunity to learn and have fun</li>
  <li class="listtype">This will help them enrich their creative skills</li>
```

```html
    <li class="listtype">Build Friendships and Learn Social Skills</li>
    <li class="listtype">Improved Decision-Making Skills</li>
    <li class="listtype">Improved Communication Skills</li>
  </ul>
</div>
  <div id="Event_Details">
  <h2>How the Event went by last year:</h2>
  <iframe src="https://www.youtube.com/watch?v=CG__N4SS1Fc" width="560" height="315"
title="YouTube video player" frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-
media; gyroscope; picture-in-picture" allowfullscreen></iframe><br>
  <audio controls>
    <source src="Audio/od1.mp3" type="audio/mpeg">
      Your browser does not support the audio element
  </audio>
  </div>
  <div id="Complains">
  <h2>For any Complains plz fill out the below form</h2>
  <form class="" action="index.html" method="post">
    <fieldset>
      <legend>Complains form</legend>
      <label for="fname">First name:</label><br />
      <input type="text" id="fname" name="fname"><br>
      <label for="lname">Last name:</label><br />
      <input type="text" id="lname" name="lname"><br>
      <label for="gender">Gender: </label>
      <input type="radio" name="gender" value="male" id="male">
      <label for="male">Male</label>
      <input type="radio" name="gender" value="female" id="female">
      <label for="female">Female</label><br>
      How do you rate this website <br>
      <select class="" name="rating">
        <option value="-1" selected>Select any one</option>
        <option value="1">Nice</option>
        <option value="2">Good</option>
        <option value="3">Average</option>
        <option value="4">Bad</option>
        <option value="5">Worst</option>
      </select><br>
      Have something in mind let us know: <br>
      <textarea name="comments" rows="5" cols="30">Put you text here</textarea><br>
    </fieldset>
    Thank You for your valuable time: <br>
    <input type="submit" name="send" value="Submit">
    <input type="reset" name="rst" value="Reset"><br>
  </form>
  </div>
  </main>
  <footer>
   <p>
   This webpage was built as a part of Continous Assessment Test of Internet and Web programming<br />
   Ayush Lodh 19BCE2553
   </p>
```

```
</footer>
</body>
</html>
```

Reviewcss.css

```css
body {
  background: linear-gradient(to right, #FDD2BF, #FF6B6B);
  font-family: 'Montserrat', sans-serif;
  font-weight: 300;
  color: #11052C;
}
header {
  background-color: #FFBF86;
  text-align: left;
  padding: 15px 5px 15px 5px;
}
a {
  color: #170055;
  font-size: 20px;
  font-family: 'Montserrat', sans-serif;
  margin-left: 50px;
  text-decoration: none;
  padding: 0 10px 0 10px;
}
aside {
  width: 30%;
  padding-left: 15px;
  padding-bottom: 100px;
  margin-left: 10px;
  margin-top: 20px;
  float: right;
  background: linear-gradient(to right, #FFE194, #FFB319);
}
table {
  margin-left: 300px;
  margin-bottom: 30px;
}
#Tables {
  font-weight: bold;
  text-align: center;
  padding: 20px;
}
#Objectives {
  font-weight: bold;
  text-align: center;
  padding: 20px;
}
#obje {
  text-align: center;
}
.obj {
```

```css
  margin: 5px 300px 5px 300px;
  padding: 10px;
  border-radius: 10%;
  background: linear-gradient(to right, #F56FAD, #C32BAD);
  box-shadow: 0 2px 10px 0;
}
.listtype {
  list-style-type: none;
  font-weight: 200;
  padding: 10px 0 10px 0;
  font-size: 20px;
}
#Event_Details {
  margin: 100px;
  text-align: center;
  font-size: 23px;
  font-weight: bold;
  padding: 20px;
  border: 5px solid black;
  border-radius: 10%;
  background: linear-gradient(to right, #E63E6D, #B42B51);
  box-shadow: 0 2px 10px 0;
}
#Complains {
  text-align: center;
  margin: 10px 160px 10px 160px;
}
label {
  margin-bottom: 10px;
}
footer {
  text-align: center;
  background-color: #FF2442;
  color: white;
}
```