# NPLify · P0 Technical Baseline

## Test Strategy & Coverage

New XP Technologies Limited
21 October 2026 · Confidential · new document, added for the design review (Pete, points 6a to 6d; Andrew, items 2.5 and 9.4)

## 1 · What this document is for

The pack already contains the yardsticks: the acceptance vectors of the Calculation Specification, the worked transactions of the Ledger Posting Design (61 numbered, T1 to T61; 67 fixtures once the variants T3a, T22a, T24a, T41a, T41b, T41c and T52a are counted, T41 existing only as its three variants — the Reading Companion's "67 worked transactions" is the same set; Appendix A is the one manifest), the state machines of the Lifecycle & Approvals document, the field groups of the Roles & Visibility Matrix, the constraints of the ERD's Appendix C and the exit criteria of the Cutover Approach. It did not say in one place which tests exist, what each proves, where it runs and what passing means. This document does. It is the testing framework Pete asked for: full scope, the purpose and expected result of every test, regression so the system stays robust as the project evolves, and a map from the Workflow Tree to the tests, so that well-tested and under-tested areas are visible.

## 2 · Test levels and where each runs

| Level | What it proves | Where it runs | Who writes it | When |
|---|---|---|---|---|
| unit | One function gives the expected figure: pricing, rounding, breach check, tier split | in the build, on every change | Engineering, from the vectors | from M0 |
| fixture | A posted event produces exactly the lines of a worked transaction, and the identities hold afterwards | in the build, against a fresh database | Engineering, from the 67 fixtures of Appendix A | from M2 |
| database | A write that breaks a constraint is refused by the database itself, not only by the application | in the build, against the migrated schema | Engineering, from Appendix C | from M2 |
| integration | A sequence of actions through the API follows the state machine, the approvals and the visibility rules | in the build and on staging | Engineering, from the Lifecycle and Roles documents | M3 onward |
| release | A release can be applied and rolled back; migrations run against last week's snapshot with the ledger checks green | staging, before every release | Engineering | every release |
| UAT | NPL staff run real procedures with real evidence and get the result the SOP says | staging | NPL Operations and Finance, with New XP | M10 |
| parallel run | The app reproduces the sheets, day after day, to the cent | staging | NPL Finance | M10, three to four weeks |
| acceptance | The go-live criteria 1 to 13 of the Cutover Approach | staging, then production on the switch day | Engineering with NPL sign-off | M10, M11 |

## 3 · The acceptance gate per phase, and the regression rule

Every feature moves through the proposal's pipeline (mockup, build, QA, staging, UAT, production). Each phase closes with a demonstration against its gate; the gate is the set of tests below, all green. The regression rule: every release, in every phase and under the support bundle after go-live, runs the full vector, fixture, state and visibility suites, and a failing exact test blocks the release. A test is never removed because it fails; it is fixed or its expected result is changed with a recorded reason and NPL's agreement where the figure is NPL's.

| Phase gate | Must be green |
|---|---|
| Phase 1 (M0 to M5): the calculating core | V-L1…L14, V-B1…B23, V-RB1…4, V-ED-A…D, V-TIER1…3, F-T1…T61 (67 fixtures, Appendix A) as far as the patterns are built, F-ID1…12, F-REPLAY, F-REV, D-CONS1…28, D-POLY1…7, S-DEAL, S-SETT, S-RATE, S-RR, C-APPR, C-JOBS, C-ATOM; the P-tests of the class 4 and 5 procedures at their gate (6a); the end-to-end demonstration reproduces the reference workbook figures |
| Phase 2 (M6, M7): hardening | everything above plus R-VIS1…n, R-ACCESS, C-LOCK, S-EMERG, C-INT1…3 on staging; the P-tests of the class 6 and 7 procedures and of 1.4 (6a); the role-gated, reconciled platform with side-by-side comparison reports |
| Phase 3 (M8 to M11): completion and go-live | everything above plus O-EVID1…3, O-C6A, O-SLA, G-SEC, G-CONC, G-OUT, G-DUP, G-EXT, G-REST, G-OPEN, G-FILTER, G-RECON, G-VULN, D-MIG; the go/no-go on Finance's discrepancy log |
| After go-live (support bundle) | the full suite on every release; G-REST rehearsed once a year; the coverage sheet reviewed at every quarterly access review |

## 4 · Identifiers and result classes

Every test has an identifier that never changes and is never reused (the same rule as the T, L, B, W, F and C identifiers of the pack; the Reading Companion's register lists them). The first letter says the family: V vectors and calculation, F fixtures and identities, S state machines, C concurrency and controls, D database, R roles and visibility, O operating procedures and UAT, G go-live acceptance', mk(', P the per-procedure tests of Section 6a (P-<procedure>-pos, -den, -rtr)'), '. A purpose line says what the test proves. A result class says what passing means, so that a reviewer can tell a test with one right answer from a test whose result must only be reasonable:

| Result class | Passing means | Examples |
|---|---|---|
| exact | The result equals the expected value to the cent (eight decimals for BTC amounts, the unit where NPL's sheet rounds), or the expected state or refusal occurs | V-L1, F-T2, S-DEAL, D-CONS |
| tolerance | The result is within the rounding of the pair (a dropped fraction or a round-up with its owner) | cash rounding cases; margin-of-the-day reconciliation |
| range | The result falls inside a configured band, because the right answer depends on data or judgement | G-RECON checks with a tolerance; G-VULN severity; aging thresholds |
| invariant | A property that must always be true holds after every step and every fixture | F-ID1…12, F-REPLAY, C-APPR, R-VIS, G-DUP |

## 5 · Test inventory

One row per test or test family; the family's members are numbered in the test suite itself (vectors-v5.9.csv for V, the fixtures for F). The source column names where the expected result is written down in the pack; the phase column when the test first has to be green.

| Id | Purpose | Result class | Level | Source in the pack | Phase |
|---|---|---|---|---|---|
| V-L1 … V-L14 | The pricing function reproduces each acceptance vector A: sender rate, parts, client net, delivered, earnings, payable, residual (L14, round 2: the opening volume in the counter) | exact (to the cent; BTC to 8 decimals) | unit | Calculation Specification §18, 18a; vectors-v5.9.csv | M1, M4 |

| | | | | | |
|---|---|---|---|---|---|
| V-B1 … V-B23 | The pricing function reproduces NPL's own figures: the sheet lines B1 to B18 (B2 and B18 against the corrected sheet of 21 October) and the five figures B19 to B23 NPL supplied on 21 October for the 18a cases and the same-currency deal | exact (to the unit where the sheet rounds) | unit | Calculation Specification §19, 19a, 19b | M1, M4 |
| V-RB1 … V-RB3 | Breach rules 2a: thin history → fallback threshold; zero or negative baseline → no percentage formula; absolute tolerance either way → flagged, not frozen (flagged: unusable until Finance confirms; the pair not frozen) | exact (breach / flag / neither) | unit | Calculation Specification 2a; THRESHOLD kinds | M1 |
| V-RB4 | A quote and a conversion attempted against a flagged rate version are refused and the refusal is in AUDIT_LOG (quote_refused, conversion_refused); after Finance confirms the version with a reason, the same quote prices on it | exact (refused / priced; audit row present) | integration | Calculation Specification 2a; Lifecycle Figure 3 | M1 |
| V-ED-A … V-ED-D | Effective-date scenarios A to D: a fee change on 1 November applies only to deals priced from then; fees, tiers, rounding and partner settings | exact | integration | Configuration Schema 1a; Lifecycle 2a | M4 |
| V-TIER1, V-TIER2 | Tier exactly reached and tier crossed on GDC (L12, L13); a void lowers the counter; two simultaneous quotes read the counter in order | exact | integration | Calculation Specification 5a; ERD Appendix D | M0, M3 |
| V-TIER3 | Opening tier volume (L14): the approved opening line seeds the counter and the deal of the opening day splits at the threshold; an in-flight deal keeps its pre-opening priced_at and is not counted twice; a void of such a deal lowers the counter; the opening month's turnover report shows the opening line once and the next month not at all | exact | integration | Calculation Specification 5a; Cutover §4; OPENING_ENTRY month_volume | M3 |
| F-T1 … F-T61 (67 fixtures) | Each worked transaction posts exactly the lines, currencies, ownership tags and components of the Ledger Posting Design, and the balances after it; one fixture per row of the manifest in Appendix A, variants included (F-T3a, F-T22a, F-T24a, F-T41a/b/c, F-T52a); the build refuses a manifest row without a fixture and a fixture without a manifest row | exact | fixture | Ledger Posting Design T1 to T61; Reading Companion register; Appendix A; fixtures-manifest-v6.0.csv | M2 |
| F-ID1 … F-ID12 | The identities of Section 20 hold after every fixture: client assets = liabilities per currency; PAYABLE = Σ GROUP_ENTITLEMENT; partner balance = client + pool; rebates and shares agree to accruals; losses close; own wallets hold client money in four cases only; every released line is accounted for | invariant | fixture | Ledger Posting Design §20 | M2 |
| F-REPLAY | A retried event with the same idempotency key posts nothing (rule 1a), for every source type of §22 | invariant | integration | Ledger Posting Design 1a; Architecture §5 | M2 |
| F-REV | A correction is a reversal naming what it reverses plus a re-posting, dated today with corrects_period (rule 11a); a reported month never changes | invariant | integration | Ledger Posting Design 11a, Pattern E | M2 |
| S-DEAL | Every transition of Figure 1 with its guard and its approver; every refused transition (wrong state, wrong role, same person) refused | exact | integration | Lifecycle §2, 2a, 2b, 7, 7a | M3 to M5 |

| | | | | | |
|---|---|---|---|---|---|
| S-SETT | Settlement run and lines: approve, release, confirm full and short, return; "sent, not yet confirmed" shown and aged; after release nothing is cancelled; a line is sent only on the partner's acknowledgement, before that it is instructed or outcome unknown (Lifecycle 2d) | exact | integration | Lifecycle §3, Figure 2, 2a; Ledger rule 13, 13a | M5 |
| S-RATE | Rate version states: breach freezes the pair; Finance approval with a reason; expiry; a flagged version is unusable until Finance confirms it (V-RB4) | exact | integration | Lifecycle Figure 3 | M1 |
| S-RR | Reroute before and after conversion: custody bounded, forward, dues recovered, Management ratification for post_conversion; a reroute after conversion is refused while a payout instruction at the first partner is acknowledged or of unknown outcome (S-ACK) | exact | integration | Lifecycle Figure 4, 2b, 2d; Pattern O | M5 |
| S-HOLD | Holds on a leg: under a partner hold and under a screening hold, a payout, a conversion, a balance conversion, a refund and a reroute forward are each attempted by Operations, Finance and Management through screen, API and a replayed request: all refused with the hold as reason and logged; a partner hold lifts only on a recorded clearance reference, a screening hold only on Management's second look or a new clear screening; the one refund under hold goes through on the partner's written instruction with Management's approval | exact (refused / allowed; audit rows) | integration | Lifecycle 2c, Figure 1a, §7 DEAL (hold); Roles rule 11 | M4, M5 |
| S-ACK | External instructions: an instruction acknowledged late, rejected, unknown then executed, unknown then not executed; in every case a second instruction for the same promise is refused while the first is instructed, acknowledged or unknown; a reroute after conversion is allowed only from a closed instruction with the partner's reference and a reconciled balance; the Management exception needs the written confirmation attached; no case creates two payments | exact (no dual exposure; refused / allowed) | integration | Lifecycle 2d, Figure 2a, 7a; Ledger rule 1b, Pattern P | M5 |
| S-EMERG | Emergency suspend / freeze / cutoff override takes effect at once, blocks what it must, is lifted if not ratified within a business day | exact | integration | Lifecycle §5 addition; ERD EMERGENCY_ACTION | M6 |
| C-APPR | Approval valid only for the record version seen; two approvers at once: one wins; approver's person_ref never the initiator's | invariant | integration | Lifecycle 6a; Roles 5a | M3 to M6 |
| C-JOBS | A job started twice runs once; catch-up after a restart; bounded retries; the job-health line | invariant | integration | Architecture §4 addition | M1 onward |

| | | | | | |
|---|---|---|---|---|---|
| C-ATOM | Atomicity of posting (Ledger rule 1b): a failure is injected at every step of every posting path of Section 22 — before the source state change, between it and the transaction row, between the row and its postings, before and after the partner call — and after each: no source record is in a state its posting does not match, no LEDGER_TRANSACTION is duplicated (the unique index on the idempotency key and on source event refuses it), a retry with the same key on a new request returns the first result, and the only state a failure after the partner acted leaves is an instruction with no posting, which the exception list shows and Pattern P case 1 repairs once | invariant | integration | Ledger Posting Design 1a, 1b, 19b; ERD Appendix C | M2 |
| C-LOCK | A record lock is released on save or cancel, expires after lock_idle_minutes, can be cleared by Management, and every step is in AUDIT_LOG | exact | integration | Lifecycle 6a; ERD RECORD_LOCK | M6 |
| C-INT1 … C-INT3 | Interruption cases of Pattern P: partner executed and the application failed; confirmation never arrives; explorer unavailable. No duplicate, no posting on a guess. G-EXT is the acceptance-level test of the same situation seen from the partner side | invariant | integration / staging | Ledger Posting Design 19b | M7 |
| D-CONS1 … D-CONS41 | Each rule of ERD Appendix C: a write that breaks it is refused by the mechanism named (key, CHECK, trigger or validation) | exact (refused) | database | ERD Appendix C | M2 |
| D-CLONE | A project cloned from an Evo-like source for a partner on another rail: the clone leaves the reconfirm list empty, keeps the source on every copied row, and activation is refused with field-level errors (superseded fee version, missing settlement rail, unconfirmed fee percentage and partner fee); after the fixes it validates and Management activates it; a partner cutoff is never copied | exact (refused with the named errors; then activated) | integration | Configuration Schema 1a, §6 rule 15 | M0 |
| S-DORM | A dormant route (Scenario Catalogue 2.8, 2.9): a quote, a collection instruction and a settlement line on it are refused for every role and channel with the reason "route dormant"; after each checklist step with its evidence, still refused until the last; after Management activates and the staging deal passes, the route prices; reactivated with one step missing, it stays refused; set dormant again, its approvals and endpoints are suspended and nothing is deleted | exact (refused / priced; evidence rows present) | integration | Scenario Catalogue Part 1 (dormant scenarios); Configuration Schema 1a, rules 13, 15 | M4 |
| R-SCREEN | Wallet screening: a report clear under the Strict rulebook (score in the clear band, no category at threshold, no terrorism / TF trace) lets Operations accept; any other report goes to Management's second look and no Finance user can change a reject; a partner's hold, freeze or decline is recorded as its event and cannot be lifted at NPL by any role through screen, API, export re-import or a replayed approval request (Roles rule 11); a re-screen is a new row with evidence, the old row untouched | exact (who may decide; refused for Finance) | integration | Configuration Schema §4 WALLET_SCREENING, §6 rule 10; Roles §5 | M4 |

| | | | | | |
|---|---|---|---|---|---|
| D-POLY1 … D-POLY11 | The generic trigger refuses a type-plus-id reference whose id does not exist, for each of the seven references; D-POLY8 to D-POLY10: a type the TYPE_REGISTRY does not know, an id that exists only in another table, and a ledger source of another project, each refused by the database and by the API; D-POLY11: an evidence_ref changed after it was set, and an upload whose hash does not match its key, both refused | exact (refused) | database | ERD Appendix C, option b strengthened; immutable evidence references | M2 |
| D-MIG | Every migration runs against last week's restored snapshot with the ledger checks green; ledger tables additive only | invariant | release | Architecture §6 schema change policy | every release |
| R-VIS1 … R-VISn | Visibility by field group, per table and per role, on every read, list, export, document, notification, error message and the client journal: Operations never receives REF, ECON or LEDGER fields; includes the two fallback workbooks and their share lists, generated extracts, monitoring alarms, chat messages and incidents on the delivery board (Roles rule 12) | invariant | integration | Roles §2, §5 rule 2, 3, 12; Architecture §5 | M6 |
| R-ACCESS | The quarterly access review report lists every account with person_ref, last sign-in and open approvals; a dormant account can be disabled and nothing is deleted | exact | integration | Operating Procedures A.10; Roles 5a | M6 |
| R-BANK | Bank account details read in full and logged: a user of any role opens the bank-details card of an account, endpoint, rail or destination approval, or exports it; every field of the current BANK_ACCOUNT_DETAILS version is shown unmasked; one AUDIT_LOG row (record_type BANK_ACCOUNT_DETAILS, field read, actor, time) exists per full read, card, export or API alike; a superseded version is shown only from the history and its read is logged the same way | exact (fields shown; audit row present) | integration | Roles §5 rule 10; ERD Appendix C | M6 |
| O-EVID1 … O-EVID3 | Evidence checklist: a collection cannot be verified without the required evidence or an authorised exception; hash missing; cash short; partner says paid while the receiver disputes | exact | UAT | Operating Procedures A.11, D.2, D.3 | M10 |
| O-C6A | Rejected payout: each of the four outcomes follows its steps and approvers and posts as Pattern F | exact | UAT | Operating Procedures C6a | M10 |
| O-SLA | A pending item past its approval_time_limit appears on the escalation role's list and raises an alert; cutoff warnings at the configured minutes | exact | integration | Lifecycle 8a; THRESHOLD kinds | M8 |
| G-SEC | Go-live criterion 9: an Operations user tries to see a margin or approve a settlement through screens, API, export, notification and journal: denied, nothing changed | invariant | acceptance | Cutover Approach exit criteria 9 to 13 | M10 |
| G-CONC | Criterion 10: two users edit the same deal; two Finance users approve the same settlement; a job started twice | invariant | acceptance | Cutover Approach | M10 |

| | | | | | |
|---|---|---|---|---|---|
| G-OUT | Criterion 11: the application is stopped mid-collection and mid-conversion; on restart nothing lost, nothing half-posted | invariant | acceptance | Cutover Approach | M10 |
| G-DUP | Criterion 12: the same settlement instruction submitted twice; the same collection recorded twice — the duplicate arises on NPL's side; the partner-side case is G-EXT | invariant | acceptance | Cutover Approach | M10 |
| G-EXT | Unknown external outcome: a settlement or conversion instruction is sent and the partner's answer never arrives, or arrives after the application has timed out (the partner accepted it; the partner never received it; the partner answered and the answer was lost). Expected: the line goes to the state "sent, outcome unknown" and is held; no second instruction is emitted by a retry, a job or a user; Operations raises a partner reference inquiry and records the partner's answer with evidence; only when the outcome is established does anything move — executed: confirm against the partner's reference and post nothing new; not received: Finance authorises one retry under a new partner reference, recorded as a retry of the held line. Simulated on staging with a partner stub that accepts and does not answer, and one that never receives: zero duplicate instructions in the stub's log, and the exception reconcilable from the partner's statement alone (Pattern Q) | invariant | acceptance | Ledger Posting Design 19b (Pattern P, C-INT2); Lifecycle & Approvals 13a and Figure 2; Cutover Approach criterion 12 | M10 |
| G-REST | Criterion 13: restore to a point in time and recover under the runbook 8a; two sign-offs; no missing or duplicate movement | invariant | acceptance | Cutover Approach 8a | M10, rehearsed yearly |
| G-OPEN | Opening entries: every Section 5 check agrees exactly with the sheets as of the opening date; in-flight deals continue in the app; one deal imported in each state of the per-state opening mapping (Cutover §4), continued to its close: every balance changes exactly once, nothing already in the opening entries posts again; a suspense line above the materiality figure fails the go/no-go on its own | exact | acceptance | Cutover Approach §4 (per-state mapping, step 3a); Pattern R | M11 |
| G-FILTER | The clean-target extract: a dummy project with a collection, a conversion, a payout, a reversal and evidence on staging; production built by the extract of Cutover §7 has no row linked to it in any table (checked through the foreign keys), the real projects' per-table counts and balances equal staging's, every evidence reference and ledger hash resolves, and nothing was deleted on staging The post-extract scan of ERD Appendix C: zero orphan foreign-key or type-plus-id references, zero rows whose closure reaches a test project, the count per table equal to staging's real-project count, the ledger identities passing, every evidence object present with its hash equal to its key, and the extract's own audit row written | exact | acceptance | Cutover Approach §3, §7 | M11 |

| | | | | | |
|---|---|---|---|---|---|
| G-RESTORE | A restore from backup into a scratch instance, with faults planted first (a deleted source row, a changed evidence object, an audit row pointing at a missing record): the post-restore scan of ERD Appendix C reports every planted fault and nothing else; a clean restore reports zero | exact (every fault found; zero on a clean image) | restore rehearsal | ERD Appendix C; Cutover 8a | M9 |
| G-RECON | Ten consecutive business days of the Section 5 checks inside tolerance; a reconciliation record per partner × currency × day | range (tolerance per check) | parallel run | Cutover Approach §5, §6; Pattern Q | M10 |
| G-VULN | Basic vulnerability assessment of staging; critical and high findings fixed before production | range (severity) | security | Architecture 6a | before go-live |

## 6 · Coverage sheet: the Workflow Tree against the tests

One row per sub-class of the Workflow Tree (27 sub-classes, 92 procedures). For each: where the procedures are written up, which client scenarios of the Scenario Catalogue use them, which ledger pattern books them, which tests exercise them and how many. A count of zero would be an open area; today none is zero, but the two lowest rows (6.2 payout methods, 7.5 ledger corrections) are where Phase 3 adds UAT cases first. The sheet is kept as a file next to the test suite (coverage.csv), with one row per procedure (the 92 leaves) filled in as the build phases land, and is shown at every phase review; the sub-class view here is its summary at the start of the build. Note: coverage.csv is a build-phase deliverable (Phase 1 onwards, maintained through Phase 3), not part of the P0 review cycle; its test column can only be filled once the test suite exists. From this edition the sheet also records, per procedure, the tests executed at the last phase review and their results, not only the families planned: a count here is a count of tests that ran and passed.

| Workflow Tree sub-class | Written up | Client scenarios (Catalogue) | Ledger pattern | Tests | Count |
|---|---|---|---|---|---|
| 1.1 Start a new project | OP Part C; CS 1a | all | — | V-ED, D-CONS (project state), D-CLONE | 3 |
| 1.2 Change configuration | CS §1 change control, 1a | all | — | V-ED-A…D, D-CONS (write-once), S-DORM | 6 |
| 1.3 Parties, endpoints and destinations | CS §4, §5; OP C2, C3, C7 | 1.1–1.6, 2.1–2.5, 4.1–4.4 | — | D-CONS (accounts, endpoints, single-use), R-VIS, R-BANK | 5 |
| 1.4 Users, roles and access | Roles §5, 5a; OP A.10 | all | — | C-APPR, R-VIS, R-ACCESS, P-1.4.1, 1.4.2 (pos, den) | 7 |
| 2.1 Partner rate versions | Calc §2, 2a; LC Figure 3 | all converting scenarios | — | S-RATE, V-RB1…4 | 5 |
| 2.2 Market reference | Arch §4 rate capture; CS RATE_SOURCE | all | — | C-JOBS, V-RB | 2 |
| 2.3 Bank cutoff day (C9) | OP C9; CS PARTNER; LC §2 | 2.6, 4.1, 4.3, 6.2 | K (T37) | S-DEAL (cutoff), F-T37 | 2 |
| 3.1 Price and send a quote | LC §2; Calc §3–§7; X1 | 2.1–2.5, 4.x | A | V-L1…L9, V-B1…B23, S-DEAL | 28 |
| 3.2 Validity, grace and late decisions | LC §2, OP A.2, D.1 | 2.4 | K (T38) | S-DEAL, F-T38 | 2 |
| 3.3 Entry modes without a quote | LC §2; SC W2 | 2.4, 6.1 | A | S-DEAL (collect-first), V-ED-D | 2 |
| 3.4 Fee mechanics decided at quote | Calc §4, 4a, §5, 5a, §6, §11 | 1.4, 1.5, 4.3, 5.1 | J | V-TIER1…3, V-L6, V-L12, V-L13, V-L14, F-T30…T35 | 12 |
| 4.1 Collection methods | OP C1, C2, C4, C7; X2 | 1.x, 2.x, 3.2, 4.2, 5.x | A, B, D | O-EVID1…3, F-T1, T4, T5, T15…T17, P-4.1.1…4.1.5 (pos, den, rtr), R-SCREEN | 25 |

| | | | | | |
|---|---|---|---|---|---|
| 4.2 Verify the collection | OP A.3, A.11; LC §5 | all | A, I | O-EVID, F-T28, T29, D-CONS (endpoint), P-4.2.1…4.2.4 (pos, den; rtr on 4.2.1, 4.2.2) | 15 |
| 5.1 Conversion on a deal leg | LC §2, §5; Calc §8, §12; X3 | all converting | A, K | F-T2, T3, T6, T11, T14, T36, S-DEAL, P-5.1.1…5.1.6 (pos, den; rtr on 5.1.1, 5.1.2, 5.1.5, 5.1.6), G-EXT | 24 |
| 5.2 Conversions not on a deal | LC §4; Calc §16; X6 | 6.2 | H | F-T26, T27, S-DEAL (balance conversion), P-5.2.1 (pos, den, rtr), G-EXT | 7 |
| 6.1 Prepare, approve and release | LC §3, Figure 2; OP A.5; X4 | all paying out | C | F-T7…T10, S-SETT, O-SLA, G-DUP, P-6.1.1…6.1.4 (pos, den, rtr), G-EXT, S-ACK | 21 |
| 6.2 Payout methods | OP C1, C3, C5, C8, C10 | 1.3, 1.6, 3.3, 4.4, 5.x, 6.3 | C | O-EVID, F-T23, P-6.2.1…6.2.6 (pos, den, rtr), G-EXT | 21 |
| 6.3 Bank fees and returns | OP C6, C6a, D.2, D.3; LC §3 | 2.7, 4.1 | C, F | F-T9, T10, T22…T25, O-C6A, P-6.3.1…6.3.6 (pos, den; rtr on 6.3.1, 6.3.3, 6.3.4, 6.3.5) | 23 |
| 7.1 Reroute and custody | LC Figure 4, 2b; OP A.8; X5 | 1.x (Ali unavailable), 2.5 | D, O | F-T12…T17, T56…T58, S-RR, C-INT1, P-7.1.1…7.1.4 (pos, den; rtr on 7.1.1…7.1.3), S-HOLD, S-ACK | 24 |
| 7.2 Voids and unwinds | LC §5; OP D.4; Ledger E | — | E | F-T18…T21, S-DEAL (voids), P-7.2.1…7.2.3 (pos, den, rtr) | 14 |
| 7.3 Loss events and recoveries | LC Figure 6; OP C7, D.5 | 4.2 | L | F-T39…T43, P-7.3.1, 7.3.2 (pos, den, rtr) | 13 |
| 7.4 Earnings resting at partners | LC Figure 7; Ledger N; X6 | 1.x, 2.x | N | F-T52…T55, S-RR (dues), P-7.4.1, 7.4.2 (pos, den, rtr) | 11 |
| 7.5 Ledger corrections | Ledger E addition, rule 11a | — | E | F-REV, F-T19, P-7.5.1 (pos, den, rtr) | 5 |
| 8.1 Daily | OP A.6, A.12; Cutover §5 | all | P, Q | G-RECON, C-INT1…3, C-JOBS, G-EXT | 7 |
| 8.2 Month end | OP A.7; Ledger §20, Pattern Q; X7 | 1.x, 3.3 | J, M, Q | F-T31, T34, T35, T44…T51, T59, F-ID1…12 | 25 |
| 8.3 Reports the ledger answers | Ledger §21; Roles | all | — | R-VIS, F-ID | 2 |
| 8.4 Cutover: parallel run, opening entries and switch | Cutover §3, §4, §6, §7, 8a; Pattern R | all | R | G-OPEN, G-FILTER, G-REST, G-RESTORE, G-RECON, F-T60, T61 | 7 |

## 6a · Per-procedure traceability: the money-moving, permission and exception procedures

A sub-class count above does not prove each of its procedures. For the procedures that move money, grant a right or handle an exception (classes 4 to 7 of the Workflow Tree, the two user-and-rights procedures of 1.4, and the two rights-bearing quote procedures 3.2.5 and 3.4.2) the test suite carries one explicit test per case and per procedure, named P-<procedure>-pos, -den and -rtr. The positive case (-pos) is the same for every row: the procedure completes with the initiator and approver the tree names, and the record, approval and posting it names exist exactly once. The gate is the milestone at which all of the procedure's cases must have run and passed; a procedure whose cases have not run does not pass its gate, whatever its sub-class count says. The denied and retry columns use codes: S — refused in the wrong state; R — refused for a role without the right (ROLE_RIGHT); P — refused when the approver is the person who initiated; M — refused until the Management approval exists (Management "always"; M(cond) where the tree makes it conditional); D — the same submission twice with the same idempotency key acts once and the second returns the first result (rule 1a); X — the partner's outcome is unknown: the line is held and no second instruction leaves (G-EXT).

| Procedure (Workflow Tree) | Positive case | Denied cases | Retry | Gate |
|---|---|---|---|---|
| 1.4.1 create, change or remove a user or role | P-1.4.1-pos | P-1.4.1-den: S R P M | — | M6 |
| 1.4.2 set approval rights per controlled action | P-1.4.2-pos | P-1.4.2-den: S R P M | — | M6 |
| 3.2.5 honour an expired quote's rate on the new deal | P-3.2.5-pos | P-3.2.5-den: S R P | — | M3 |
| 3.4.2 raise the fee above the markup cap | P-3.4.2-pos | P-3.4.2-den: S R P M | — | M3 |
| 4.1.1 C2 · USDT collection with wallet screening | P-4.1.1-pos | P-4.1.1-den: S R P | P-4.1.1-rtr: D | M4 |
| 4.1.2 C4 · bank transfer in | P-4.1.2-pos | P-4.1.2-den: S R P | P-4.1.2-rtr: D | M4 |
| 4.1.3 C1 · cash by token (collection side) | P-4.1.3-pos | P-4.1.3-den: S R P | P-4.1.3-rtr: D | M4 |
| 4.1.4 C7 · one-time local deposit account | P-4.1.4-pos | P-4.1.4-den: S R P | P-4.1.4-rtr: D | M4 |
| 4.1.5 bridge collection on NPL's own wallet | P-4.1.5-pos | P-4.1.5-den: S R P M | P-4.1.5-rtr: D | M4 |
| 4.2.1 verify a collection part | P-4.2.1-pos | P-4.2.1-den: S R P | P-4.2.1-rtr: D | M4 |
| 4.2.2 overpayment → sender credit | P-4.2.2-pos | P-4.2.2-den: S R P | P-4.2.2-rtr: D | M4 |
| 4.2.3 underpayment → wait or void | P-4.2.3-pos | P-4.2.3-den: S R P | — | M4 |
| 4.2.4 instructions issued: accepted → collecting | P-4.2.4-pos | P-4.2.4-den: S R P | — | M4 |
| 5.1.1 instruct a conversion | P-5.1.1-pos | P-5.1.1-den: S R P | P-5.1.1-rtr: D X | M4 |
| 5.1.2 partner books; margin recognised | P-5.1.2-pos | P-5.1.2-den: S R P | P-5.1.2-rtr: D | M4 |
| 5.1.3 keep the deal's margin unconverted | P-5.1.3-pos | P-5.1.3-den: S R P | — | M4 |
| 5.1.4 resolve a conversion variance exception | P-5.1.4-pos | P-5.1.4-den: S R P M(cond) | — | M4 |
| 5.1.5 two-leg route: hop to the second partner | P-5.1.5-pos | P-5.1.5-den: S R P | P-5.1.5-rtr: D X | M4 |
| 5.1.6 own-desk conversion | P-5.1.6-pos | P-5.1.6-den: S R P | P-5.1.6-rtr: D | M4 |
| 5.2.1 balance conversion | P-5.2.1-pos | P-5.2.1-den: S R P M | P-5.2.1-rtr: D X | M4 |
| 6.1.1 prepare and release a settlement | P-6.1.1-pos | P-6.1.1-den: S R P M(cond) | P-6.1.1-rtr: D X | M5 |
| 6.1.2 receiver confirms: full, or short → shortfall | P-6.1.2-pos | P-6.1.2-den: S R P | P-6.1.2-rtr: D | M5 |
| 6.1.3 top up a shortfall from the pool | P-6.1.3-pos | P-6.1.3-den: S R P M | P-6.1.3-rtr: D | M5 |
| 6.1.4 pay a receiver from another group's leg (offset) | P-6.1.4-pos | P-6.1.4-den: S R P M | P-6.1.4-rtr: D | M5 |
| 6.2.1 C3 · receiver wallet screened, then USDT payout | P-6.2.1-pos | P-6.2.1-den: S R P | P-6.2.1-rtr: D X | M5 |
| 6.2.2 C5 · bank transfer out | P-6.2.2-pos | P-6.2.2-den: S R P M(cond) | P-6.2.2-rtr: D X | M5 |
| 6.2.3 C10 · internal transfer inside the partner's platform | P-6.2.3-pos | P-6.2.3-den: S R P | P-6.2.3-rtr: D X | M5 |
| 6.2.4 C8 · local payout for a small amount | P-6.2.4-pos | P-6.2.4-den: S R P | P-6.2.4-rtr: D X | M5 |
| 6.2.5 C1 · cash by token (payout side) | P-6.2.5-pos | P-6.2.5-den: S R P | P-6.2.5-rtr: D X | M5 |
| 6.2.6 NPL-GR vendor payment discharging a vendor invoice | P-6.2.6-pos | P-6.2.6-den: S R P | P-6.2.6-rtr: D X | M5 |
| 6.3.1 bank fee event: waived, carried forward or absorbed | P-6.3.1-pos | P-6.3.1-den: S R P | P-6.3.1-rtr: D | M5 |
| 6.3.2 override the bank-fee treatment on one settlement | P-6.3.2-pos | P-6.3.2-den: S R P | — | M5 |
| 6.3.3 cover a bank fee for the client | P-6.3.3-pos | P-6.3.3-den: S R P M | P-6.3.3-rtr: D | M5 |

| | | | | |
|---|---|---|---|---|
| 6.3.4 C6 · returned transfer (bank rejects the payout) | P-6.3.4-pos | P-6.3.4-den: S R P M(cond) | P-6.3.4-rtr: D | M5 |
| 6.3.5 open a return leg to the sender | P-6.3.5-pos | P-6.3.5-den: S R P M(cond) | P-6.3.5-rtr: D X | M5 |
| 6.3.6 override the network-fee policy on a refund | P-6.3.6-pos | P-6.3.6-den: S R P | — | M5 |
| 7.1.1 request a reroute | P-7.1.1-pos | P-7.1.1-den: S R P M(cond) | P-7.1.1-rtr: D | M5 |
| 7.1.2 outbound transfer from NPL's own wallet | P-7.1.2-pos | P-7.1.2-den: S R P M | P-7.1.2-rtr: D X | M5 |
| 7.1.3 recover dues on a reroute | P-7.1.3-pos | P-7.1.3-den: S R P M | P-7.1.3-rtr: D | M5 |
| 7.1.4 custody aging and the daily exception list | P-7.1.4-pos | P-7.1.4-den: S R P | — | M5 |
| 7.2.1 void a deal before money moved | P-7.2.1-pos | P-7.2.1-den: S R P | P-7.2.1-rtr: D | M5 |
| 7.2.2 void a deal after collection | P-7.2.2-pos | P-7.2.2-den: S R P M | P-7.2.2-rtr: D | M5 |
| 7.2.3 unwind a deal after a loss | P-7.2.3-pos | P-7.2.3-den: S R P M | P-7.2.3-rtr: D | M5 |
| 7.3.1 record a loss event and approve its split | P-7.3.1-pos | P-7.3.1-den: S R P M | P-7.3.1-rtr: D | M6 |
| 7.3.2 record a loss recovery received | P-7.3.2-pos | P-7.3.2-den: S R P | P-7.3.2-rtr: D | M6 |
| 7.4.1 earnings offset between partners | P-7.4.1-pos | P-7.4.1-den: S R P M | P-7.4.1-rtr: D | M6 |
| 7.4.2 earnings receivable recovered on the partner's fee cycle | P-7.4.2-pos | P-7.4.2-den: S R P | P-7.4.2-rtr: D | M6 |
| 7.5.1 ledger adjustment (reversal and re-posting) | P-7.5.1-pos | P-7.5.1-den: S R P M | P-7.5.1-rtr: D | M6 |

## 7 · The three files that travel with this document

| File | Content | Owner |
|---|---|---|
| vectors-v5.9.csv | One row per acceptance vector L1 to L14 and B1 to B23: every input (amount, rates, fee parts, mode, rounding) and every expected figure, as printed in the Calculation Specification; the automated tests read this file, so a change to a vector is a change to this file with a recorded reason | New XP; NPL Finance approves changes to B rows |
| coverage.csv (build phase) | One row per procedure of the Workflow Tree (92 leaves) with the columns of Section 6 and, per procedure, the P-tests of 6a with the result of their last run; counts are computed from the test suite at each phase review. Created in Phase 1 (M0) from the Workflow Tree, filled as the milestones land; not a P0 deliverable | New XP, from Phase 1 |
| fixtures-manifest-v6.0.csv | One row per fixture of Appendix A (67 rows): fixture id, worked transaction, pattern, source type, number of posting lines, accounts touched, the identities checked after it, the page of the Ledger Posting Design it reproduces, build status. Generated from the Ledger Posting Design, so it cannot drift from it; the build checks that every row has a fixture and every fixture a row (no orphan, no gap) | New XP; regenerated with every edition of the Ledger Posting Design |

Identifiers in this document are frozen from this edition. New tests take the next free number in their family; a withdrawn test keeps its number with the note "withdrawn". Added in this edition: the P family (6a), G-EXT, and the fixture ids of the variants (F-T3a, F-T22a, F-T24a, F-T41a, F-T41b, F-T41c, F-T52a).

## Appendix A · Fixture manifest: the 67 worked transactions of the Ledger Posting Design

One row per fixture, generated from the Ledger Posting Design itself (fixtures-manifest-v6.0.csv). Fixture = the test id; Tx = the worked transaction; Pattern = the section of the Ledger Posting Design; Source = LEDGER_TRANSACTION.source_type; Lines = posting lines the fixture asserts (0 for a worked case that posts nothing); Accounts = every account the fixture touches, in posting order; after every fixture the twelve identities F-ID1 to F-ID12 are checked; Page = where the expected postings are printed in the Ledger Posting Design v6.0; Status = build status at this edition. Patterns G (inter-group offsets, described by the entitlement view) and P (interruptions, C-INT1 to C-INT3) have no worked transaction of their own.

| Fixture | Tx | Pat. | Source | Lines | Accounts | Page | Status |
|---|---|---|---|---|---|---|---|
| F-T1 | T1 | A | Collection | 2 | CL.ALI.USDT.COLLECTED CL.PROJECT.USDT.PAYABLE | 8 | planned (M2) |
| F-T2 | T2 | A | Conversion | 6 | CL.PROJECT.USDT.PAYABLE CL.ALI.USDT.COLLECTED CL.ALI.EUR.DUE CO.ALI.EUR.POOL CL.PROJECT.EUR.PAYABLE CO.NONE.EUR.EARN_GROSS | 8 | planned (M2) |
| F-T3a | T3a | A | Collection | 2 | CL.ALI.EUR.COLLECTED CL.PROJECT.EUR.PAYABLE | 9 | planned (M2) |
| F-T3 | T3 | A | Conversion | 6 | CL.PROJECT.EUR.PAYABLE CL.ALI.EUR.COLLECTED CL.ALI.EUR.DUE CO.ALI.EUR.POOL CO.NONE.EUR.EARN_GROSS | 9 | planned (M2) |
| F-T4 | T4 | B | Collection | 2 | CL.ALI.USDT.COLLECTED CL.PROJECT.USDT.PAYABLE | 9 | planned (M2) |
| F-T5 | T5 | B | Collection | 2 | CL.ALI.USDT.COLLECTED CL.PROJECT.USDT.PAYABLE | 9 | planned (M2) |
| F-T6 | T6 | B | Conversion | 6 | CL.PROJECT.USDT.PAYABLE CL.ALI.USDT.COLLECTED CL.ALI.EUR.DUE CO.ALI.EUR.POOL CL.PROJECT.EUR.PAYABLE CO.NONE.EUR.EARN_GROSS | 10 | planned (M2) |
| F-T7 | T7 | C | Settlement | 2 | CL.PROJECT.EUR.PAYABLE CL.ALI.EUR.DUE | 10 | planned (M2) |
| F-T8 | T8 | C | Confirmation | 0 | (no posting) | 10 | planned (M2) |
| F-T9 | T9 | C | Confirmation | 2 | CL.RECEIVER_X.EUR.SHORTFALL CL.PROJECT.EUR.PAYABLE | 11 | planned (M2) |
| F-T10 | T10 | C | BankFeeEvent | 4 | CO.NONE.EUR.EXP_BANKFEE CO.ALI.EUR.POOL CL.ALI.EUR.DUE CL.RECEIVER_X.EUR.SHORTFALL | 11 | planned (M2) |
| F-T11 | T11 | C | Conversion | 8 | CL.PROJECT.USDT.PAYABLE CL.ALI.USDT.COLLECTED CL.ALI.THB.DUE CO.ALI.THB.POOL CO.NONE.THB.EXP_ROUNDING CL.PROJECT.THB.PAYABLE CO.NONE.THB.EARN_GROSS | 12 | planned (M2) |
| F-T12 | T12 | D | Collection | 2 | CL.OWN.USDT.HELD CL.PROJECT.USDT.PAYABLE | 12 | planned (M2) |
| F-T13 | T13 | D | Reroute | 4 | CL.JETON.USDT.COLLECTED CL.OWN.USDT.HELD CO.OWN.USDT.WALLET CO.JETON.USDT.POOL | 13 | planned (M2) |
| F-T14 | T14 | D | Conversion | 7 | CL.PROJECT.USDT.PAYABLE CL.JETON.USDT.COLLECTED CL.JETON.EUR.DUE CO.JETON.EUR.POOL CO.NONE.EUR.EXP_PARTNER CL.PROJECT.EUR.PAYABLE CO.NONE.EUR.EARN_GROSS | 13 | planned (M2) |
| F-T15 | T15 | D | Collection | 2 | CL.OWN.USDT.HELD CL.PROJECT.USDT.PAYABLE | 14 | planned (M2) |
| F-T16 | T16 | D | Settlement | 0 | (no posting) | 14 | planned (M2) |
| F-T17 | T17 | D | Confirmation | 4 | CL.ALI.USDT.COLLECTED CL.OWN.USDT.HELD CO.NONE.USDT.EXP_NETWORK CO.OWN.USDT.WALLET | 14 | planned (M2) |
| F-T18 | T18 | E | Collection | 2 | CL.ALI.USDT.COLLECTED CL.PROJECT.USDT.PAYABLE | 14 | planned (M2) |
| F-T19 | T19 | E | Adjustment | 2 | CL.PROJECT.USDT.PAYABLE CL.ALI.USDT.COLLECTED | 14 | planned (M2) |
| F-T20 | T20 | E | Collection | 2 | CL.ALI.USDT.COLLECTED CL.PROJECT.USDT.PAYABLE | 15 | planned (M2) |
| F-T21 | T21 | E | Adjustment | 3 | CL.PROJECT.USDT.PAYABLE CL.ALI.USDT.COLLECTED | 15 | planned (M2) |
| F-T22a | T22a | F | Collection | 2 | CL.ALI.USDT.COLLECTED CL.PROJECT.USDT.PAYABLE | 15 | planned (M2) |
| F-T22 | T22 | F | Conversion | 6 | CL.PROJECT.USDT.PAYABLE CL.ALI.USDT.COLLECTED CL.ALI.GBP.DUE CO.ALI.GBP.POOL CL.PROJECT.GBP.PAYABLE CO.NONE.GBP.EARN_GROSS | 15 | planned (M2) |
| F-T23 | T23 | F | Settlement | 2 | CL.PROJECT.GBP.PAYABLE CL.ALI.GBP.DUE | 16 | planned (M2) |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| F-T24 | T24 | F | SettlementReturn | 6 | CL.ALI.GBP.DUE CL.PROJECT.GBP.PAYABLE CO.NONE.GBP.EXP_BANKFEE CO.ALI.GBP.POOL | 16 | planned (M2) |
| F-T24a | T24a | F | Conversion | 4 | CO.NONE.USDT.FX_RESULT CO.ALI.USDT.POOL CO.ALI.GBP.POOL CO.NONE.GBP.FX_RESULT | 16 | planned (M2) |
| F-T25 | T25 | F | Conversion | 4 | CL.PROJECT.GBP.PAYABLE CL.ALI.GBP.DUE CL.ALI.USDT.DUE CL.PROJECT.USDT.PAYABLE | 17 | planned (M2) |
| F-T26 | T26 | H | Conversion | 2 | CL.ALI.SGD.DUE CL.PROJECT.SGD.PAYABLE | 17 | planned (M2) |
| F-T27 | T27 | H | BalanceConversion | 4 | CL.PROJECT.SGD.PAYABLE CL.ALI.SGD.DUE CL.ALI.USDT.DUE CL.PROJECT.USDT.PAYABLE | 17 | planned (M2) |
| F-T28 | T28 | I | Collection | 3 | CL.ALI.USDT.COLLECTED CL.PROJECT.USDT.PAYABLE CL.SENDER_A.USDT.CREDIT | 18 | planned (M2) |
| F-T29 | T29 | I | Collection | 3 | CL.ALI.USDT.COLLECTED CL.SENDER_A.USDT.CREDIT CL.PROJECT.USDT.PAYABLE | 18 | planned (M2) |
| F-T30 | T30 | J | MarkupShare | 2 | CO.NONE.EUR.EARN_GROSS CO.PARTY_P.EUR.SHARE_PAYABLE | 19 | planned (M2) |
| F-T31 | T31 | J | MarkupShare | 2 | CO.PARTY_P.EUR.SHARE_PAYABLE CO.OWN.EUR.WALLET | 19 | planned (M2) |
| F-T32 | T32 | J | Conversion | 8 | CL.PROJECT.USDT.PAYABLE CL.AQN.USDT.COLLECTED CL.AQN.EUR.DUE CO.RAEEN.EUR.SHARE_RECEIVABLE CO.NONE.EUR.EARN_GROSS CO.NONE.EUR.EXP_PARTNER CL.PROJECT.EUR.PAYABLE | 19 | planned (M2) |
| F-T33 | T33 | J | Rebate | 2 | CO.AQN.USDT.REBATE_RECEIVABLE CO.NONE.USDT.EARN_REBATE | 20 | planned (M2) |
| F-T34 | T34 | J | Rebate | 3 | CO.OWN.USDT.WALLET CO.NONE.USDT.EARN_REBATE CO.AQN.USDT.REBATE_RECEIVABLE | 20 | planned (M2) |
| F-T35 | T35 | J | MarkupShare | 2 | CO.OWN.EUR.WALLET CO.RAEEN.EUR.SHARE_RECEIVABLE | 20 | planned (M2) |
| F-T36 | T36 | K | Conversion | 7 | CL.PROJECT.USDT.PAYABLE CL.ALI.USDT.COLLECTED CL.ALI.EUR.DUE CO.ALI.EUR.POOL CO.NONE.EUR.VAR_CONVERSION CL.PROJECT.EUR.PAYABLE CO.NONE.EUR.EARN_GROSS | 21 | planned (M2) |
| F-T37 | T37 | K | Conversion | 7 | CL.PROJECT.USDT.PAYABLE CL.ALI.USDT.COLLECTED CL.ALI.EUR.DUE CO.ALI.EUR.POOL CO.NONE.EUR.VAR_CUTOFF CL.PROJECT.EUR.PAYABLE CO.NONE.EUR.EARN_GROSS | 21 | planned (M2) |
| F-T38 | T38 | K | Conversion | 7 | CL.PROJECT.USDT.PAYABLE CL.ALI.USDT.COLLECTED CL.ALI.EUR.DUE CO.ALI.EUR.POOL CO.NONE.EUR.VAR_RATE_HONOUR CL.PROJECT.EUR.PAYABLE CO.NONE.EUR.EARN_GROSS | 22 | planned (M2) |
| F-T39 | T39 | L | Collection | 2 | CL.ALI.USDT.COLLECTED CL.PROJECT.USDT.PAYABLE | 22 | planned (M2) |
| F-T40 | T40 | L | LossEvent | 5 | CO.NONE.USDT.EXP_LOSS CO.ALI.USDT.POOL CO.OWN.USDT.WALLET CL.ALI.USDT.COLLECTED | 23 | planned (M2) |
| F-T41a | T41a | L | LossRecovery | 2 | CO.ALI.USDT.LOSS_RECEIVABLE CO.NONE.USDT.EXP_LOSS | 23 | planned (M2) |
| F-T41b | T41b | L | LossRecovery | 2 | CO.SENDER_A.USDT.LOSS_RECEIVABLE CO.NONE.USDT.EXP_LOSS | 23 | planned (M2) |
| F-T41c | T41c | L | LossRecovery | 4 | CO.ALI.USDT.POOL CO.NONE.USDT.EXP_LOSS CL.PROJECT.USDT.PAYABLE CL.ALI.USDT.COLLECTED | 24 | planned (M2) |
| F-T42 | T42 | L | LossRecovery | 2 | CO.ALI.USDT.POOL CO.ALI.USDT.LOSS_RECEIVABLE | 24 | planned (M2) |
| F-T43 | T43 | L | LossRecovery | 2 | CO.OWN.USDT.WALLET CO.SENDER_A.USDT.LOSS_RECEIVABLE | 24 | planned (M2) |
| F-T44 | T44 | M | Invoice | 2 | CO.NONE.EUR.RESELL_COST CO.VENDOR_V.EUR.VENDOR_PAYABLE | 25 | planned (M2) |
| F-T45 | T45 | M | Invoice | 2 | CO.CUSTOMER_C.EUR.RESALE_RECEIVABLE CO.NONE.EUR.RESELL_REVENUE | 25 | planned (M2) |
| F-T46 | T46 | M | Collection | 4 | CL.ALI.THB.COLLECTED CL.PROJECT.THB.PAYABLE CO.PROJECT.EUR.REMIT_CLAIM CO.CUSTOMER_C.EUR.RESALE_RECEIVABLE | 26 | planned (M2) |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| F-T47 | T47 | M | Conversion | 6 | CL.PROJECT.THB.PAYABLE CL.ALI.THB.COLLECTED CL.ALI.USDT.DUE CO.ALI.USDT.POOL CL.PROJECT.USDT.PAYABLE CO.NONE.USDT.EARN_GROSS | 26 | planned (M2) |
| F-T48 | T48 | M | Settlement | 4 | CL.PROJECT.USDT.PAYABLE CL.ALI.USDT.DUE CO.VENDOR_V.EUR.VENDOR_PAYABLE CO.PROJECT.EUR.REMIT_CLAIM | 27 | planned (M2) |
| F-T49 | T49 | M | Confirmation | 2 | CL.OWNDESK.USDT.DUE CL.ALI.USDT.DUE | 27 | planned (M2) |
| F-T50 | T50 | M | Settlement | 8 | CL.PROJECT.USDT.PAYABLE CL.OWNDESK.USDT.DUE CO.OWNDESK.USDT.POOL CO.NONE.USDT.VAR_FX_TIMING CO.VENDOR_V.EUR.VENDOR_PAYABLE CO.PROJECT.EUR.REMIT_CLAIM | 28 | planned (M2) |
| F-T51 | T51 | M | Settlement | 11 | CL.PROJECT.USDT.PAYABLE CL.OWNDESK.USDT.DUE CO.OWNDESK.USDT.POOL CO.NONE.USDT.VAR_FX_TIMING CO.OWN.USDT.WALLET CO.NONE.USDT.FX_RESULT CO.NONE.USDT.RESELL_REVENUE CO.NONE.EUR.FX_RESULT CO.PROJECT.EUR.REMIT_CLAIM | 29 | planned (M2) |
| F-T52a | T52a | N | Collection | 2 | CL.JETON.USDT.COLLECTED CL.PROJECT.USDT.PAYABLE | 32 | planned (M2) |
| F-T52 | T52 | N | Conversion | 7 | CL.PROJECT.USDT.PAYABLE CL.JETON.USDT.COLLECTED CL.JETON.EUR.DUE CO.JETON.EUR.POOL CO.NONE.EUR.EXP_PARTNER CL.PROJECT.EUR.PAYABLE CO.NONE.EUR.EARN_GROSS | 32 | planned (M2) |
| F-T53 | T53 | N | Collection | 2 | CL.ALI.USDT.COLLECTED CL.PROJECT.USDT.PAYABLE | 32 | planned (M2) |
| F-T54 | T54 | N | EarningsOffset | 8 | CL.JETON.EUR.DUE CL.PROJECT.EUR.PAYABLE CL.PROJECT.USDT.PAYABLE CL.ALI.USDT.COLLECTED CO.ALI.USDT.POOL CO.NONE.USDT.FX_RESULT CO.NONE.EUR.FX_RESULT CO.JETON.EUR.POOL | 33 | planned (M2) |
| F-T55 | T55 | N | Conversion | 7 | CL.PROJECT.USDT.PAYABLE CL.ALI.USDT.COLLECTED CO.ALI.USDT.POOL CO.NONE.USDT.EARN_GROSS CL.ALI.EUR.DUE CL.PROJECT.EUR.PAYABLE | 34 | planned (M2) |
| F-T56 | T56 | O | BalanceConversion | 4 | CL.PROJECT.EUR.PAYABLE CL.ALI.EUR.DUE CL.ALI.USDT.DUE CL.PROJECT.USDT.PAYABLE | 35 | planned (M2) |
| F-T57 | T57 | O | Reroute | 4 | CL.OWN.USDT.HELD CL.ALI.USDT.DUE CL.JETON.USDT.COLLECTED | 35 | planned (M2) |
| F-T58 | T58 | O | Conversion | 7 | CL.PROJECT.USDT.PAYABLE CL.JETON.USDT.COLLECTED CL.JETON.EUR.DUE CL.PROJECT.EUR.PAYABLE CO.NONE.EUR.EXP_PARTNER CO.NONE.EUR.VAR_CONVERSION CO.JETON.EUR.POOL | 36 | planned (M2) |
| F-T59 | T59 | Q | Adjustment | 2 | CO.NONE.EUR.EXP_BANKFEE CO.ALI.EUR.POOL | 38 | planned (M2) |
| F-T60 | T60 | R | Opening | 2 | CL.ALI.EUR.DUE CL.PROJECT.EUR.PAYABLE | 39 | planned (M2) |
| F-T61 | T61 | R | Opening | 2 | CO.ALI.EUR.POOL CO.NONE.EUR.OPENING_BALANCE | 39 | planned (M2) |