# NPLify · P0 Technical Baseline

## Configuration Schema Specification

New XP Technologies Limited

11 October 2026 · Confidential

## 1 · How configuration is organised

Four ideas carry the whole model. **A client has projects.** The client is the commercial relationship; each project is one arrangement with it, with its own settings, currency pairs, senders, receiver groups and partner configurations. **Parties are partner-independent.** Senders, receiver groups and receiving entities belong to the project, so the same Sender A → Receiver Y flow can run through Ali today and Jeton tomorrow. **How a partner is used is a block.** Fees and tiers, vehicles and their collection endpoints, the narrative and the rail that pay out, the destination approvals and the rebate rule all hang off one PARTNER_CONFIG, and a deal leg stamps the block's rows it was priced and routed on. **The partner's clock is the partner's.** Cutoff, time zone, holidays and overrides belong to the global PARTNER and apply wherever a pair says it relies on the banking channel.





*Figure 1 — The configuration model. Dashed boxes are global; everything inside the shaded area belongs to one project of one client.*

**Change control.** Configuration is versioned: thresholds, fee structures, tiers, templates, system settings and policies are new rows with an effective date, never edits. Finance proposes, Management approves (approver ≠ proposer, from the ROLE_RIGHT rows), and every change is audited. Deals keep the versions they were priced on. Three rows are not approvals but audited records: a partner cutoff override (Finance, with the partner's agreement), a wallet screening (Operations) and a destination approval's status as reported by the partner.

## 2 · Global master data and system settings

### CLIENT · Global

The commercial relationship: the counterparty NPL contracts with and reports on (Betfair, Evo, 66 Group, GDC …). A client has one or more PROJECTs — BF, BF Sub and BF Withdrawal are three arrangements with one client — each with its own fee structures, partners and policies. Client-level figures (balances at partners, entitlement, custody, earnings, rebates) are roll-ups over the client's projects (CLIENT_POSITION), never stored; an optional exposure_ceiling caps the sum of what rests at partners across the client's projects.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| `name` | string | yes | Betfair, Evo, 66 Group, GDC, NPL-GR |
| `category` | string | no | NPL's own grouping (Project Context tab: BF, Evo, Game Reseller …) |
| `legal_entity_ref` | string | no | contracting entity, external store |
| `kyc_ref` | string | no | external store |
| `relationship_owner` | int | no | USER |
| `exposure_ceiling` | decimal | no | optional cap on Σ balance resting at partners across the client's projects, stated in the reporting currency and compared through REPORTING_VALUE at the latest market rate |
| `status` | string | yes | |

- The commercial relationship NPL contracts with and reports on. A client has one or more projects: BF, BF Sub and BF Withdrawal are three arrangements with one client.
- exposure_ceiling, when set, caps the sum of what rests at partners across the client's projects; it is stated in the reporting currency and compared through REPORTING_VALUE.
- Client-level figures (CLIENT_POSITION) are roll-ups over the client's projects, never stored.

### PARTNER · Global

A global counterparty (Ali, Jeton, PT): remittance companies, fintechs, EMIs, neobanks or crypto exchanges. How a partner is used in a project lives in PARTNER_CONFIG. disclosure_style records whether the partner's markup is visible. carries the partner's daily bank cutoff, like its rate expiry and holiday calendar — a property of the partner, whichever project uses it. supported_methods says which collection and settlement methods the partner offers; cash and local deposits have no standing endpoint, so they are declared here, while networks are read from the vehicle's wallet endpoints.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| `name` | string | yes | Ali, Jeton, PT |
| `disclosure_style` | string | yes | fee_in_rate / fee_on_market — whether the partner's fee sits inside its rate or is stated on top of market |
| `rate_expiry_time` | string | no | |
| `holiday_calendar` | string | no | name of the source calendar (e.g. ID banking holidays); the dates are HOLIDAY rows |

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| supported_methods | string | yes | crypto / bank / cash / local_deposit — the methods this partner offers (Ali: all four; Jeton and Aquanow: crypto, bank). Networks are implied by its wallet endpoints |
| status | string | yes | |
| bank_cutoff_time | time | no | nullable: the partner's standing daily bank cutoff for pairs that rely on the banking channel (Ali and other Asian partners, 14:30); empty for Jeton and Aquanow, which bind nothing. Governs locking the rate for same-day conversion and initiating an outgoing bank settlement; per-day changes in PARTNER_CUTOFF_OVERRIDE |
| cutoff_timezone | string | no | IANA zone, e.g. Asia/Hong_Kong |

- A partner is set up once and reused by any project through a PARTNER_CONFIG.
- disclosure_style says where the partner's fee sits: fee_in_rate (inside its rate — Ali) or fee_on_market (stated on top of market — Jeton).
- supported_methods lists the collection and settlement methods the partner offers (crypto / bank / cash / local_deposit); networks are implied by its vehicles' wallet endpoints.
- bank_cutoff_time with cutoff_timezone is the partner's standing daily bank cutoff; empty for a partner whose channel binds nothing (Jeton, Aquanow). It is required if any of the partner's pairs has needs_bank_lock.
- holiday_calendar names the source calendar; the dates are HOLIDAY rows.

### HOLIDAY · Per partner

A non-business day of a partner's banking channel: one row per date (Indonesian bank holidays for Ali's PT vehicles, UK holidays for Jeton). The dates behind every 'next business day' in the model — a leg's conversion_due_date and a settlement's execution_due_date skip weekends in the partner's cutoff_timezone and the partner's HOLIDAY rows. scope says what is closed: the bank channel only (crypto pairs unaffected) or the partner altogether. PARTNER.holiday_calendar stays as the name of the source calendar; this table holds its dates.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| partner_id | int | yes | reference |
| date | date | yes | |
| name | string | no | Idul Fitri, Boxing Day |
| scope | string | yes | bank_channel / partner · default **bank_channel** |
| source | string | no | partner notice / public calendar |

- One row per non-business day of the partner's banking channel; conversion_due_date and execution_due_date skip these dates and weekends in the partner's cutoff_timezone.
- scope bank_channel leaves crypto pairs unaffected; scope partner closes the partner altogether.

### PARTNER_CUTOFF_OVERRIDE · Per partner

A change to a partner's bank cutoff for one day or for a recurring weekday: an extension of 30–60 minutes that the partner agreed for an urgent request, or an early close on a Friday or the day before a holiday. The effective cutoff for a day is the one-day override if any, else the weekday rule, else PARTNER.bank_cutoff_time. Finance records it with the partner's agreement.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| partner_id | int | yes | reference |
| applies_on | date | no | one day; null for a weekday rule |
| weekday | string | no | recurring rule (Friday); null for a one-day override |
| cutoff_time | time | yes | the cutoff that applies instead |

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| kind | string | yes | extension / early_close |
| reason | string | yes | urgent request / pre-holiday / partner notice |
| partner_agreement_ref | string | no | the partner agreed (extensions) |
| recorded_by | int | yes | Finance |

- Exactly one of applies_on (a one-day override) and weekday (a recurring rule, e.g. Friday) is set.
- The effective cutoff for a day is the one-day override if any, else the weekday rule, else PARTNER.bank_cutoff_time.
- kind extension needs partner_agreement_ref; Finance records it, no approval (an audited step).

### RATE_SOURCE · Global

A market data source. Cross-source slippage is a query over MARKET_RATE across sources for the same pair and window.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| code | string | yes | KRAKEN / CMC / OANDA / XE |
| staleness_threshold_s | int | yes | |

- A snapshot older than staleness_threshold_s is not used for pricing; the next source in the pair's chain is tried; with every source down a manual rate needs Finance approval with evidence.

### MARKUP_SHARE_PARTY · Global

A party who shares NPL's markup: an external markup-share party who brought in a client, or a customer such as Raeen who provides sub-accounts. Paid either a share of NPL's earnings or a fixed % per transaction; several markup-share parties may share one deal. may also be a client party (Raeen) who provides sub-accounts and shares NPL's net markup — MARKUP_SHARE_RULE.party_kind says which.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| name | string | yes | |
| status | string | yes | |

- A party who shares NPL's markup: an external party who brought in a client, or a customer who provides sub-accounts. How it is paid on a project is MARKUP_SHARE_RULE.

### SYSTEM_SETTING · Global, versioned

The system-settings area, kept simple: this key/value table (reporting_currency, reporting_rate_max_age_min, operating_timezone, and later keys), the ROLE table for user roles, and the platform-scope CURRENCY_PAIRs that carry the conversion rates for reporting through the ordinary PAIR_RATE_SOURCE chain. Every row is versioned by effective_from and approved by Management. Nothing here changes a price, a posting or a settlement.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| key | string | yes | reporting_currency / reporting_rate_max_age_min / operating_timezone / … (the reporting rate source is the platform pair's PAIR_RATE_SOURCE, not a key) |
| value | string | yes | |
| effective_from | datetime | yes | |
| approved_by | int | yes | Management |

- Keys today: reporting_currency, reporting_rate_max_age_min, operating_timezone. A new value is a new row with a later effective_from, approved by Management.
- The reporting rate source is not a key: it is the PAIR_RATE_SOURCE chain of the platform-scope CURRENCY_PAIR (currency → reporting currency).
- Nothing here changes a price, a posting or a settlement.

### MESSAGE_TEMPLATE · Global default, or per project

A versioned template for a message the system sends or renders: the quote package to a sender, the payment instructions, a confirmation request to a receiver, a settlement advice. Global, or owned by a project that needs its own wording. A template names the fields it prints; a template of purpose quote may print only sender-facing figures (sender rate, customer-facing fee and rate, amount out, validity) — never partner rates, margins or costs — which is how 's 'Operations never receives derived economics' is enforced on outgoing messages. Changing a template is a configuration change approved by Management.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| project_id | int | no | null = global default; a project row overrides it |
| code | string | yes | quote / payment_instructions / confirmation_request / settlement_advice / cash_token |
| version | int | yes | |
| channel | string | yes | email / chat / portal / pdf |
| language | string | yes | |
| body_ref | string | yes | external content store |
| printed_fields | string | yes | the model fields the template may print; sender-facing only for quote |
| effective_from | datetime | yes | |
| approved_by | int | yes | Management |
| status | string | yes | |

- project_id null is the global default; a project row with the same code overrides it.
- printed_fields lists the model fields the template may print. A template of code quote may print only sender-facing figures (sender rate, customer-facing fee and rate, amount out, validity) — never a partner rate, a margin or a cost; the save is refused otherwise.
- A new version is a new row approved by Management; the version a package was rendered with is recorded on QUOTE_PACKAGE.

## 3 · Project settings

**PROJECT** · Per client

One arrangement with a client: a product line with its own configuration — parties, groups, pairs, thresholds, partner configurations — and its own policies. Several projects may belong to one CLIENT (BF, BF Sub and BF Withdrawal). In it also carries the settlement policy with an exposure cap, the network-fee policy and the receiver-fee default at conversion.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| `client_id` | int | yes | the client this arrangement belongs to |
| `name` | string | yes | |
| `client_label` | string | no | |
| `quote_freshness_min` | int | yes | |
| `quote_validity_min` | int | yes | |
| `grace_min` | int | yes | |
| `grace_drift_pct` | decimal | yes | |
| `late_collection_policy` | string | yes | requote / honor_with_approval |
| `bank_fee_treatment_default` | string | yes | waived / carry_forward / absorbed |
| `receiver_fee_timing` | string | yes | at_conversion (default) / post_confirmation · default **at_conversion** |
| `network_fee_policy` | string | yes | absorbed / charged_back (project default; per-transaction override via FEE_DECISION). A network fee may or may not apply; when it does it is stated in USDT, when it does not it is zero and nothing posts |
| `settlement_policy` | string | yes | to_zero / hold_allowed · default **to_zero** |
| `shortfall_tolerance` | decimal | yes | · default **0** |
| `exposure_ceiling` | decimal | no | cap on balance resting at a partner |
| `status` | string | yes | |

- One arrangement with a client; several projects may belong to one CLIENT. Everything the arrangement needs sits under it.
- quote_freshness_min < quote_validity_min; grace_min and grace_drift_pct govern the grace decision after validity (adds extensions before validity ends).
- network_fee_policy is the project default; a one-off override is a FEE_DECISION. When a network fee applies it is stated in USDT; when it does not, nothing posts.
- exposure_ceiling caps the balance resting at a partner (settlement_policy hold_allowed); the client-level cap is on CLIENT.

**THRESHOLD** · Per project

Project-level system settings: limits and escalation rules evaluated at write time. settlement_limit now also bounds balance held at a partner under settlement_policy = hold_allowed.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| `project_id` | int | no | reference |
| `kind` | string | yes | max_amount / settlement_limit / daily_slots / rate_variation_rel / custom |
| `currency` | string | no | |
| `value` | decimal | yes | |

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| condition_expr | string | no | custom conditions |
| escalation | string | yes | finance / management |

- One row per kind and currency; currency may be blank for kinds that are not amounts (daily_slots, rate_variation_rel).
- escalation names who decides when the threshold is crossed: finance or management; the escalation adds the approval, it never replaces the first.
- settlement_limit also bounds the balance held at a partner under settlement_policy hold_allowed.

### CURRENCY_PAIR · Per project, or platform

A pair the project trades, with quote direction and rate precision. Rounding is a per-pair choice on each side: amount_rounding with rounding_unit on payouts, cash_rounding with cash_rounding_unit on the collected cash amount; what is dropped stays client money, what is added by rounding up is NPL's cost (EXP_ROUNDING). from_currency may equal to_currency: the leg still converts, at rate 1, so the fee is captured at conversion as on any other pair. Cash pairs are priced per city on the rate version and the deal, not on the pair. a pair with no project is a system reporting pair, used only to convert figures into the reporting currency.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| project_id | int | no | null when scope = platform |
| scope | string | yes | project / platform — a platform pair (currency → reporting currency) belongs to no project, is managed under system settings, is priced through PAIR_RATE_SOURCE like any pair and is never quoted · default **project** |
| from_currency | string | yes | |
| to_currency | string | yes | |
| quote_direction | string | yes | out_per_in / in_per_out · default **out_per_in** |
| rate_precision | int | yes | · default **5** |
| amount_rounding | string | yes | exact / truncate_unit / nearest_unit / round_up_unit / nearest_n / round_up_n (exact is the default for bank transfers — cents go out; the unit options apply where the pair says so, in practice to cash hand-overs) · default **exact** |
| cash_rounding | string | no | truncate_n / nearest_n / round_up_n — how the collected cash amount is rounded to cash_rounding_unit only) |
| cash_rounding_unit | int | no | 100 / 500 / 1000 by currency — the unit the collected cash amount is rounded to; AED cash 100, USD cash in Dubai 10 (NPL, 9 Oct) |
| status | string | yes | |
| rounding_unit | decimal | no | required for nearest_n / round_up_n (1,000 for THB, INR, JPY payouts) |

- scope project needs project_id; scope platform (currency → reporting currency) has none, is managed under system settings and is never quoted.
- amount_rounding is the payout-side menu (exact / truncate_unit / nearest_unit / round_up_unit / nearest_n / round_up_n); exact is the default for bank transfers; nearest_n and round_up_n need rounding_unit.
- cash_rounding with cash_rounding_unit applies to the collected cash amount (AED 100, USD cash in Dubai 10, 1,000 for Asian currencies); both blank for a pair that is never collected in cash.
- from_currency may equal to_currency: the leg converts at rate 1 and the fee is captured at conversion.
- A pair needs at least one PAIR_RATE_SOURCE with a unique priority before it can be used.

### PAIR_RATE_SOURCE · Per pair

The prioritised source chain for a currency pair.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| currency_pair_id | int | yes | reference |
| rate_source_id | int | yes | reference |
| priority | int | yes | |

- Priority 1 is tried first; the chain continues on staleness or outage.
- Platform pairs use the same chain: it is what REPORTING_VALUE converts with.

### OWN_WALLET · Per project

NPL's own wallets, by role: reroute contingency (AQN-LT-Sub at Aquanow), the own desk of the NPL-GR project, and a collection bridge — a wallet on a network a partner does not support (ERC-20 for Ali) or one that isolates risk, on which NPL collects and from which it forwards to the leg's partner as a hop within custody_max_hours. Custody is allowed only in those three cases; the custody view is the standing control. Also receives recovered dues.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| project_id | int | no | reference |
| provider | string | yes | e.g. Aquanow |
| account_label | string | no | e.g. LT Sub |
| role | string | yes | reroute_contingency / own_desk / collection_bridge — LT Sub at Aquanow is the NPL-GR own desk; NPL's ERC-20 wallet is a bridge for partners without that network |
| networks | string | no | networks the wallet receives on (ERC-20 where Ali cannot) |
| network | string | yes | |
| address | string | yes | |
| signer_arrangement | string | yes | hardware / multisig |
| custody_max_hours | int | yes | |

- Optional. role says which of the three allowed custody cases the wallet serves: reroute_contingency, own_desk or collection_bridge; custody is allowed in no other case.
- networks lists the networks a bridge receives on (ERC-20 where a partner cannot).
- custody_max_hours is the limit the custody view ages against; an outbound transfer needs dual Management approval and is executed by NPL's signers outside the platform.

## 4 · Parties: senders, receiver groups, receivers, entities, accounts, screenings

### SENDER · Per project

A sending party of the project (Sender A, Sender B). Which receiver groups a sender may pay is SENDER_RECEIVER_ALLOW. A sender's refunds go to a RECEIVER of kind sender_return linked to it.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| project_id | int | no | reference |
| name | string | yes | Sender A, Sender B |
| risk_tier | string | yes | |
| status | string | yes | |

- A single paying party. Not tied to a partner.
- Must have at least one SENDER_RECEIVER_ALLOW row before it can be chosen on a deal; refunds go to its RECEIVER of kind sender_return.

### SENDER_RECEIVER_ALLOW · Per sender

sendable_to: which receiver groups a sender may pay. Must pre-exist for collect-first attribution. targets the group, the unit a sender's flow is attributed to.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| sender_id | int | yes | reference |
| receiver_group_id | int | yes | sendable_to |

- The allow-list (sendable_to). A sender may pay only the groups listed here; the group belongs to the same project.

### COLLECTION_SENDING_ENTITY · Per sender

Provenance: where the sender's funds originated. Reference only; never a payout destination (a refund goes to the sender_return receiver's chosen account, not back to the source wallet).

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| sender_id | int | yes | reference |
| label | string | yes | sender's own account or a client's account |
| account_ref | string | no | |

- Provenance only: where the sender's funds come from. Never a payout destination.

### FEE_OVERRIDE · Per sender × partner pair

A standing sender-specific override of the fee on a partner × pair. One-off decisions on a single transaction are FEE_DECISION. may carry its own sender / receiver split instead of inheriting the structure's proportion (Evo's selected senders pay 1.0 % while Evo still pays 0.6 %).

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| sender_id | int | yes | reference |
| partner_pair_id | int | yes | reference |
| pct | decimal | yes | |
| effective_from | datetime | yes | |
| approved_by | int | yes | reference |
| sender_pays_pct | decimal | no | optional; with receiver_pays_pct replaces the structure's proportion |

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| receiver_pays_pct | decimal | no | optional; both blank → structure's proportion; both set → sum = pct |

- Replaces the fee structure's pct for that sender from effective_from; the structure's other terms still apply.
- sender_pays_pct and receiver_pays_pct are both blank (the structure's proportion applies) or both set and summing to pct.

### RECEIVER_GROUP · Per project

The unit entitlement is tracked on (design F). Every project has one default group created with it; counterparty receivers sit in exactly one group. Payouts within a group are ordinary settlement; across groups they are offsets; with a single group no offset can arise. Groups hold counterparty receivers only: sender_return and partner_transit receivers are group-less.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| project_id | int | no | reference |
| name | string | yes | |
| is_default | bool | yes | exactly one per project |
| status | string | yes | |

- Exactly one group per project has is_default = true; it is created with the project.
- The unit entitlement is tracked on: payouts within a group are ordinary settlement, across groups an offset needing Management approval. Refunds use group-less sender_return receivers, so no return group is needed.

### RECEIVER · Per project

A party within a receiver group (Receiver X, Receiver Y) owning one or more RECEIVING_ENTITY rows — when kind = counterparty. kind sender_return stands for a SENDER so refunds use the ordinary payout path and the partner's destination approval; kind partner_transit stands for a partner's collection endpoint so the hop of a two-leg route is an ordinary payout. Both are group-less (group_id null), never appear on forward deals or allow lists, and a payout to them is attributed to the group of the leg that pays them.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| project_id | int | no | reference |
| group_id | int | no | receiver group; null unless kind = counterparty |
| kind | string | yes | counterparty / sender_return / partner_transit · default **counterparty** |
| sender_id | int | no | when kind = sender_return |
| partner_config_id | int | no | when kind = partner_transit |
| name | string | yes | the group: Receiver X, Receiver Y |
| status | string | yes | |

- kind counterparty needs group_id (exactly one group); kind sender_return needs sender_id and no group; kind partner_transit needs partner_config_id and no group.
- sender_return and partner_transit receivers never appear on forward deals or allow-lists; a payout to them is attributed to the group of the leg that pays them.

### RECEIVING_ENTITY · Per receiver

A member of a receiver (Entity X1, Entity X2). Bank or wallet details and currency move down to RECEIVING_ENTITY_ACCOUNT.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| receiver_id | int | yes | reference |

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| name | string | yes | Entity X1, Entity X2 |
| status | string | yes | |

- A legal entity of the receiver. Bank and wallet details live on its accounts, not here.

### RECEIVING_ENTITY_ACCOUNT · Per entity

One account of a receiving entity, with its own currency and rail (EUR via SWIFT and EUR via SEPA are two accounts). An account is a bank account or a wallet (account_kind): a bank account carries bank_details_ref and a bank rail; a wallet carries network and address explicitly, mirroring the partner-side COLLECTION_RECEIVING_ENDPOINT, so addresses are checksum-validated, checked against the rail, and found when one address is registered with two partners. Destination approvals and settlement lines point at the account; no table stores actual bank details.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| receiving_entity_id | int | yes | reference |
| currency | string | yes | |
| rail | string | yes | SWIFT / SEPA / TRC-20 / ERC-20 / … |
| account_kind | string | yes | bank / wallet |
| bank_details_ref | string | no | external store; when account_kind = bank |
| network | string | no | when account_kind = wallet |
| address | string | no | when account_kind = wallet; checksum-validated per network |
| status | string | yes | |
| usage | string | yes | standing / single_use — a local account the receiver gives for one payout · default **standing** |
| reserved_for_deal_id | int | no | nullable; the one deal a single_use account serves |

- One row per currency × rail (EUR via SWIFT and EUR via SEPA are two accounts).
- account_kind bank carries bank_details_ref (an external store; no table holds bank details); account_kind wallet carries network and address, checksum-validated per network, and rail equal to the network.
- usage single_use is a local account the receiver gives for one payout; it names reserved_for_deal_id and serves that deal only.
- An account is payable through a partner only once a DESTINATION_APPROVAL with that partner is approved.

### WALLET_SCREENING · Per project, per address and day

A screening of one wallet address on one day — a sender's declared sending wallet before a collection, or a receiver's wallet before a settlement — with the result, the decision and who made it. Operations records it as part of transaction coordination; a reject may be overridden only by Finance. The decision picks the endpoint: accept_alternate lands only on an elevated-band endpoint.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| project_id | int | yes | reference |
| subject_kind | string | yes | sender_wallet / receiver_wallet |
| sender_id | int | no | when subject_kind = sender_wallet |
| receiving_entity_account_id | int | no | when subject_kind = receiver_wallet |
| network | string | yes | |
| address | string | yes | |
| provider_ref | string | no | screening tool reference |
| result | string | yes | standard / elevated / unacceptable |

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| decision | string | yes | accept / accept_alternate / reject |
| screened_by | int | yes | Operations |
| screened_at | datetime | yes | |
| evidence_ref | string | no | |

- subject_kind sender_wallet names sender_id; receiver_wallet names receiving_entity_account_id.
- decision accept lands on a standard endpoint; accept_alternate only on an endpoint with risk_band elevated; reject stops the collection unless Finance overrides it (ROLE_RIGHT override_screening_reject).
- Operations records it; it is configuration-domain data because the decision binds later deals on the same address.

## 5 · The partner configuration block

**PARTNER_CONFIG** · Per project × partner

How a partner is used in this project. Fees, vehicles, endpoints, destination approvals and rebate rules hang off it. applicable_for_reroute defines the alternate-partner set. an own-desk configuration is NPL itself as the converting party; its PARTNER_PAIR rows are priced fee_on_market with NPL's markup and its endpoints are NPL's own wallets. in NPL-GR the own desk holds NPL-GR's remittance balances as ordinary partner-coded client accounts (stands); the reseller books are separate EUR postings.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| `project_id` | int | yes | reference |
| `partner_id` | int | yes | reference |
| `applicable_for_reroute` | bool | yes | · default **false** |
| `status` | string | yes | |
| `is_own_desk` | bool | no | default false; NPL converts in its own wallet for this project (NPL-GR); enabling needs Management approval · default **false** |

- How this partner is used in this project. Pairs, fee structures, vehicles, endpoints, destination approvals, markup-share and rebate rules hang off it.
- applicable_for_reroute puts the partner in the project's alternate set (Management-approved).
- is_own_desk true means NPL itself converts in its own wallet for this project: its pairs are priced fee_on_market with NPL's markup and its endpoints point at an OWN_WALLET of role own_desk; enabling needs Management approval (enable_own_desk).

**PARTNER_PAIR** · Per partner config × pair

A pair handled by a partner in this project. Fees are per partner × pair, so choosing the partner is part of pricing.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| `partner_config_id` | int | yes | reference |
| `currency_pair_id` | int | yes | reference |
| `partner_pricing` | string | yes | fee_on_market / fee_in_rate |
| `partner_fee_pct` | decimal | no | known only for fee_on_market |
| `status` | string | yes | |
| `needs_bank_lock` | bool | no | the pair relies on the banking channel, so the partner's cutoff governs its rate lock and its settlement (Evo pairs into EUR; USDT → USD / SGD at Ali); crypto-only pairs do not · default **false** |

- currency_pair_id is one of the project's pairs (scope project).
- partner_pricing agrees with the partner's disclosure_style; partner_fee_pct is set exactly when partner_pricing is fee_on_market.
- needs_bank_lock true means the partner's cutoff governs the rate lock and the settlement on this pair; it needs PARTNER.bank_cutoff_time.

**FEE_STRUCTURE** · Per partner pair, versioned

The versioned NPL client-side fee for a partner × pair. Stamped on the deal group at pricing. the sender and receiver parts are each a percentage of the principal at the basis rate, never compounded — fee_sender_part = amount_in × rate × sender_pays_pct, fee_receiver_part = amount_in × rate × receiver_pays_pct, client_net = amount_in × rate × (1 – sender_pays_pct – receiver_pays_pct); the partner's cost then comes out of NPL's parts (fee_in_rate) or is booked separately (fee_on_market). Evo USDT → EUR: sender pays 1 % or 1.4 % by sender type, receiver always 0.6

%; EUR → EUR 2.8 % split 1.4 / 1.4. Target-out quotes apply the fee as a markup on the target: amount_in = target × (1 + sender_pays_pct) ÷ rate.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| partner_pair_id | int | yes | reference |
| rate_basis | string | yes | market / agent_rate / partner) |
| mode | string | yes | fixed / variable · default **fixed** |
| pct | decimal | yes | |
| sender_pays_pct | decimal | yes | |
| receiver_pays_pct | decimal | yes | |
| min_markup_pct | decimal | no | |
| max_markup_pct | decimal | no | |
| min_margin_pct | decimal | yes | |
| variance_threshold_rel | decimal | yes | |
| quoting_rate_policy | string | yes | worst_applicable / designated / best_applicable · default **worst_applicable** |
| effective_from | datetime | yes | |
| customer_facing_fee_basis | string | yes | actual / sender_pays_on_agent_rate / fixed · default **actual** |
| customer_facing_fee_pct | decimal | no | when customer_facing_fee_basis = fixed (BF via Ali shows 1 %) |

- sender_pays_pct + receiver_pays_pct = pct. Each part is a percentage of the principal at the basis rate, never compounded.
- rate_basis market prices on the reference feed; agent_rate prices on the partner's rate version.
- mode variable needs min_markup_pct ≤ max_markup_pct; a markup above max_markup_pct is a Management decision (raise_fee_cap).
- customer_facing_fee_basis fixed needs customer_facing_fee_pct (what the quote prints); the figures are derived, never typed.
- A new version is a new row with a later effective_from; a deal keeps the version it was priced on.

### FEE_TIER · Per fee structure

A volume tier of a fee structure (GDC: 2.5 % from USD 0, 2.25 % from USD 500,000 in the calendar month). A structure with tiers has one tier at volume 0. The tier applied is chosen at quote from the project's month-to-date Σ amount_in; a deal that crosses a threshold is split across two tiers (DEAL_FEE_TIER).

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| fee_structure_id | int | yes | reference |
| min_monthly_volume | decimal | yes | threshold in volume_currency, per calendar month |
| volume_currency | string | yes | |
| pct | decimal | yes | |
| sender_pays_pct | decimal | no | optional |
| receiver_pays_pct | decimal | no | optional |
| effective_from | datetime | yes | |

- A structure with tiers has exactly one tier at min_monthly_volume 0; thresholds are unique within a structure.
- The tier is chosen at quote from the project's month-to-date Σ amount_in (PROJECT_MONTH_VOLUME); a deal that crosses a threshold is split across two tiers (DEAL_FEE_TIER).
- sender_pays_pct / receiver_pays_pct are optional; both blank means the structure's proportion.

### PARTNER_ENTITY · Per partner config

The partner’s legal vehicle (PT-tour, PT Global Inc): the name that appears on paperwork, the partner-side mirror of RECEIVING_ENTITY. Fixed on a deal leg at quote; only a REROUTE changes it. Owns the partner’s collection endpoints.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| partner_config_id | int | yes | reference |
| name | string | yes | the partner’s legal vehicle: PT-tour, PT Global Inc |
| status | string | yes | |

- The partner's legal vehicle (PT-tour, PT Global Inc), the name that appears on paperwork. Fixed on a deal leg at quote; only a REROUTE changes it.
- Owns the partner's collection endpoints.

### COLLECTION_RECEIVING_ENDPOINT · Per partner entity

One collection endpoint at the partner, owned by a partner entity: bank-in or crypto-in by kind, with the same field shape as RECEIVING_ENTITY_ACCOUNT (rail required only on active bank endpoints). rail is nullable — null means not yet known, never doesn’t matter. A bank endpoint cannot become active, and no COLLECTION may reference it, until rail is set; a wallet endpoint may leave rail null, and when set it must match network. the endpoint’s kind must match the leg’s collection_method — wallet for crypto-in, bank for bank-in, none for cash.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| partner_entity_id | int | yes | the vehicle whose name is on the account or wallet |
| kind | string | yes | bank / wallet |
| currency | string | yes | |
| rail | string | no | nullable: a bank endpoint needs it to go active; optional for wallets, must match network when set |
| bank_details_ref | string | no | external store; when kind = bank |
| network | string | no | TRC-20 / ERC-20 / ...; when kind = wallet |
| address | string | no | when kind = wallet; checksum-validated per network |
| status | string | yes | |
| own_wallet_id | int | no | nullable; set when the endpoint is NPL’s own wallet — under an own-desk configuration or as a collection bridge for a partner that lacks the network or for risk isolation; the endpoint still belongs to the leg’s partner configuration |
| risk_band | string | yes | standard / elevated — which screening decisions may land here · default **standard** |
| usage | string | yes | standing / single_use (ad hoc local deposit accounts) · default **standing** |
| reserved_for_deal_id | int | no | nullable; the one deal a single_use endpoint serves |
| expected_amount | decimal | no | nullable; the amount a single_use endpoint for |

- kind bank carries bank_details_ref and needs rail before it can become active (null means not yet known); kind wallet carries network and address, and rail, when set, equals network.
- A wallet endpoint's network must be one the partner offers; cash and local_deposit collections have no standing endpoint.
- own_wallet_id names an OWN_WALLET when the endpoint is NPL's own wallet: under an own-desk configuration or as a collection bridge; the endpoint still belongs to the leg's partner configuration.
- usage single_use names reserved_for_deal_id and expected_amount (ad hoc local deposit accounts).
- The endpoint's kind must match the leg's collection method; the system refuses a collection on an endpoint of another partner entity.

### SETTLEMENT_SENDING_ENTITY · Per partner config

The narrative on an outgoing transfer: what the receiver sees. Holds no money.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| partner_config_id | int | yes | reference |
| narrative_name | string | yes | what the receiver sees |
| status | string | yes | |

- The name the receiver sees on an outgoing transfer. Holds no money.

### SETTLEMENT_RAIL · Per partner config

The bank or EMI that executes an outgoing transfer. Holds no money. Carries the expected bank fee.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| partner_config_id | int | yes | reference |
| name | string | yes | bank or EMI executing the transfer |
| bank_details_ref | string | no | |
| expected_bank_fee | decimal | no | |
| currency | string | yes | |

- The bank or EMI that executes the transfer. expected_bank_fee is the figure the bank-fee true-up compares against (BANK_FEE_EVENT).

### DESTINATION_APPROVAL · Per partner config × account

Destination approval per partner: a receiving-entity account as registered with this partner, with the partner's approval status and the payout details the partner holds. The details follow the account's kind: bank_details_ref when the account is a bank account; network and address as registered with the partner when it is a wallet.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| partner_config_id | int | yes | reference |
| receiving_entity_account_id | int | yes | |
| approval_status | string | yes | pending_partner / approved / suspended · default **pending_partner** |
| bank_details_ref | string | no | as paid by this partner; only when the account's kind is bank |
| network | string | no | as registered with this partner; only when the account's kind is wallet |
| address | string | no | as registered with this partner; only when the account's kind is wallet |
| approved_at | datetime | no | |
| wallet_screening_id | int | no | nullable; the receiver-side screening of a wallet account |

- Destination approval per partner: an account as registered with this partner.
- The payout details follow the account's kind: bank_details_ref for a bank account; network and address as registered with the partner for a wallet; a wallet account carries its WALLET_SCREENING.
- A quote-first deal leaves Inquiry only if at least one account in the entitled group is approved with the chosen partner.

### MARKUP_SHARE_RULE · Per party × project (optionally one partner pair or fee structure)

How an markup-share party is paid on a project (and optionally only on one partner × pair): a share of NPL's earnings in a ratio, or a fixed % applied inside the sender-facing markup (§4.2a). also the customer who provides a

sub-account and shares NPL's markup (Raeen): basis share_of_net_markup, several rules with different shares on one project, and settlement by the party itself when it holds the converted money.

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| markup_share_party_id | int | yes | reference |
| project_id | int | yes | reference |
| partner_pair_id | int | no | optional |
| basis | string | yes | share_of_earnings / fixed_pct / share_of_net_markup (base = fee parts − partner cost on the leg, on amount × market; rebates never in the base) |
| pct | decimal | yes | |
| effective_from | datetime | yes | |
| fee_structure_id | int | no | optional scope: only deals priced on this structure (Raeen sub-account 50 %, Raeen direct downlines 75 %) |
| party_kind | string | yes | markup-share party / client_party |
| settlement_mode | string | yes | npl_pays / party_retains — the party holds the converted funds and pays NPL the remainder monthly · default **npl_pays** |

- basis share_of_earnings or share_of_net_markup is a ratio of NPL's earnings on the leg (base = fee parts − partner cost; rebates never in the base); fixed_pct is applied inside the sender-facing markup.
- Several rules on one project are allowed; Σ shares of the same base ≤ 100 %.
- settlement_mode party_retains: the party holds the converted funds and pays NPL the remainder monthly.

### PARTNER_REBATE_RULE · Per partner config

A partner rebating part of its fee to NPL (§4.2b: Jeton takes 1 % or 1.25 % and pays 0.4 % of the amount back; 0.3 % on Novi's 0.9 %; Aquanow 0.3 % on 0.8 %). The rule is a percentage of the amount (basis pct_of_amount; Reconciled monthly through PARTNER_REBATE_ACCRUAL against the partner statement, which covers NPLify deals only. The rebate is NPL's alone — never shared with an markup-share party or client party, never inside the share base — and is reported as its own stream (EARN_REBATE).

| Field | Type | Required | Allowed values · default · meaning |
|---|---|---|---|
| partner_config_id | int | yes | reference |
| effective_from | datetime | yes | |
| basis | string | yes | pct_of_amount — the rebate is a percentage of the amount converted (Jeton 0.4 % of amount on a 1 % or 1.25 % fee, Novi 0.3 %, Aquanow 0.3 %) · default **pct_of_amount** |
| pct | decimal | yes | the rebate in the chosen basis |
| fee_structure_id | int | no | optional scope |
| sender_id | int | no | optional scope (Novi) |
| payout_currency | string | yes | the currency the partner pays the rebate in and the accrual is expressed in — the amount currency |

- Only for partners that return part of their fee. basis is pct_of_amount: the rebate is a percentage of the amount converted.
- payout_currency is the currency the partner pays the rebate in and the accrual is expressed in — the amount currency.
- Optional scope by fee_structure_id or sender_id. The rebate is NPL's alone (EARN_REBATE): never shared, never in a markup-share base; reconciled monthly through PARTNER_REBATE_ACCRUAL.

## 6 · Cross-entity rules the system enforces on save

1. Every project belongs to one client; a project's exposure_ceiling never exceeds its client's; both are compared through REPORTING_VALUE, so a platform pair must exist for every currency that rests at a partner.
2. Every project has exactly one default receiver group, created by the system. A counterparty receiver is in exactly one group; sender_return and partner_transit receivers are group-less and never on a forward deal or an allow-list.
3. Every sender has an allow-list naming groups of the same project and a sender_return receiver for refunds; a sender with no allow-list cannot be chosen on a deal.
4. Every receiving entity has at least one account; accounts are unique per entity, currency and rail; a bank account carries a bank-details reference, a wallet account a network and a checksum-valid address with rail = network. A single-use account or endpoint names the one deal it serves.
5. A partner pair's currency pair is a project pair; partner_pricing agrees with the partner's disclosure_style; partner_fee_pct is present exactly for fee_on_market; needs_bank_lock requires the partner's bank_cutoff_time and cutoff_timezone.
6. A fee structure's sender and receiver parts add up to its pct; min_markup ≤ max_markup; a fixed customer-facing fee names its pct; tiers have exactly one row at volume 0; a new version is a new row with a later effective_from.
7. A partner configuration that will pay out needs at least one partner entity, one settlement sending entity (narrative) and one settlement rail. A bank endpoint cannot go active without a rail; a wallet endpoint's network is one the partner offers; an own-desk configuration needs an own wallet of role own_desk.
8. A currency pair needs at least one rate source with a unique priority before it is usable; nearest_n and round_up_n need a rounding unit; cash rounding needs its unit. A platform pair has no project and ends in the reporting currency.
9. A destination approval points at an account of a receiving entity in the same project; a quote-first deal for a group needs at least one approved destination with the chosen partner. A wallet account's approval carries its screening.
10. A quote template prints sender-facing fields only; a screening decision of accept_alternate lands only on an elevated-band endpoint; a cutoff override is a one-day or a weekday rule, never both; an extension names the partner's agreement.
11. quote_freshness_min is shorter than quote_validity_min; all percentages are stored as decimals; Σ markup shares of one base ≤ 100 %; a rebate rule is pct_of_amount with a payout currency.
12. applicable_for_reroute, is_own_desk, exposure ceilings, thresholds, fee structures and tiers, templates, system settings and platform pairs are Management-approved changes; users and roles need a second Management user.

## 7 · Worked example: the FRS project, end to end

The FRS describes one client flow: Sender A and Sender B pay USDT, partners Ali (through its PT vehicles) or Jeton convert to EUR, and Receiver X (Entity X1, Entity X2) and Receiver Y are paid in euros. Below is that project expressed in the schema. Names, policies and the fee split come from NPL's documents; rates of fee, thresholds, holidays, addresses and reference numbers are **illustrative placeholders** to be replaced with NPL's values.

How to read it: one block per entity type, in the order of Sections 2 to 5. A code such as `DEFAULT` or `X1-EUR-SEPA` is how one row refers to another; the system assigns the numeric ids. Jeton's pending destination for Receiver Y and Sender B's fee override are there on purpose, to show a rule at work.

```
system_settings:
 - key: reporting_currency
 value: USD
 effective_from: "2026-10-01"
 - key: reporting_rate_max_age_min
 value: "60"
 effective_from: "2026-10-01"
 - key: operating_timezone
 value: Asia/Hong_Kong
 effective_from: "2026-10-01"
platform_pairs:
 - code: USDT-USD
 from_currency: USDT
 to_currency: USD
 quote_direction: out_per_in
 rate_precision: 5
 amount_rounding: exact
 status: active
 sources:
 - rate_source: KRAKEN
 priority: 1
 - rate_source: CMC
 priority: 2
 - code: EUR-USD
 from_currency: EUR
 to_currency: USD
 quote_direction: out_per_in
 rate_precision: 5
 amount_rounding: exact
 status: active
 sources:
 - rate_source: OANDA
 priority: 1
 - rate_source: XE
 priority: 2
rate_sources:
 - code: KRAKEN
 staleness_threshold_s: 120
 - code: CMC
 staleness_threshold_s: 300
 - code: OANDA
 staleness_threshold_s: 300
 - code: XE
 staleness_threshold_s: 300
partners:
 - code: ALI
 name: Ali
 disclosure_style: fee_in_rate
 rate_expiry_time: "17:00 local"
 holiday_calendar: ID banking holidays
```

```
  supported_methods: [crypto, bank, cash, local_deposit]
  bank_cutoff_time: "14:30"
  cutoff_timezone: Asia/Jakarta
  status: active
  holidays:
  - date: "2026-12-25"
  name: Christmas Day
  scope: bank_channel
  source: public calendar
  - date: "2027-03-20"
  name: Idul Fitri (illustrative)
  scope: bank_channel
  source: partner notice
  cutoff_overrides:
  - weekday: Friday
  cutoff_time: "13:30"
  kind: early_close
  reason: pre-weekend
  recorded_by: finance
  - code: JETON
  name: Jeton
  disclosure_style: fee_on_market
  rate_expiry_time: "16:00 local"
  holiday_calendar: UK banking holidays
  supported_methods: [crypto, bank]
  bank_cutoff_time: null
  cutoff_timezone: Europe/London
  status: active
  holidays: []
  cutoff_overrides: []
markup_share_parties: []
templates:
  - code: quote
  version: 1
  channel: pdf
  language: en
  body_ref: tpl-quote-en-v1
  printed_fields: [sender_rate, customer_facing_fee_pct, customer_facing_rate,
printed_amount_out, effective_valid_until]
  effective_from: "2026-10-01"
  status: active
  - code: payment_instructions
  version: 1
  channel: email
  language: en
  body_ref: tpl-payin-en-v1
  printed_fields: [amount_in, network, address, effective_valid_until]
  effective_from: "2026-10-01"
  status: active
client:
  code: CLIENT1
  name: Client 1
  category: FRS
  legal_entity_ref: le-client1
  kyc_ref: kyc-client1
  exposure_ceiling: 400000
  status: active
project:
  code: CLIENT1-MAIN
  client: CLIENT1
  name: Client 1 (FRS project)
  client_label: Client 1
  quote_freshness_min: 5
  quote_validity_min: 60
  grace_min: 15
  grace_drift_pct: 0.001
```

```
 late_collection_policy: requote
 bank_fee_treatment_default: carry_forward
 receiver_fee_timing: at_conversion
 network_fee_policy: absorbed
 settlement_policy: to_zero
 shortfall_tolerance: 0
 exposure_ceiling: 250000
 status: active
thresholds:
 - kind: max_amount
 currency: USDT
 value: 100000
 escalation: finance
 - kind: settlement_limit
 currency: EUR
 value: 50000
 escalation: management
 - kind: daily_slots
 value: 2
 escalation: management
 - kind: rate_variation_rel
 value: 0.002
 escalation: finance
currency_pairs:
 - code: USDT-EUR
 from_currency: USDT
 to_currency: EUR
 quote_direction: out_per_in
 rate_precision: 5
 amount_rounding: exact
 status: active
 sources:
 - rate_source: KRAKEN
 priority: 1
 - rate_source: CMC
 priority: 2
own_wallets:
 - code: AQN-LT-SUB
 provider: Aquanow
 account_label: LT Sub
 role: reroute_contingency
 networks: [TRC-20]
 network: TRC-20
 address: T…(wallet address)
 signer_arrangement: multisig
 custody_max_hours: 48
receiver_groups:
 - code: DEFAULT
 name: Default group
 is_default: true
 status: active
receivers:
 - code: RCV_X
 kind: counterparty
 group: DEFAULT
 name: Receiver X
 status: active
 entities:
 - code: ENTITY_X1
 name: Entity X1
 status: active
 accounts:
 - code: X1-EUR-SEPA
 currency: EUR
 rail: SEPA
 account_kind: bank
```

```
  bank_details_ref: bank-ref-001
  usage: standing
  status: active
- code: ENTITY_X2
  name: Entity X2
  status: active
  accounts:
  - code: X2-EUR-SEPA
    currency: EUR
    rail: SEPA
    account_kind: bank
    bank_details_ref: bank-ref-002
    usage: standing
    status: active
- code: RCV_Y
  kind: counterparty
  group: DEFAULT
  name: Receiver Y
  status: active
  entities:
  - code: ENTITY_Y
    name: Entity Y
    status: active
    accounts:
    - code: Y-EUR-SWIFT
      currency: EUR
      rail: SWIFT
      account_kind: bank
      bank_details_ref: bank-ref-003
      usage: standing
      status: active
- code: RET_SND_A
  kind: sender_return
  sender: SND_A
  name: Sender A (returns)
  status: active
  entities:
  - code: RET_A
    name: Sender A
    status: active
    accounts:
    - code: RET-A-USDT-TRC20
      currency: USDT
      rail: TRC-20
      account_kind: wallet
      network: TRC-20
      address: T…(Sender A return wallet)
      usage: standing
      status: active
- code: RET_SND_B
  kind: sender_return
  sender: SND_B
  name: Sender B (returns)
  status: active
  entities:
  - code: RET_B
    name: Sender B
    status: active
    accounts:
    - code: RET-B-USDT-TRC20
      currency: USDT
      rail: TRC-20
      account_kind: wallet
      network: TRC-20
      address: T…(Sender B return wallet)
      usage: standing
```

```
  status: active
senders:
  - code: SND_A
  name: Sender A
  risk_tier: standard
  status: active
  sendable_to: [DEFAULT]
  provenance:
  - label: own account
  account_ref: wallet-snd-a-1
  fee_overrides: []
  - code: SND_B
  name: Sender B
  risk_tier: standard
  status: active
  sendable_to: [DEFAULT]
  provenance:
  - label: own account
  account_ref: wallet-snd-b-1
  fee_overrides:
  - partner_pair: CLIENT1-ALI/USDT-EUR
  pct: 0.012
  sender_pays_pct: 0.006
  receiver_pays_pct: 0.006
  effective_from: "2026-10-01"
  approved_by: management
partner_configs:
  - code: CLIENT1-ALI
  partner: ALI
  applicable_for_reroute: false
  is_own_desk: false
  status: active
  pairs:
  - currency_pair: USDT-EUR
  partner_pricing: fee_in_rate
  needs_bank_lock: true
  status: active
  fee_structures:
  - rate_basis: market
  mode: fixed
  pct: 0.01
  sender_pays_pct: 0.004
  receiver_pays_pct: 0.006
  min_markup_pct: 0.008
  max_markup_pct: 0.015
  min_margin_pct: 0.003
  variance_threshold_rel: 0.2
  quoting_rate_policy: worst_applicable
  customer_facing_fee_basis: actual
  effective_from: "2026-10-01"
  tiers: []
  partner_entities:
  - code: PT-TOUR
  name: PT-tour
  status: active
  endpoints:
  - code: PT-TOUR-USDT-TRC20
  kind: wallet
  currency: USDT
  rail: TRC-20
  network: TRC-20
  address: T…(PT-tour wallet)
  risk_band: standard
  usage: standing
  status: active
  - code: PT-GLOBAL
```

```
name: PT Global Inc
status: active
endpoints:
- code: PT-GLOBAL-USDT-TRC20
kind: wallet
currency: USDT
rail: TRC-20
network: TRC-20
address: T…(PT Global wallet)
risk_band: elevated
usage: standing
status: active
- code: PT-GLOBAL-IDR-BANK
kind: bank
currency: IDR
rail: local
bank_details_ref: bank-ref-ptg-idr
risk_band: standard
usage: standing
status: active
settlement_sending_entities:
- narrative_name: PT Global Inc
status: active
settlement_rails:
- name: Ali's EU bank / EMI
bank_details_ref: rail-ref-ali-eur
expected_bank_fee: 25
currency: EUR
destination_approvals:
- account: X1-EUR-SEPA
approval_status: approved
approved_at: "2026-09-20"
- account: X2-EUR-SEPA
approval_status: approved
approved_at: "2026-09-20"
- account: Y-EUR-SWIFT
approval_status: approved
approved_at: "2026-09-20"
- account: RET-A-USDT-TRC20
approval_status: approved
approved_at: "2026-09-20"
- account: RET-B-USDT-TRC20
approval_status: approved
approved_at: "2026-09-20"
markup_share_rules: []
rebate_rule: null
- code: CLIENT1-JETON
partner: JETON
applicable_for_reroute: true
is_own_desk: false
status: active
pairs:
- currency_pair: USDT-EUR
partner_pricing: fee_on_market
partner_fee_pct: 0.005
needs_bank_lock: false
status: active
fee_structures:
- rate_basis: market
mode: fixed
pct: 0.01
sender_pays_pct: 0.004
receiver_pays_pct: 0.006
min_markup_pct: 0.008
max_markup_pct: 0.015
min_margin_pct: 0.003
```

```
variance_threshold_rel: 0.2
quoting_rate_policy: worst_applicable
customer_facing_fee_basis: actual
effective_from: "2026-10-01"
tiers: []
partner_entities:
- code: JETON-EMI
name: Jeton EMI
status: active
endpoints:
- code: JETON-USDT-TRC20
kind: wallet
currency: USDT
rail: TRC-20
network: TRC-20
address: T…(Jeton wallet)
risk_band: standard
usage: standing
status: active
settlement_sending_entities:
- narrative_name: Jeton
status: active
settlement_rails:
- name: Jeton EMI (SEPA)
bank_details_ref: rail-ref-jeton-eur
expected_bank_fee: 0
currency: EUR
destination_approvals:
- account: X1-EUR-SEPA
approval_status: approved
approved_at: "2026-09-22"
- account: X2-EUR-SEPA
approval_status: approved
approved_at: "2026-09-22"
- account: Y-EUR-SWIFT
approval_status: pending_partner
- account: RET-A-USDT-TRC20
approval_status: approved
approved_at: "2026-09-22"
- account: RET-B-USDT-TRC20
approval_status: approved
approved_at: "2026-09-22"
markup_share_rules: []
rebate_rule:
basis: pct_of_amount
pct: 0.004
payout_currency: USDT
effective_from: "2026-10-01"
```

## What each part does in one deal

| Step of the deal | Configuration it reads |
|---|---|
| Sender A asks to send USDT for Receiver Y | SENDER Sender A; the allow-list names the default group, so the deal is attributed to `DEFAULT`; Receiver Y is a counterparty receiver in it. |
| Operations picks Ali for USDT → EUR | PARTNER_CONFIG CLIENT1-ALI, PARTNER_PAIR USDT-EUR (fee_in_rate: Ali's margin is inside its rate; needs_bank_lock, so Ali's 14:30 Jakarta cutoff governs the rate lock), its current FEE_STRUCTURE: basis market, fixed 1.00 % (0.40 % sender, 0.60 % receiver), customer-facing figures as actual. Jeton, the alternative, is fee_on_market at 0.50 % and binds no cutoff. |
| Sender B instead of Sender A | FEE_OVERRIDE: 1.20 % split 0.60 / 0.60 on CLIENT1-ALI/USDT-EUR from 1 October, Management-approved; the structure's other terms still apply. |

| Step of the deal | Configuration it reads |
|---|---|
| Market rate | CURRENCY_PAIR USDT-EUR, source chain Kraken then CMC, 5 decimals; a snapshot older than 120 s is not used; both feeds down → manual rate with Finance approval. |
| Quote clocks and the package | PROJECT: freshness 5 min, validity 60 min, grace 15 min if drift ≤ 0.10 %; beyond grace the policy is re-quote; an extension before validity ends is a QUOTE_VALIDITY_EXTENSION. The package is rendered from MESSAGE_TEMPLATE quote v1, which prints the five sender-facing fields only. |
| Can the quote leave Inquiry? | DESTINATION_APPROVAL: Receiver Y's account Y-EUR-SWIFT is approved with Ali, so yes. Through Jeton it is still pending_partner, so a quote-first deal for Receiver Y cannot be routed through Jeton until the partner approves — while Receiver X could. |
| Where does Sender A pay? | PARTNER_ENTITY PT-tour, its TRC-20 USDT COLLECTION_RECEIVING_ENDPOINT (standard band). Sender A's wallet is screened first (WALLET_SCREENING); an accept_alternate decision would land on PT Global's elevated-band wallet instead. Provenance is recorded against his COLLECTION_SENDING_ENTITY. |
| Conversion | Receiver part taken at conversion (receiver_fee_timing); Converting may not start before conversion_due_date — the next Jakarta business day after a post-cutoff lock, skipping Ali's HOLIDAY rows and the Friday early close; variance tolerance 0.20 % (THRESHOLD rate_variation_rel). |
| Payout | SETTLEMENT from Ali through SETTLEMENT_RAIL "Ali's EU bank / EMI" under the narrative "PT Global Inc" to Y-EUR-SWIFT; amount_rounding exact (cents go out); settlement_policy to_zero; expected bank fee 25 EUR, treatment carry_forward; Management approval above 50,000 EUR or for a third same-day slot. |
| If Ali is unavailable | REROUTE to Jeton (applicable_for_reroute = true) via OWN_WALLET AQN-LT-SUB (role reroute_contingency), custody limit 48 hours; Jeton's rebate of 0.40 % of the amount, in USDT, accrues on what Jeton converts (PARTNER_REBATE_RULE). |
| Refund | A rejected payout opens a return leg to RET_SND_A, the sender_return receiver, through the same destination-approval path; the network-fee policy absorbed applies unless a FEE_DECISION says otherwise. |
| Reporting | SYSTEM_SETTING reporting_currency USD; the platform pairs USDT-USD and EUR-USD convert every balance for the client-level ceiling (CLIENT.exposure_ceiling 400,000) and for the project's own cap (250,000). |

*Illustrative values are marked as such in Section 7.*