# NPLify · P0 Technical Baseline

## Entity-Relationship Diagram & Data Model

New XP Technologies Limited

11 October 2026 · Confidential

## Conventions

**Convention:** all monetary amounts are stored as exact decimals; every table carries `created_at` / `created_by`; audit, approvals and locking are modelled once (domain 4) and apply to all master data. Derived figures (client balance, group entitlement, offsets, custody) are **views over postings and deals — never stored**.

Seven diagrams across four domains, one schema: 70 tables and 12 views. In each diagram, entities defined in another diagram appear with no attributes and name that diagram. Relationship lines run from the referenced row to the row that stores the foreign key; `||--o{` is composition (the parent owns the child), `||..o{` a reference or a polymorphic link resolved by a type column plus an id. The deal lifecycle has three diagrams: 3a is the deal and its collection, 3b the conversion and its exceptions, 3c the settlement. Appendix A reconciles the model with the FRS; Appendix B is the data dictionary.

---

## 1 · Configuration domain

A **Client** is the commercial relationship NPL contracts with; a **Project** is one arrangement with it and owns its configuration. Partners are global counterparties; how a partner is used *in this project* is the **partner configuration** block — fees, vehicles, endpoints, destination approvals and rebate terms hang off it. Counterparty receivers are organised in **receiver groups**, the unit entitlement is tracked on, and each receiving entity holds one or more **accounts** with a currency and rail.

**Diagram 1a.** `PARTNER_CONFIG`, `PARTNER_PAIR`, `DESTINATION_APPROVAL`, `FEE_STRUCTURE` are defined in Diagram 1b.





*Diagram 1a — Configuration — project, parties, receiver groups and wallet screening*

**Diagram 1b.** PROJECT, CURRENCY_PAIR, SENDER, RECEIVING_ENTITY_ACCOUNT, OWN_WALLET are defined in Diagram 1a.





*Diagram 1b — Configuration — partner configuration block, fees and tiers*

## Notes

- A **Client** is the commercial relationship NPL contracts with; a **Project** is one arrangement with it and owns its configuration. Counterparty receivers sit in **receiver groups**: every project has one default group and every counterparty receiver belongs to exactly one group. Entitlement is tracked per group, so payouts within a group are ordinary settlement and only payouts across groups are offsets; a project with a single group never has an offset.
- A **Receiver** has a kind: `counterparty` for a client receiver; `sender_return` stands for a sender so refunds use the ordinary payout path and the partner's destination approval; `partner_transit` stands for a partner's collection endpoint so the hop of a two-leg route is an ordinary payout. `sender_return` and `partner_transit` receivers belong to no group (`group_id` is null). They never appear on forward deals or allow lists — both validate kind = counterparty — and a payout to them is attributed to the group of the leg that pays them, so no entitlement moves between groups on a refund or a hop. Groups exist for entitlement and offset accounting; refund exclusion is a receiver-kind rule, not a group.
- A receiving entity holds one or more **accounts**, each with a currency and rail (EUR via SWIFT and EUR via SEPA are two accounts). An account is a bank account or a wallet (`account_kind`): a bank account carries `bank_details_ref` and a bank rail; a wallet carries `network` and `address` explicitly, mirroring the partner-side `COLLECTION_RECEIVING_ENDPOINT`, so addresses can be checksum-validated, checked against the rail, and found when the same address is registered with two partners. Destination approvals and settlement lines point at the account. No table stores actual bank details: `bank_details_ref` points at the external store.
- Fees are per partner × pair (`FEE_STRUCTURE` under `PARTNER_PAIR`), so choosing the partner is part of pricing. `PARTNER.disclosure_style` records whether the partner's markup is visible; `partner_fee_pct` is known only for fee_on_market partners.
- A partner operates through one or more legal vehicles (`PARTNER_ENTITY`: PT-tour, PT Global Inc); the deal stamps the vehicle at quote so paperwork names the right company. Each vehicle owns the endpoints a sender can pay into (`COLLECTION_RECEIVING_ENDPOINT`): kind = bank with a currency and `bank_details_ref`, or kind = wallet with `network` and `address`. The partner side therefore mirrors the client side — `PARTNER_CONFIG` → `PARTNER_ENTITY` → `COLLECTION_RECEIVING_ENDPOINT` as `RECEIVER` → `RECEIVING_ENTITY` → `RECEIVING_ENTITY_ACCOUNT`. An endpoint also carries a nullable `rail`: a bank endpoint must have it before it becomes active, and a wallet may leave it null but must match `network` when it is set; the endpoint's kind must match the leg's `collection_method`. Cash-in has no endpoint record; the leg carries the city and the collection the token. The collected cash amount is rounded by the pair's `cash_rounding` option — truncate, nearest or round up — to `cash_rounding_unit` (100 / 500 / 1,000 by currency), the same menu as payout rounding.
- Destination approval is per partner: `DESTINATION_APPROVAL` is an account of the project's receiving entity as registered with this partner, carrying the partner's approval status and the payout details the partner holds. Those details follow the account's kind: `bank_details_ref` for a bank account, `network` and `address` for a wallet. `SETTLEMENT_SENDING_ENTITY` is the narrative on an outgoing transfer; `SETTLEMENT_RAIL` is the bank/EMI that executes it; neither holds money. `COLLECTION_SENDING_ENTITY` is provenance only and never a payout destination.
- `OWN_WALLET` has a role: reroute contingency (AQN-LT-Sub at Aquanow), own desk, or a collection bridge on a network a partner lacks, forwarded to the partner as a hop within the wallet's custody limit; `PARTNER_CONFIG.applicable_for_reroute` defines the alternate-partner set. `PARTNER.supported_methods` declares what a partner offers — cash and local deposits have no standing endpoint to read it from. `WALLET_REGISTRY` lists every known address with its owner and role. Under an **own-desk** partner configuration (`is_own_desk`, the NPL-GR game-reseller project) NPL itself is the

converting party: its pairs are priced market plus NPL's markup and its collection endpoints are NPL's own wallets (`COLLECTION_RECEIVING_ENDPOINT.own_wallet_id`); the custody view reports every such balance.

- **Fees.** A `FEE_OVERRIDE` may carry its own sender / receiver split instead of inheriting the structure's proportion. `FEE_TIER` rows under a structure price by the project's calendar-month volume; a leg that takes the month past a threshold is split across two tiers. `customer_facing_fee_basis` / `customer_facing_fee_pct` on the structure say what the customer's quote prints when it differs from the recorded parts; the printed "source rate" is derived at quote, never typed. `CURRENCY_PAIR.amount_rounding` is a menu — truncate, nearest or round up, to the unit or to `rounding_unit` — and a pair may have the same currency on both sides.
- **Who else earns on a deal.** `MARKUP_SHARE_PARTY` / `MARKUP_SHARE_RULE` record a share NPL pays — or, with basis `share_of_net_markup` and `party_kind` client_party, the customer who provides a sub-account and shares NPL's markup (Raeen): the base is the leg's fee parts less its partner cost, rebates excluded, several parties may hold rules with different shares, and `settlement_mode` party_retains means the party holds the converted money and pays NPL the remainder monthly. `PARTNER_REBATE_RULE` records the rebate a partner pays NPL, with a basis (percentage of amount or of the partner's fee) and an optional scope by sender or fee structure; the rebate is NPL's alone and is reported as its own stream.
- **Cutoff, screening, single use.** `PARTNER.bank_cutoff_time` (the partner's own clock, beside its rate expiry and holiday calendar), its per-day changes in `PARTNER_CUTOFF_OVERRIDE` (an agreed extension or an early close) and `PARTNER_PAIR.needs_bank_lock` drive same-day or next-day conversion and, on bank rails, same-day or next-day settlement. Cash legs carry their city (`DEAL.cash_location`) and cash rate versions theirs. `WALLET_SCREENING` records the screening of a sending or receiving wallet address, by Operations, and the endpoint's `risk_band` says which decisions may land on it. An endpoint or a receiving-entity account may be `single_use`, reserved for one deal (ad hoc local deposit accounts). `HOLIDAY` rows under the partner are the dates behind every "next business day"; `MESSAGE_TEMPLATE` is the versioned wording of outgoing messages and declares the fields it may print — a quote template prints sender-facing figures only.

## 2 · Rates domain

**Diagram 2.** `RATE_SOURCE`, `CURRENCY_PAIR` are defined in Diagram 1a; `PARTNER_PAIR` in 1b; `DEAL` in 3a; `CONVERSION`, `BALANCE_CONVERSION` in 3b.





*Diagram 2 — Rates*

### Notes

- The rate comparison for the day is created lazily by the first deal that needs it, one per partner × pair × date, and reused by every deal that day. A partner may give a new rate during the day, so one date can hold several versions. Rolling averages are built from confirmed versions only.
- A version is breached when spread > avg_2w × (1 + variance_threshold_rel); quoting and conversion on that partner × pair freeze until Finance approves with a reason, rejects, or asks for a better rate. Versions are never overwritten; every deal leg, conversion and balance conversion references its exact version.
- Cross-source slippage is a query over `MARKET_RATE` across sources for the same pair and window.
- A version stores the rate **as the partner quoted it** (`quoted_rate`, `quoted_direction`); `rate` is normalised to the pair's direction and derived — 1 ÷ quoted when the directions differ — so Ali's 1.1738 becomes 0.851934 without a hand inversion, and a direction slip is caught by the breach check. Cash pairs are priced per `location`: INR cash in Delhi and in Mumbai are two versions on the same day.

## 3 · Deal lifecycle domain

### 3a · Deal group, legs, pricing stamps, invoice, collection

**Diagram 3a.** `PROJECT`, `SENDER`, `RECEIVER_GROUP`, `RECEIVER`, `COLLECTION_SENDING_ENTITY`, `WALLET_SCREENING`, `MESSAGE_TEMPLATE` are defined in Diagram 1a; `PARTNER_PAIR`, `PARTNER_ENTITY`, `FEE_STRUCTURE`, `FEE_OVERRIDE`, `FEE_TIER`, `COLLECTION_RECEIVING_ENDPOINT` in 1b.





*Diagram 3a — Deal lifecycle — deal group, legs, pricing stamps, invoice, collection*

## 3b · Conversion, reroute, earnings receivable, balance conversion, entitlement re-attribution

**Diagram 3b.** PROJECT, RECEIVER_GROUP, OWN_WALLET are defined in Diagram 1a; PARTNER_CONFIG, PARTNER_PAIR in 1b; PARTNER_RATE_VERSION, MARKET_RATE in 2; DEAL in 3a.





*Diagram 3b — Deal lifecycle — conversion, reroute, earnings receivable and offset, balance conversion, entitlement re-attribution*

## 3c · Settlement, return, confirmation, fees, shares, rebates, loss events and recoveries

**Diagram 3c.** PROJECT, RECEIVER, MARKUP_SHARE_RULE are defined in Diagram 1a; PARTNER_CONFIG, SETTLEMENT_SENDING_ENTITY, SETTLEMENT_RAIL, DESTINATION_APPROVAL, PARTNER_REBATE_RULE in 1b; MARKET_RATE in 2; DEAL, COLLECTION, INVOICE in 3a; BALANCE_CONVERSION in 3b.





*Diagram 3c — Settlement, return, confirmation, fees, shares, rebates, loss events and recoveries*

## Derived views (never stored)

| View | Definition |
|---|---|
| `PROJECT_BALANCE(project, partner, currency)` | PROJECT_BALANCE(project, partner, currency) = the balance of CL.<PARTNER>.<CCY>.DUE for the partner configuration: Σ debits − Σ credits over postings — conversions in, top-ups, make-goods, offsets and hops in, releases and offsets out — never a sum over deals (the definition summed conversions' actual_out, which includes NPL's margin, and had no term for the events). Was CLIENT_BALANCE. Also reports a pending column — the expected_out of legs whose rate is locked with the partner but whose money has not yet been collected or converted; a void removes it; pending is never a posting. |
| `GROUP_ENTITLEMENT(group, currency)` | GROUP_ENTITLEMENT(group, currency) = Σ credits − Σ debits over CL.PROJECT.<CCY>.PAYABLE postings carrying receiver_group_id = the group: promises raised at collection and conversion, re-raised on a return or a short confirmation, re-denominated by an offset or a balance conversion, reduced by a release or a client loss share. A payout to a group-less receiver carries the paying leg's group (SETTLEMENT_LINE.deal_id). Σ over a project's groups = the PAYABLE balance = Σ client assets, per currency. |
| `OFFSET(group, currency)` | OFFSET(group, currency) = GROUP_ENTITLEMENT; positive = owed, negative = holding another group's flow. Arises only when a counterparty receiver is paid from a leg attributed to another group; zero by construction in a single-group project. Carries Management approval and tighter aging. |
| `CUSTODY(own_wallet)` | CUSTODY(own_wallet) = Σ collections into the own wallet under open reroutes + Σ recovered dues resting there + Σ own-desk client balances + Σ bridge collections not yet forwarded − Σ forwarded or paid out; each row with deal, reason, role and age. The standing control on money in NPL's hands. |
| `INVOICE_BALANCE(invoice)` | INVOICE_BALANCE(invoice): for a vendor invoice, INVOICE.amount − Σ SETTLEMENT_LINE.obligation_discharged over released lines not returned (a payment discharges on release); for a resale invoice, INVOICE.amount − Σ DEAL_GROUP.invoice_amount over the groups that collected it with a verified collection. Σ VENDOR_PAYABLE = Σ vendor-invoice balances; Σ RESALE_RECEIVABLE = Σ resale-invoice balances ( |
| `PROJECT_MONTH_VOLUME(project, month, currency)` | PROJECT_MONTH_VOLUME(project, month, currency) = Σ DEAL.amount_in over forward legs of the project collected in the calendar month, in the tier's volume currency. Read at quote to choose the FEE_TIER; stamped on the leg as tier_volume_basis. |
| `CLIENT_POSITION(client, currency)` | CLIENT_POSITION(client, currency) = Σ over the client's projects of PROJECT_BALANCE (per partner), GROUP_ENTITLEMENT, CUSTODY, and the period's earnings (EARN_GROSS) and rebates (EARN_REBATE) from postings — the client-level report that project = client made impossible. Compared with CLIENT.exposure_ceiling when set. Its one-currency total is a REPORTING_VALUE, an estimate at the latest market rate. |

| View | Definition |
|---|---|
| `WALLET_REGISTRY(network, address)` | WALLET_REGISTRY(network, address) = every wallet address the model knows, with its owner and role: the partners' receiving wallets (COLLECTION_RECEIVING_ENDPOINT kind wallet, with risk_band), NPL's own wallets (OWN_WALLET with role), receivers' wallets (RECEIVING_ENTITY_ACCOUNT kind wallet, with their DESTINATION_APPROVALs) and the sender addresses seen in WALLET_SCREENING with their latest decision. A view, never a second copy of an address: it answers which networks a partner accepts, which wallet is the bridge, and whether an address was seen before under another owner — the FRS 'wallet registry'. |
| `REPORTING_VALUE(subject, currency, as_of)` | REPORTING_VALUE(subject, currency, as_of) = any per-currency figure of the model — a PROJECT_BALANCE, a CLIENT_POSITION line, a month's collection volume (PROJECT_MONTH_VOLUME), earnings and rebates from postings, custody — multiplied by the latest MARKET_RATE of the platform pair for that currency (its PAIR_RATE_SOURCE chain), with the market_rate_id and captured_at it used and a stale flag when the rate is older than reporting_rate_max_age_min. An estimate for display: the figures in each currency stay the facts, the converted total is a view over them at the moment it is read. Serves project-level and overall collection volumes, earnings and current balances in one currency. |
| `RESELLER_MARGIN(resale_invoice)` | RESELLER_MARGIN(resale invoice) = resale INVOICE.amount – the amount of INVOICE.vendor_invoice_id, in the invoice currency, equal to RESELL_REVENUE – RESELL_COST posted for the pair: NPL-GR's game reseller revenue, fixed when the two invoices are posted and untouched by anything the remittance side does (; |
| `REMITTANCE_MARGIN(deal)` | REMITTANCE_MARGIN(deal) = EARN_GROSS (net of markup shares) – EXP_PARTNER ± VAR_FX_TIMING – EXP_BANKFEE – EXP_NETWORK – EXP_ROUNDING on the deal's postings, in the converted currency: NPL's remittance earnings on one deal, including the forex result of instalments paid at different days' rates. |
| `NPL_PROFIT(scope, period, currency)` | NPL_PROFIT(scope, period, currency) = remittance earnings (EARN_GROSS + EARN_REBATE – EXP_PARTNER – EXP_BANKFEE – EXP_NETWORK – EXP_ROUNDING – EXP_LOSS ± VAR_CONVERSION ± VAR_CUTOFF ± VAR_RATE_HONOUR ± VAR_FX_TIMING) + reseller earnings (RESELL_REVENUE – RESELL_COST), each callable on its own and together, by project, partner, pair or month, per currency; one figure across currencies is a REPORTING_VALUE. |

## Notes

- **Every deal belongs to a deal group.** `DEAL_GROUP` is the client-facing instruction: the pair as the sender sees it, the sender rate, fee, reference and entry mode. A plain single-partner deal is a group of one leg; a route that needs two partners (INR → USDT at Ali, USDT → EUR at Jeton) has two forward legs; a rejected payout is unwound with a return leg.
- **Legs.** `leg_type` forward or return; `funding_source` collection, prior_leg (leg 2 of a route, no collection) or returned_settlement (a return leg). Priced once and partner fixed at quote hold per leg. Attribution is to the receiver group: set at quote on the first forward leg, inherited by leg n of a route from leg n–1 and by a return leg from its parent leg. The receiver is optional until settlement.
- Two entry modes as before: collect-first legs are born in state Collected with priced_at = conversion time; quote-first legs carry sent / valid / grace timestamps and a late decision. An estimate-first mode

gives an indicative figure and prices at conversion.

- **Conversion has exactly one owner**: a deal leg or a `BALANCE_CONVERSION`. The receiver-side fee is taken at conversion. Amounts are rounded at conversion by the pair's option; a dropped fraction (`rounding_residual`, signed) stays client money in the balance and pays out when it reaches a unit, an amount added by rounding up is NPL's cost. NPL's margin is captured at conversion and is never again at risk from a return or a forward.
- **Balance conversion** is NPL converting a client's held balance (5K SGD → USDT to fund a 15K USDT payout): Finance-initiated, Management-approved, no sender, receiver or collection, same rate machinery, markup by `FEE_DECISION`. It names the receiver group it serves; `ENTITLEMENT_REATTRIBUTION` moves that group's entitlement to the new currency, and any excess over the group's entitlement is booked as an approved offset.
- **Reroute** is the only way partner or partner entity change after quote. Forwarding is forward_full or forward_and_recover_dues: NPL nets what the alternate partner owes it (`EARNINGS_RECEIVABLE`) against the funds forwarded, within the outstanding receivable, with the partner's agreement recorded. Post-collection outcome is via the own wallet or a refund to the sender.
- One settlement model: `SETTLEMENT` drains one partner's holding into one or many `SETTLEMENT_LINE`s, rounded as the pair says. Under settlement_policy to_zero the balance after release is less than one unit; under hold_allowed the balance may rest at the partner within the project's exposure cap.
- A line paying a counterparty receiver whose group differs from the paying leg's attributed group is an offset, created by the same action, with Management approval and tighter aging. A line paying a sender_return or partner_transit receiver is never an offset: those receivers have no group, and the line debits the group of the leg it names in `deal_id`.
- **Rejected payout.** When the receiving or intermediary bank rejects a transfer, `SETTLEMENT_RETURN` records the returned amount, bank fee and reason; the line's outcome becomes returned, a reversing ledger transaction puts the money back into the client's balance and the paying leg's group entitlement, and `BANK_FEE_EVENT` books the bounce fee. The money then stays in balance for later payouts, or funds a return leg — attributed to the same group — that converts back and pays the sender's return receiver.
- **Fee decisions.** `FEE_DECISION` is a one-off, approved decision on a single subject: markup applied or waived on a return leg or balance conversion, a network-fee override on a refund, a bank-fee treatment override on one settlement. Standing rules stay in `FEE_STRUCTURE` and `FEE_OVERRIDE`.
- `CONFIRMATION` is full or short; a short confirmation opens a `SHORTFALL` topped up by a later settlement or an explicit separate payout — cash found short at hand-over included. Rounding differences no longer land here. `MARKUP_SHARE_ACCRUAL` and `PARTNER_REBATE_ACCRUAL` accrue per deal under their rules; a party_retains markup-share accrual is a receivable from the party, reconciled monthly like a rebate; rebates are reconciled monthly against the partner's statement, which covers NPLify deals only.
- **Pricing stamps.** A leg stamps the override and the base tier that priced it; a leg that crosses a tier threshold holds two `DEAL_FEE_TIER` portions and a blended fee. The deal group stamps the customer-facing fee and rate the quote printed. On a pair that needs a bank lock the leg records `rate_locked_at` and `conversion_due_date`: locked before the partner's cutoff it converts the same day, otherwise the next business day at that day's version; the sender's figures are write-once, NPL absorbs the difference as a cutoff-timing variance, and a conversion whose next-day rate breaches the margin is deferred with a reason. The client balance view shows the locked leg's converted value as pending from the lock; a void removes it. `QUOTE_PACKAGE` is the record of what was sent for a deal group — template version, channel, printed figures, `sent_at`, hash — one row per issue; a quote-first leg is Sent only when a package has sent_at, re-issues are new rows, a new price is a new deal group.

- **Invoices.** `INVOICE` is an obligation in its own currency — a vendor's EUR invoice a reseller customer pays in THB or USDT, in parts, over days. A deal group names the invoice it pays (advance, then balance); each payout line records how much of the obligation it discharged and the market snapshot used; `INVOICE_BALANCE` is the open remainder.
- **Cash and crypto parts.** A cash part carries the token (the local-currency bill whose serial identifies the agent), the agent's contact and the partner's count; the leg carries the city, which also selects the rate version. A crypto part carries the sender's declared address and the screening that admitted it, unless the project skips up-front screening.
- **Loss events.** `LOSS_EVENT` records money lost after it was verified or released — a frozen local account, cash short that cannot be recovered, a wrong-chain transfer — on either side, by any method, for a partial or full amount, with the loss split across sender, NPL, partner and client. The whole loss is booked to NPL and the client made whole in one transaction (source LossEvent; MAKEGOOD / LOSS_PAYABLE when it cannot be funded at once); Management approves the split and each share is a separate `LOSS_RECOVERY` posting; the collection part stays verified and is reversed only when the deal is unwound.

## 4 · Ledger & controls domain

**Diagram 4.** OWN_WALLET, RECEIVER, SENDER, MARKUP_SHARE_PARTY are defined in Diagram 1a; PARTNER_CONFIG in 1b; COLLECTION, INVOICE in 3a; CONVERSION, BALANCE_CONVERSION, REROUTE, EARNINGS_OFFSET in 3b; SETTLEMENT, SETTLEMENT_RETURN, CONFIRMATION, BANK_FEE_EVENT, MARKUP_SHARE_ACCRUAL, PARTNER_REBATE_ACCRUAL, LOSS_EVENT, LOSS_RECOVERY in 3c.





*Diagram 4 — Ledger & controls*

### Notes

- Client due balances are held as one account per project × partner × currency (CL.<PARTNER>.<CCY>.DUE); group entitlement is a view, not an account. `holder_type` never includes a settlement rail or narrative entity.
- **Ownership moves between client and company only at named events** — margin recognition at conversion, the two sides of an earnings offset, the forex true-ups of invoice lines, fees NPL absorbs or covers, top-ups, make-wholes, make-goods and the client's loss share — and every transaction balances per owner as well as per currency. NPL never advances money to a receiver, and withholding on a reroute is not a separate event because the margin is always captured by whichever partner converts.
- Recover dues on a reroute posts own-wallet cash against the earnings receivable at the partner: company money on both sides, no income.
- Transaction sources: Collection, Conversion, BalanceConversion, Settlement, SettlementReturn, Confirmation, BankFeeEvent, Reroute, MarkupShare, Rebate, LossEvent, LossRecovery, Invoice, EarningsOffset, Adjustment. Account purposes include PAYABLE, SHARE_PAYABLE, SHARE_RECEIVABLE, REBATE_RECEIVABLE, LOSS_RECEIVABLE, MAKEGOOD / LOSS_PAYABLE, EARN_GROSS, EARN_REBATE, the four VAR_ accounts, FX_RESULT, the reseller purposes (RESELL_REVENUE, RESELL_COST, VENDOR_PAYABLE, RESALE_RECEIVABLE, REMIT_CLAIM), EXP_ROUNDING and EXP_LOSS; ADVANCE and INTRANSIT do not exist. Cost components include share, rebate, rounding, fx_timing, cutoff_timing, loss and resale.
- **Three streams NPL never mixes.** Earnings on deals post to EARN_GROSS at conversion; a partner's rebate posts to EARN_REBATE and is never in the base a client party shares; NPL's remainder from a party that holds the converted funds sits in SHARE_RECEIVABLE until the party pays it. The cost of rounding up is EXP_ROUNDING. A loss is booked to EXP_LOSS in full first and the client made whole; the partner's and the sender's agreed shares are LOSS_RECEIVABLE owed to NPL, the client's share is a partial reversal of the make-good, and what remains in EXP_LOSS is NPL's own share. Own-desk deals use the ordinary partner-coded accounts with the own-desk configuration as holder and EXP_PARTNER zero by construction.
- One system-settings area: `SYSTEM_SETTING` holds NPL-wide, Management-approved keys — the reporting currency, its staleness limit, the operating time zone; `ROLE` holds the user roles and `ROLE_RIGHT` what each may initiate and approve per controlled action, with the role added on escalation; platform-scope `CURRENCY_PAIR`s carry the conversion rates through the ordinary rate-source chain. `REPORTING_VALUE` converts any per-currency figure into the reporting currency at the latest market rate of its platform pair, as a display-only estimate that carries the rate it used. `APPROVAL`, `AUDIT_LOG` and `RECORD_LOCK` are modelled once and apply to all master data. Approver ≠ initiator on every approval; Operations never sees derived economics. Approval actions include price_quote, extend_quote_validity, refund_to_third_party, cross_group_payout, balance_conversion, recover_dues, cover_bank_fee, raise_fee_cap, enable_own_desk, approve_loss_split, override_screening_reject and earnings_offset (ROLE_RIGHT rows). cross_group_payout never fires on a line paying a sender_return or partner_transit receiver. Wallet screening itself is an Operations action, not an approval.

# Appendix A · FRS reconciliation

## A.1 Vocabulary

| FRS term | Model entity |
|---|---|
| Client | CLIENT (the commercial relationship) — its arrangements are PROJECTs (until the FRS client mapped to PROJECT) |
| Project (NPL's 'Project Context': BF, BF Sub, Evo ...) | PROJECT under CLIENT — one arrangement with its own fees, partners and policies |
| Receiving Entity | RECEIVING_ENTITY (member of a counterparty RECEIVER, which belongs to a RECEIVER_GROUP) with its RECEIVING_ENTITY_ACCOUNTs |
| Sender | SENDER with SENDER_RECEIVER_ALLOW; its refund destination is a group-less sender_return RECEIVER |
| Partner (PT, Jeton) | PARTNER + PARTNER_CONFIG |
| Facilitating Entity / Wallet registry | COLLECTION_RECEIVING_ENDPOINT (kind wallet) under PARTNER_ENTITY for the partner's wallets; the FRS 'wallet registry' across all owners is the WALLET_REGISTRY view |
| Rate-day versions | RATE_COMPARISON + PARTNER_RATE_VERSION |
| Settlement | SETTLEMENT + SETTLEMENT_LINE + CONFIRMATION (+ SETTLEMENT_RETURN when rejected) |
| Shortfall ledger | SHORTFALL + CL.<RECEIVER>.<CCY>.SHORTFALL |
| PT Comms / H Comms | CO.<PARTNER>.<CCY>.POOL (earnings receivable) |
| Inter-entity redirection | Offset across receiver groups: a counterparty paid_receiver_id in another group than the paying leg's |
| Double conversion / pass-through | DEAL_GROUP with two legs (funding_source = prior_leg), hop via a group-less partner_transit RECEIVER |
| Commission / rebate (Jeton 0.4 %, Aquanow 0.3 %) | PARTNER_REBATE_RULE (basis pct_of_amount in payout_currency, scoped by sender or fee structure) + PARTNER_REBATE_ACCRUAL; income in EARN_REBATE |
| Markup shared with a customer (Raeen sub-accounts, downlines) | MARKUP_SHARE_RULE basis share_of_net_markup, party_kind client_party, settlement_mode party_retains; SHARE_RECEIVABLE |
| Fee by monthly volume (GDC) | FEE_TIER under FEE_STRUCTURE; DEAL_FEE_TIER portions; PROJECT_MONTH_VOLUME |
| Game reseller / NPL-GR | PROJECT with an own-desk PARTNER_CONFIG; OWN_WALLET as COLLECTION_RECEIVING_ENDPOINT; INVOICE paid in parts |
| Customer-facing calculation ('market rate', 'fee 1 %') | FEE_STRUCTURE.customer_facing_fee_basis / pct; DEAL_GROUP.customer_facing_rate |
| Token (cash collection / settlement) | COLLECTION.token_ref, agent_contact_ref, counted_at; SETTLEMENT_LINE.token_ref; DEAL.cash_location; PARTNER_RATE_VERSION.location |
| Bank cutoff (2.30 pm GMT+8) | PARTNER.bank_cutoff_time + PARTNER_CUTOFF_OVERRIDE (extensions, early closes); PARTNER_PAIR.needs_bank_lock; DEAL.rate_locked_at, cutoff_at, conversion_due_date; SETTLEMENT.cutoff_at, execution_due_date |

| FRS term | Model entity |
|---|---|
| Wallet screening | `WALLET_SCREENING; COLLECTION.sending_address; COLLECTION_RECEIVING_ENDPOINT.risk_band` |
| Reversal of collection; cash short | `LOSS_EVENT with its split; SHORTFALL for recoverable cash shortages` |
| Holiday calendar | `PARTNER.holiday_calendar (the calendar's name) + HOLIDAY rows (the dates); business-day arithmetic for due dates` |
| Quote package | `QUOTE_PACKAGE under DEAL_GROUP — one row per issue, hash = DEAL.quote_hash, sent_at starts validity` |
| Message template | `MESSAGE_TEMPLATE — versioned, global or per project, sender-facing fields only for quotes` |
| Settlement (FRS) — was DISBURSEMENT | `SETTLEMENT, SETTLEMENT_LINE, SETTLEMENT_RETURN; PROJECT.settlement_policy` |
| Markup shared with a party — was INTRODUCER / REFERRAL_* | `MARKUP_SHARE_PARTY, MARKUP_SHARE_RULE, MARKUP_SHARE_ACCRUAL; purpose SHARE_PAYABLE` |
| Approved destination — was SETTLEMENT_REGISTRATION | `DESTINATION_APPROVAL` |
| Sender pays / receiver pays; lowest and highest markup; customer-facing calculation; fee on top of market / fee inside its rate; agent rate | `sender_pays_pct, receiver_pays_pct; min_markup_pct, max_markup_pct; customer_facing_fee_basis / _pct / _rate; partner_fee_pct with fee_on_market / fee_in_rate; rate_basis market / agent_rate` |
| Client balance at a partner — was CLIENT_BALANCE | `PROJECT_BALANCE(project, partner, currency); the client-level roll-up is CLIENT_POSITION` |
| System / reporting currency | `SYSTEM_SETTING reporting_currency + platform-scope CURRENCY_PAIRs (their PAIR_RATE_SOURCE) + REPORTING_VALUE view, an estimate at the latest market rate` |
| User roles (Operations, Finance, Management) | `ROLE rows referenced by USER.role_id, with one ROLE_RIGHT row per role × controlled action (initiate / approve / escalate); rights per role in the Roles & Visibility Matrix` |

## A.2 Deviations from the FRS (classified)

| FRS statement | Model | Classification |
|---|---|---|
| P1 — no custody | No custody except under an approved reroute or in an own-desk project (NPL-GR); OWN_WALLET + REROUTE for contingency, and the custody view as the control | Decided (answered;, 9 October 2026) |
| P3 — partner books never mix | Accounts per partner never net; alternate partner on reroute; post-collection transfer only if confirms | Decided (answered: reroute with recover dues; partner accounts never net) |
| Strict Client → Entity → Sender, one parent each | RECEIVER_GROUP → RECEIVER → RECEIVING_ENTITY → account; SENDER with a group allow-list; FRS project = one default group | Generalisation per NPL instruction |
| Beyond grace → re-quote always | late_collection_policy per project; FRS project keeps requote | Per NPL instruction (Sept 2026) |

| FRS statement | Model | Classification |
|---|---|---|
| Sender always priced on Kraken | FEE_STRUCTURE.rate_basis; FRS project = market | Generalisation |
| One settlement per deal, full amount | Accumulate → settle the balance rounded as the pair says (residual carried), or hold within the exposure cap where the project allows | Generalisation |
| Partner fixed at quote | Same, except under REROUTE | Consistent |
| Bank fee → shortfall → top-up | carry_forward is the FRS behaviour; waived / absorbed added | Per NPL instruction |
| Registry-only destinations | DESTINATION_APPROVAL.approval_status — FRS project has all approved | Generalisation |
| AQN-LT-Sub offset-settled collections | OWN_WALLET at Aquanow; pass-through is a two-leg deal group or a reroute via the own wallet; also NPL-GR's own-desk collection endpoint | Resolved |

# Appendix B · Data dictionary (field annotations)

Every table also carries `created_at` and `created_by`. Types: int, string, bool, decimal, datetime, date.

## B.1 Configuration

### PROJECT

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| client_id | int | FK | the client this arrangement belongs to |
| name | string | | |
| client_label | string | | |
| quote_freshness_min | int | | |
| quote_validity_min | int | | |
| grace_min | int | | |
| grace_drift_pct | decimal | | |
| late_collection_policy | string | | requote / honor_with_approval |
| bank_fee_treatment_default | string | | waived / carry_forward / absorbed |
| receiver_fee_timing | string | | at_conversion (default) / post_confirmation |
| network_fee_policy | string | | absorbed / charged_back (project default; per-transaction override via FEE_DECISION). A network fee may or may not apply; when it does it is stated in USDT, when it does not it is zero and nothing posts |
| settlement_policy | string | | to_zero / hold_allowed |
| shortfall_tolerance | decimal | | |
| exposure_ceiling | decimal | | cap on balance resting at a partner |
| status | string | | |

### PARTNER

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| name | string | | Ali, Jeton, PT |
| disclosure_style | string | | fee_in_rate / fee_on_market — whether the partner's fee sits inside its rate or is stated on top of market |
| rate_expiry_time | string | | |
| holiday_calendar | string | | name of the source calendar (e.g. ID banking holidays); the dates are HOLIDAY rows |
| supported_methods | string | | crypto / bank / cash / local_deposit — the methods this partner offers (Ali: all four; Jeton and Aquanow: crypto, bank). Networks are implied by its wallet endpoints |
| status | string | | |
| bank_cutoff_time | time | | nullable: the partner's standing daily bank cutoff for pairs that rely on the banking channel (Ali and other Asian partners, 14:30); empty for Jeton and Aquanow, which bind nothing. Governs locking the rate for same-day conversion and initiating an outgoing bank settlement; per-day changes in PARTNER_CUTOFF_OVERRIDE |
| cutoff_timezone | string | | IANA zone, e.g. Asia/Hong_Kong |

### RATE_SOURCE

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| code | string | | KRAKEN / CMC / OANDA / XE |
| staleness_threshold_s | int | | |

### MARKUP_SHARE_PARTY

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| name | string | | |
| status | string | | |

### SENDER

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| project_id | int | FK | |
| name | string | | Sender A, Sender B |
| risk_tier | string | | |
| status | string | | |

### RECEIVER_GROUP

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| project_id | int | FK | |
| name | string | | |
| is_default | bool | | exactly one per project |
| status | string | | |

### RECEIVER

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| project_id | int | FK | |
| group_id | int | FK | receiver group; null unless kind = counterparty |
| kind | string | | counterparty / sender_return / partner_transit |
| sender_id | int | FK | when kind = sender_return |
| partner_config_id | int | FK | when kind = partner_transit |
| name | string | | the group: Receiver X, Receiver Y |
| status | string | | |

### OWN_WALLET

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| project_id | int | FK | |
| provider | string | | e.g. Aquanow |
| account_label | string | | e.g. LT Sub |

| Field | Type | Key | Notes |
|---|---|---|---|
| role | string | | reroute_contingency / own_desk / collection_bridge — LT Sub at Aquanow is the NPL-GR own desk; NPL's ERC-20 wallet is a bridge for partners without that network |
| networks | string | | networks the wallet receives on (ERC-20 where Ali cannot) |
| network | string | | |
| address | string | | |
| signer_arrangement | string | | hardware / multisig |
| custody_max_hours | int | | |

### THRESHOLD

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| project_id | int | FK | |
| kind | string | | max_amount / settlement_limit / daily_slots / rate_variation_rel / custom |
| currency | string | | |
| value | decimal | | |
| condition_expr | string | | custom conditions |
| escalation | string | | finance / management |

### CURRENCY_PAIR

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| project_id | int | FK | null when scope = platform |
| scope | string | | project / platform — a platform pair (currency → reporting currency) belongs to no project, is managed under system settings, is priced through PAIR_RATE_SOURCE like any pair and is never quoted |
| from_currency | string | | |
| to_currency | string | | |
| quote_direction | string | | out_per_in / in_per_out |
| rate_precision | int | | |
| amount_rounding | string | | exact / truncate_unit / nearest_unit / round_up_unit / nearest_n / round_up_n (exact is the default for bank transfers — cents go out; the unit options apply where the pair says so, in practice to cash hand-overs) |
| cash_rounding | string | | truncate_n / nearest_n / round_up_n — how the collected cash amount is rounded to cash_rounding_unit only) |
| cash_rounding_unit | int | | 100 / 500 / 1000 by currency — the unit the collected cash amount is rounded to; AED cash 100, USD cash in Dubai 10 (NPL, 9 Oct) |
| status | string | | |
| rounding_unit | decimal | | required for nearest_n / round_up_n (1,000 for THB, INR, JPY payouts) |

### PARTNER_CONFIG

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| project_id | int | FK | |
| partner_id | int | FK | |

| Field | Type | Key | Notes |
|---|---|---|---|
| applicable_for_reroute | bool | | |
| status | string | | |
| is_own_desk | bool | | default false; NPL converts in its own wallet for this project (NPL-GR); enabling needs Management approval |

### COLLECTION_SENDING_ENTITY

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| sender_id | int | FK | |
| label | string | | sender's own account or a client's account |
| account_ref | string | | |

### SENDER_RECEIVER_ALLOW

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| sender_id | int | FK | |
| receiver_group_id | int | FK | sendable_to |

### RECEIVING_ENTITY

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| receiver_id | int | FK | |
| name | string | | Entity X1, Entity X2 |
| status | string | | |

### PAIR_RATE_SOURCE

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| currency_pair_id | int | FK | |
| rate_source_id | int | FK | |
| priority | int | | |

### PARTNER_PAIR

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| partner_config_id | int | FK | |
| currency_pair_id | int | FK | |
| partner_pricing | string | | fee_on_market / fee_in_rate |
| partner_fee_pct | decimal | | known only for fee_on_market |
| status | string | | |
| needs_bank_lock | bool | | the pair relies on the banking channel, so the partner's cutoff governs its rate lock and its settlement (Evo pairs into EUR; USDT → USD / SGD at Ali); crypto-only pairs do not |

### SETTLEMENT_SENDING_ENTITY

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| partner_config_id | int | FK | |
| narrative_name | string | | what the receiver sees |
| status | string | | |

### SETTLEMENT_RAIL

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| partner_config_id | int | FK | |
| name | string | | bank or EMI executing the transfer |
| bank_details_ref | string | | |
| expected_bank_fee | decimal | | |
| currency | string | | |

### FEE_OVERRIDE

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| sender_id | int | FK | |
| partner_pair_id | int | FK | |
| pct | decimal | | |
| effective_from | datetime | | |
| approved_by | int | FK | |
| sender_pays_pct | decimal | | optional; with receiver_pays_pct replaces the structure's proportion |
| receiver_pays_pct | decimal | | optional; both blank → structure's proportion; both set → sum = pct |

### RECEIVING_ENTITY_ACCOUNT

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| receiving_entity_id | int | FK | |
| currency | string | | |
| rail | string | | SWIFT / SEPA / TRC-20 / ERC-20 / ... |
| account_kind | string | | bank / wallet |
| bank_details_ref | string | | external store; when account_kind = bank |
| network | string | | when account_kind = wallet |
| address | string | | when account_kind = wallet; checksum-validated per network |
| status | string | | |
| usage | string | | standing / single_use — a local account the receiver gives for one payout |
| reserved_for_deal_id | int | FK | nullable; the one deal a single_use account serves |

### DESTINATION_APPROVAL

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |

| Field | Type | Key | Notes |
|---|---|---|---|
| partner_config_id | int | FK | |
| receiving_entity_account_id | int | FK | |
| approval_status | string | | pending_partner / approved / suspended |
| bank_details_ref | string | | as paid by this partner; only when the account's kind is bank |
| network | string | | as registered with this partner; only when the account's kind is wallet |
| address | string | | as registered with this partner; only when the account's kind is wallet |
| approved_at | datetime | | |
| wallet_screening_id | int | FK | nullable; the receiver-side screening of a wallet account |

### FEE_STRUCTURE

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| partner_pair_id | int | FK | |
| rate_basis | string | | market / agent_rate / partner) |
| mode | string | | fixed / variable |
| pct | decimal | | |
| sender_pays_pct | decimal | | |
| receiver_pays_pct | decimal | | |
| min_markup_pct | decimal | | |
| max_markup_pct | decimal | | |
| min_margin_pct | decimal | | |
| variance_threshold_rel | decimal | | |
| quoting_rate_policy | string | | worst_applicable / designated / best_applicable |
| effective_from | datetime | | |
| customer_facing_fee_basis | string | | actual / sender_pays_on_agent_rate / fixed |
| customer_facing_fee_pct | decimal | | when customer_facing_fee_basis = fixed (BF via Ali shows 1 %) |

### MARKUP_SHARE_RULE

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| markup_share_party_id | int | FK | |
| project_id | int | FK | |
| partner_pair_id | int | FK | optional |
| basis | string | | share_of_earnings / fixed_pct / share_of_net_markup (base = fee parts – partner cost on the leg, on amount × market; rebates never in the base) |
| pct | decimal | | |
| effective_from | datetime | | |
| fee_structure_id | int | FK | optional scope: only deals priced on this structure (Raeen sub-account 50 %, Raeen direct downlines 75 %) |
| party_kind | string | | markup-share party / client_party |
| settlement_mode | string | | npl_pays / party_retains — the party holds the converted funds and pays NPL the remainder monthly |

### PARTNER_REBATE_RULE

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| partner_config_id | int | FK | |
| effective_from | datetime | | |
| basis | string | | pct_of_amount — the rebate is a percentage of the amount converted (Jeton 0.4 % of amount on a 1 % or 1.25 % fee, Novi 0.3 %, Aquanow 0.3 %) |
| pct | decimal | | the rebate in the chosen basis |
| fee_structure_id | int | FK | optional scope |
| sender_id | int | FK | optional scope (Novi) |
| payout_currency | string | | the currency the partner pays the rebate in and the accrual is expressed in — the amount currency |

### PARTNER_ENTITY

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| partner_config_id | int | FK | |
| name | string | | the partner's legal vehicle: PT-tour, PT Global Inc |
| status | string | | |

### COLLECTION_RECEIVING_ENDPOINT

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| partner_entity_id | int | FK | the vehicle whose name is on the account or wallet |
| kind | string | | bank / wallet |
| currency | string | | |
| rail | string | | nullable: a bank endpoint needs it to go active; optional for wallets, must match network when set |
| bank_details_ref | string | | external store; when kind = bank |
| network | string | | TRC-20 / ERC-20 / ...; when kind = wallet |
| address | string | | when kind = wallet; checksum-validated per network |
| status | string | | |
| own_wallet_id | int | FK | nullable; set when the endpoint is NPL's own wallet — under an own-desk configuration or as a collection bridge for a partner that lacks the network or for risk isolation; the endpoint still belongs to the leg's partner configuration |
| risk_band | string | | standard / elevated — which screening decisions may land here |
| usage | string | | standing / single_use (ad hoc local deposit accounts) |
| reserved_for_deal_id | int | FK | nullable; the one deal a single_use endpoint serves |
| expected_amount | decimal | | nullable; the amount a single_use endpoint for |

### FEE_TIER

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| fee_structure_id | int | FK | |
| min_monthly_volume | decimal | | threshold in volume_currency, per calendar month |

| Field | Type | Key | Notes |
|---|---|---|---|
| volume_currency | string | | |
| pct | decimal | | |
| sender_pays_pct | decimal | | optional |
| receiver_pays_pct | decimal | | optional |
| effective_from | datetime | | |

### WALLET_SCREENING

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| project_id | int | FK | |
| subject_kind | string | | sender_wallet / receiver_wallet |
| sender_id | int | FK | when subject_kind = sender_wallet |
| receiving_entity_account_id | int | FK | when subject_kind = receiver_wallet |
| network | string | | |
| address | string | | |
| provider_ref | string | | screening tool reference |
| result | string | | standard / elevated / unacceptable |
| decision | string | | accept / accept_alternate / reject |
| screened_by | int | FK | Operations |
| screened_at | datetime | | |
| evidence_ref | string | | |

### PARTNER_CUTOFF_OVERRIDE

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| partner_id | int | FK | |
| applies_on | date | | one day; null for a weekday rule |
| weekday | string | | recurring rule (Friday); null for a one-day override |
| cutoff_time | time | | the cutoff that applies instead |
| kind | string | | extension / early_close |
| reason | string | | urgent request / pre-holiday / partner notice |
| partner_agreement_ref | string | | the partner agreed (extensions) |
| recorded_by | int | FK | Finance |

### HOLIDAY

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| partner_id | int | FK | |
| date | date | | |
| name | string | | Idul Fitri, Boxing Day |
| scope | string | | bank_channel / partner |
| source | string | | partner notice / public calendar |

### MESSAGE_TEMPLATE

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| project_id | int | FK | null = global default; a project row overrides it |
| code | string | | quote / payment_instructions / confirmation_request / settlement_advice / cash_token |
| version | int | | |
| channel | string | | email / chat / portal / pdf |
| language | string | | |
| body_ref | string | | external content store |
| printed_fields | string | | the model fields the template may print; sender-facing only for quote |
| effective_from | datetime | | |
| approved_by | int | FK | Management |
| status | string | | |

### CLIENT

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| name | string | | Betfair, Evo, 66 Group, GDC, NPL-GR |
| category | string | | NPL's own grouping (Project Context tab: BF, Evo, Game Reseller ...) |
| legal_entity_ref | string | | contracting entity, external store |
| kyc_ref | string | | external store |
| relationship_owner | int | FK | USER |
| exposure_ceiling | decimal | | optional cap on Σ balance resting at partners across the client's projects, stated in the reporting currency and compared through REPORTING_VALUE at the latest market rate |
| status | string | | |

### SYSTEM_SETTING

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| key | string | | reporting_currency / reporting_rate_max_age_min / operating_timezone / ... (the reporting rate source is the platform pair's PAIR_RATE_SOURCE, not a key) |
| value | string | | |
| effective_from | datetime | | |
| approved_by | int | FK | Management |

## B.2 Rates

### MARKET_RATE

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| rate_source_id | int | FK | |
| currency_pair_id | int | FK | |
| rate | decimal | | |
| captured_at | datetime | | |

### RATE_COMPARISON

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| partner_pair_id | int | FK | |
| rate_date | date | | |
| avg_spread_2w | decimal | | |
| avg_spread_4w | decimal | | |
| status | string | | open / closed |
| created_at | datetime | | created lazily by the first deal of the day |

### PARTNER_RATE_VERSION

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| rate_comparison_id | int | FK | |
| version_no | int | | |
| rate | decimal | | normalised to CURRENCY_PAIR.quote_direction; derived from quoted_rate |
| market_rate_id | int | FK | |
| spread_pct | decimal | | |
| status | string | | active / usable / breached / approved / rejected |
| confirmed_by | int | FK | |
| approval_reason | string | | |
| expires_at | datetime | | |
| quoted_rate | decimal | | as the partner stated it (Ali: 1.1738 EUR→USDT style) |
| quoted_direction | string | | out_per_in / in_per_out; rate = quoted_rate, or 1 ÷ quoted_rate at the pair's precision when the directions differ — derived, never typed |
| location | string | | nullable; required on cash pairs — INR cash in Delhi and in Mumbai are two versions on one day |

## B.3 Deal, collection, conversion, reroute, balance conversion

### DEAL_GROUP

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| project_id | int | FK | |
| sender_id | int | FK | |
| receiver_group_id | int | FK | entitled group |
| client_ref | string | | D-YYMMDD-seq, what the sender sees |
| from_currency | string | | |
| to_currency | string | | |
| sender_rate | decimal | | |
| fee_structure_id | int | FK | |
| amount_in | decimal | | |
| target_out | decimal | | |
| entry_mode | string | | quote_first / collect_first / estimate_first |
| state | string | | |

| Field | Type | Key | Notes |
|---|---|---|---|
| quoted_at | datetime | | |
| customer_facing_fee_pct | decimal | | stamped at quote |
| customer_facing_rate | decimal | | = sender_rate ÷ (1 – customer_facing_fee_pct); the 'market rate' the quote prints |
| invoice_id | int | FK | nullable; the resale invoice this group collects (NPL-GR) — the obligation the deal pays |
| invoice_amount | decimal | | nullable; the part of the resale invoice this group collects, in the invoice currency — an advance, then the balance; Σ over the invoice's groups ≤ its amount |
| invoice_rate | decimal | | nullable; payout currency per invoice currency at pricing (same direction as SETTLEMENT_LINE.discharge_rate): the stored base for the amount reserved per instalment and for the forex true-up |

### DEAL

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| deal_group_id | int | FK | every deal belongs to a group |
| leg_no | int | | |
| leg_type | string | | forward / return |
| funding_source | string | | collection / returned_settlement / prior_leg |
| funding_ref_id | int | | SETTLEMENT_RETURN id or prior DEAL id |
| project_id | int | FK | |
| sender_id | int | FK | |
| receiver_group_id | int | FK | attribution |
| receiver_id | int | FK | optional until settlement |
| partner_pair_id | int | FK | |
| partner_entity_id | int | FK | |
| amount_mode | string | | target_out / fixed_in — fixed_in takes the fee off the principal, target_out adds it as a markup on the target |
| collection_method | string | | crypto / bank / cash |
| cash_instructions | string | | free text for the hand-over; the city is cash_location, the token is on the collection |
| fee_structure_id | int | FK | |
| market_rate_id | int | FK | the market snapshot the leg on; equals the earlier leg's when rate_reused_from_deal_id is set |
| partner_rate_version_id | int | FK | |
| sender_rate | decimal | | |
| amount_in | decimal | | |
| gross_out | decimal | | |
| client_net | decimal | | |
| fee_sender_part | decimal | | |
| fee_receiver_part | decimal | | |
| priced_at | datetime | | quote or conversion |
| sent_at | datetime | | null on conversion-priced legs; = QUOTE_PACKAGE.sent_at of the package in force |

| Field | Type | Key | Notes |
|---|---|---|---|
| valid_until | datetime | | end of validity as quoted; effective_valid_until is the one in force after extensions |
| grace_until | datetime | | |
| effective_valid_until | datetime | | the validity in force: valid_until as quoted, moved by each approved QUOTE_VALIDITY_EXTENSION (any number, no ceiling); grace_until follows it |
| rate_reused_from_deal_id | int | FK | nullable; this leg on the market rate and partner rate version of an earlier, expired leg at the sender's request — an approved override of the automated rate; the difference against the day's rate posts to VAR_RATE_HONOUR with component variance (the account named by, note corrected) |
| rate_override_reason | string | | why the earlier rate |
| rate_override_approved_by | int | FK | Finance |
| late_decision | string | | none / honored / requoted |
| state | string | | |
| quote_hash | string | | hash of the quote package in force for the group (QUOTE_PACKAGE.content_hash) |
| fee_override_id | int | FK | nullable; the override that priced this leg |
| fee_tier_id | int | FK | nullable; base tier at quote |
| tier_volume_basis | decimal | | project month-to-date volume that justified the tier, stamped at quote |
| rate_locked_at | datetime | | when the partner confirmed the rate; before the cutoff → converts the same day, after → next business day |
| conversion_due_date | date | | the lock date when rate_locked_at precedes cutoff_at, else the next business day — weekends in the partner's cutoff_timezone and the partner's HOLIDAY rows skipped; Converting may not start earlier |
| conversion_deferred_reason | string | | set when the due date is pushed because the next day's rate breaches the minimum margin (ask for a better rate, or wait a day) |
| cash_location | string | | city of the cash hand-over; required on cash legs — rates and agents differ by city |
| cutoff_at | datetime | | the effective cutoff that applied on the lock day (standing time or override), stamped with rate_locked_at |

### COLLECTION

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| deal_id | int | FK | |
| collection_receiving_endpoint_id | int | FK | the partner endpoint paid into; null for cash |
| collection_sending_entity_id | int | FK | |
| amount | decimal | | |
| evidence_ref | string | | hash / slip / receipt |
| state | string | | pending / verified / reversed; cash: token_issued → handed_over → counted → verified.: after a loss the part stays verified — NPL's funds stand in — and is reversed only when Management unwinds the deal |
| verified_by | int | FK | |
| verified_at | datetime | | |

| Field | Type | Key | Notes |
|---|---|---|---|
| sending_address | string | | crypto: the sender's declared wallet |
| wallet_screening_id | int | FK | nullable; the screening that admitted the sending wallet |
| screening_skipped | bool | | projects that do not screen every sender up front (Evo) |
| token_ref | string | | cash: serial of the token (local-currency bill) that identifies the agent; the partner may replace the agent and the token before hand-over — the collection holds the current token, the audit log the previous one; the rate locked at quote is unchanged |
| agent_contact_ref | string | | cash: the receiving agent's contact, external store |
| counted_at | datetime | | cash: the partner counted and confirmed the funds |

### CONVERSION

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| deal_id | int | FK | null when owned by a balance conversion |
| balance_conversion_id | int | FK | null when owned by a deal leg |
| partner_rate_version_id | int | FK | |
| calc_mode | string | | npl_calculates / partner_calculates |
| amount_in | decimal | | |
| expected_out | decimal | | |
| actual_out | decimal | | booked figure, rounded as the pair says |
| rounding_residual | decimal | | signed: positive = fraction dropped, stays client money; negative = amount added by rounding up, NPL's cost posted to EXP_ROUNDING |
| fee_receiver_part | decimal | | taken at conversion |
| variance | decimal | | |
| residual_in | decimal | | the margin kept unconverted in the collection currency (NPL's practice: earnings are taken out of money not yet converted); EARN_GROSS is then recognised in that currency and rests in NPL's pool at the partner in that currency |
| basis_variance | decimal | | |
| state | string | | |
| approved_by | int | FK | |

### REROUTE

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| deal_id | int | FK | |
| trigger | string | | partner_unavailable / limit_reached / holiday (a HOLIDAY row of scope partner on the day) / compliance_hold / other |
| phase | string | | pre_collection / post_collection |
| outcome | string | | via_own_wallet / refund_sender (post-collection) |
| own_wallet_id | int | FK | |
| alternate_partner_config_id | int | FK | |
| forwarding_policy | string | | forward_full / forward_and_recover_dues |
| recovered_amount | decimal | | ≤ outstanding receivable at the alternate partner |

| Field | Type | Key | Notes |
|---|---|---|---|
| partner_agreement_ref | string | | the partner agreed the net amount |
| reason | string | | |
| requested_by | int | FK | |
| approved_by | int | FK | |

### SENDER_CREDIT

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| sender_id | int | FK | |
| deal_id | int | FK | |
| amount | decimal | | |
| state | string | | open / applied |

### EARNINGS_RECEIVABLE

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| partner_config_id | int | FK | |
| deal_id | int | FK | |
| amount | decimal | | |
| state | string | | outstanding / recovered |
| recovered_by_deal_id | int | FK | |
| recovered_by_offset_id | int | FK | nullable; the EARNINGS_OFFSET that moved this margin to another partner's unconverted balance |
| recovered_at | datetime | | |

### BALANCE_CONVERSION

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| project_id | int | FK | |
| partner_config_id | int | FK | |
| receiver_group_id | int | FK | group served; chosen split |
| from_currency | string | | |
| to_currency | string | | |
| partner_pair_id | int | FK | |
| partner_rate_version_id | int | FK | |
| market_rate_id | int | FK | |
| amount_in | decimal | | |
| expected_out | decimal | | |
| actual_out | decimal | | |
| variance | decimal | | |
| rounding_residual | decimal | | |
| state | string | | |
| requested_by | int | FK | Finance |

| Field | Type | Key | Notes |
|---|---|---|---|
| approved_by | int | FK | Management |
| converted_at | datetime | | |
| rate_locked_at | datetime | | |
| conversion_due_date | date | | banking-ready balances (USD, SGD) wait for the next business morning |

### ENTITLEMENT_REATTRIBUTION

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| balance_conversion_id | int | FK | |
| receiver_group_id | int | FK | |
| amount_from | decimal | | |
| amount_to | decimal | | |

### DEAL_FEE_TIER

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| deal_id | int | FK | |
| fee_tier_id | int | FK | |
| amount_in_portion | decimal | | Σ over a leg = amount_in |
| pct | decimal | | the tier's pct at quote |

### INVOICE

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| project_id | int | FK | |
| kind | string | | vendor (the vendor's invoice to NPL-GR at the preferential price) / resale (NPL-GR's invoice to its customer at retail price) |
| vendor_invoice_id | int | FK | on a resale invoice: the vendor invoice it marks up (self-reference); RESELLER_MARGIN pairs the two through it |
| receiver_id | int | FK | the vendor owed, on a vendor invoice |
| sender_id | int | FK | the customer invoiced, on a resale invoice |
| currency | string | | |
| amount | decimal | | |
| reference | string | | |
| issued_at | datetime | | |
| status | string | | open / settled / void |

### QUOTE_PACKAGE

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| deal_group_id | int | FK | |
| issue_no | int | | 1, 2, … per deal group |
| message_template_id | int | FK | the template version that rendered it |
| channel | string | | email / chat / portal / pdf |

| Field | Type | Key | Notes |
|---|---|---|---|
| rendered_ref | string | | external document store |
| content_hash | string | | = DEAL.quote_hash of the legs it prices |
| printed_source_rate | decimal | | = DEAL_GROUP.customer_facing_rate |
| printed_fee_pct | decimal | | = DEAL_GROUP.customer_facing_fee_pct |
| printed_amount_out | decimal | | |
| valid_until | datetime | | = the leg's valid_until |
| sent_at | datetime | | marks the package sent; starts validity |
| sent_by | int | FK | Operations |
| superseded_by_id | int | FK | the re-issue that replaced this one, if any |

### QUOTE_VALIDITY_EXTENSION

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| deal_id | int | FK | |
| extension_no | int | | 1, 2, … per leg |
| requested_at | datetime | | |
| from_valid_until | datetime | | |
| to_valid_until | datetime | | |
| reason | string | | the sender's request |
| approved_by | int | FK | Finance; Management past the cutoff or the rate version's expiry |
| approval_id | int | FK | |

### EARNINGS_OFFSET

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| project_id | int | FK | |
| from_partner_config_id | int | FK | where NPL's converted margin rests |
| from_currency | string | | |
| from_amount | decimal | | NPL's margin handed to the client there |
| to_partner_config_id | int | FK | where the client's unconverted money is |
| to_currency | string | | |
| to_amount | decimal | | = from_amount ÷ the rate used, taken from the client's unconverted balance |
| partner_rate_version_id | int | FK | the to-partner's rate of the day (NPL, 11 Oct: the partner's rate, not market) |
| market_rate_id | int | FK | the market snapshot of the day, for reference |
| requested_by | int | FK | Finance |
| approved_by | int | FK | Management |
| state | string | | requested / approved / posted |
| posted_at | datetime | | |

## B.4 Settlement, return, confirmation, fees, shares, rebates, losses and recoveries

### SETTLEMENT

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| project_id | int | FK | |
| partner_config_id | int | FK | |
| settlement_sending_entity_id | int | FK | |
| settlement_rail_id | int | FK | |
| currency | string | | |
| total | decimal | | rounded as the pair says |
| bank_fee_treatment | string | | |
| state | string | | |
| prepared_by | int | FK | |
| approved_by | int | FK | |
| escalated_to | int | FK | |
| released_at | datetime | | |
| cutoff_at | datetime | | the effective cutoff of the approval day for a bank rail (standing time or override) |
| execution_due_date | date | | the approval date when approved before cutoff_at, else the next business day (weekends and HOLIDAY rows skipped); a bank transfer is initiated no earlier |

### SETTLEMENT_LINE

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| settlement_id | int | FK | |
| deal_id | int | FK | nullable; required when the paid receiver is group-less, optional on counterparty lines |
| destination_approval_id | int | FK | |
| paid_receiver_id | int | FK | |
| amount | decimal | | |
| receiver_fee_applied | decimal | | exceptional; fee is normally taken at conversion |
| reference | string | | entity invoice format |
| outcome | string | | sent / confirmed / short / returned — sent from release until the receiver's confirmation; short when the CONFIRMATION has result short and a SHORTFALL row re-raises the missing part; every released line ends confirmed, short or returned |
| invoice_id | int | FK | nullable; the invoice this line discharges — the vendor invoice for a vendor line, the resale invoice for the margin line to NPL-GR's own wallet |
| obligation_discharged | decimal | | in the invoice currency; reserved = obligation_discharged × DEAL_GROUP.invoice_rate, paid = obligation_discharged × discharge_rate; reserved − paid is the forex true-up posted to VAR_FX_TIMING against NPL's pool |
| discharge_rate | decimal | | payout currency per invoice currency at payment |
| discharge_market_rate_id | int | FK | nullable; the market snapshot used |

| Field | Type | Key | Notes |
|---|---|---|---|
| token_ref | string | | cash settlement: the receiver's token, provided up front and relayed NPL → partner → agent |
| evidence_ref | string | | cash settlement: the agent's photo of the receiver's token after hand-over, relayed partner → NPL → receiver; the receiver's CONFIRMATION closes the loop |

### SETTLEMENT_RETURN

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| settlement_line_id | int | FK | |
| returned_amount | decimal | | |
| bank_fee | decimal | | |
| reason | string | | |
| returned_at | datetime | | |

### CONFIRMATION

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| settlement_line_id | int | FK | |
| amount_received | decimal | | |
| slip_ref | string | | |
| result | string | | full / short |
| confirmed_by | int | FK | |
| confirmed_at | datetime | | |

### SHORTFALL

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| receiver_id | int | FK | |
| confirmation_id | int | FK | |
| amount | decimal | | |
| state | string | | open / topped_up |
| topped_up_settlement_id | int | FK | |

### BANK_FEE_EVENT

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| settlement_id | int | FK | |
| expected_amount | decimal | | |
| actual_amount | decimal | | |
| treatment | string | | waived / carry_forward / absorbed |
| state | string | | open / applied |
| applied_settlement_id | int | FK | |

### FEE_DECISION

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| subject_type | string | | Deal / Settlement / BalanceConversion |
| subject_id | int | | |
| fee_kind | string | | markup / network / bank |
| decision | string | | apply / waive / override |
| pct | decimal | | |
| recommended_by | int | FK | Finance — reviews and recommends before Management approves a covered bank fee or a markup above the cap |
| approved_by | int | FK | Management for a covered bank fee or a markup above max_markup_pct; Finance for the other one-off decisions |
| reason | string | | |

### MARKUP_SHARE_ACCRUAL

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| markup_share_rule_id | int | FK | |
| deal_id | int | FK | |
| amount | decimal | | |
| state | string | | accrued / reconciled / settled / paid) |
| paid_at | datetime | | |
| direction | string | | payable (NPL pays the party) / receivable (the party holds the funds and owes NPL its remainder) |
| period | string | | YYYY-MM; receivables reconcile monthly like rebates |
| received_amount | decimal | | on receivables |

### PARTNER_REBATE_ACCRUAL

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| partner_rebate_rule_id | int | FK | |
| deal_id | int | FK | |
| expected_amount | decimal | | |
| received_amount | decimal | | |
| period | string | | YYYY-MM |
| state | string | | expected / reconciled / received |
| statement_ref | string | | the partner statement line it reconciled against |

### LOSS_EVENT

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| side | string | | collection / settlement |
| collection_id | int | FK | when side = collection |
| settlement_line_id | int | FK | when side = settlement |
| amount | decimal | | ≤ the verified or released amount |

| Field | Type | Key | Notes |
|---|---|---|---|
| reason | string | | account_frozen / cash_short / wrong_chain / other |
| occurred_at | datetime | | |
| sender_share | decimal | | |
| npl_share | decimal | | |
| partner_share | decimal | | |
| client_share | decimal | | shares sum to amount |
| state | string | | open / approved / posted |
| approved_by | int | FK | Management |
| pool_funded | decimal | | the part of the make-good taken from NPL's pool at the partner |
| wallet_funded | decimal | | the part transferred from NPL's own wallet to the partner; what neither covers is the unfunded part, posted as MAKEGOOD / LOSS_PAYABLE until NPL's funds land |
| funding_reference | string | | the partner's credit note or the own-wallet transfer behind the make-good |

### LOSS_RECOVERY

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| loss_event_id | int | FK | |
| party | string | | sender / partner / client |
| amount | decimal | | ≤ the matching share on the LOSS_EVENT |
| state | string | | agreed / received — a client share is received at once (it is a reversal of the make-good, never a payment). Each state change posts one LEDGER_TRANSACTION naming this row: agreed raises LOSS_RECEIVABLE against EXP_LOSS (or, for the client, reverses part of the make-good), received clears the receivable into POOL or WALLET |
| received_at | datetime | | |
| reference | string | | the partner's credit, the sender's transfer, the client's agreement |
| approved_by | int | FK | Management (approve_loss_split) |

## B.5 Ledger & controls

### LEDGER_TRANSACTION

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| source_type | string | | Collection / Conversion / BalanceConversion / Settlement / SettlementReturn / Confirmation / BankFeeEvent / Reroute / MarkupShare / Rebate / LossEvent / LossRecovery / Invoice / EarningsOffset / Adjustment |
| source_id | int | | |
| description | string | | |
| posted_at | datetime | | |
| posted_by | int | FK | |
| reversal_of_id | int | FK | |

### LEDGER_POSTING

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |

| Field | Type | Key | Notes |
|---|---|---|---|
| ledger_transaction_id | int | FK | |
| ledger_account_id | int | FK | |
| side | string | | debit / credit |
| amount | decimal | | |
| currency | string | | |
| ownership_tag | string | | client / company |
| cost_component | string | | principal / earnings / rebate / partner_cost / bank_fee / network_fee / variance / share / rounding / fx_timing / cutoff_timing / loss / resale |
| receiver_group_id | int | FK | nullable; set on every CL.PROJECT.<CCY>.PAYABLE line: the leg's group at collection and conversion, the paying leg's group on a release, return or short confirmation (SETTLEMENT_LINE.deal_id), the served group on a balance conversion, the deal's group on a loss share or an earnings offset — so GROUP_ENTITLEMENT is a sum over postings |

### LEDGER_ACCOUNT

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| code | string | | OWNER.HOLDER.CCY.PURPOSE |
| ownership | string | | client / company |
| holder_type | string | | PartnerConfig (incl. the own desk) / OwnWallet / Receiver (also the vendor of VENDOR_PAYABLE) / Sender (also LOSS_RECEIVABLE, RESALE_RECEIVABLE) / MarkupShareParty / Project / None |
| holder_id | int | | |
| currency | string | | |
| purpose | string | | COLLECTED / HELD / DUE / PAYABLE / SHORTFALL / CREDIT / MAKEGOOD / POOL / WALLET / EARN_GROSS / EARN_REBATE / RESELL_REVENUE / RESELL_COST / EXP_PARTNER / EXP_BANKFEE / EXP_NETWORK / EXP_ROUNDING / EXP_LOSS / VAR_CONVERSION / VAR_CUTOFF / VAR_RATE_HONOUR / VAR_FX_TIMING / SHARE_PAYABLE / SHARE_RECEIVABLE / REBATE_RECEIVABLE / LOSS_RECEIVABLE / LOSS_PAYABLE / VENDOR_PAYABLE / RESALE_RECEIVABLE / REMIT_CLAIM / FX_RESULT |
| kind | string | | asset / liability / income / expense; FX_RESULT is income or expense by sign, per currency |

### USER

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| email | string | | Google Workspace |
| role_id | int | FK | ROLE free-text role) |
| status | string | | |

### APPROVAL

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| subject_type | string | | |
| subject_id | int | | |
| action | string | | |

| Field | Type | Key | Notes |
|---|---|---|---|
| requested_by | int | FK | |
| approved_by | int | FK | never equal to requested_by |
| escalated_to | int | FK | |
| state | string | | |
| reason | string | | |

### AUDIT_LOG

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| record_type | string | | |
| record_id | int | | |
| field | string | | |
| old_value | string | | |
| new_value | string | | |
| actor_id | int | FK | |
| at | datetime | | |

### RECORD_LOCK

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| record_type | string | | |
| record_id | int | | |
| locked_by | int | FK | |
| locked_at | datetime | | |

### ROLE

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| code | string | | operations / finance / management |
| name | string | | |
| sees_economics | bool | | false for operations: no derived-economics fields on any screen, export or message |
| status | string | | |

### ROLE_RIGHT

| Field | Type | Key | Notes |
|---|---|---|---|
| id | int | PK | |
| role_id | int | FK | |
| action | string | | a controlled action: price_quote, extend_quote_validity, cross_group_payout, cover_bank_fee, enable_own_desk, approve_loss_split, override_screening_reject, earnings_offset, … |
| may_initiate | bool | | |
| may_approve | bool | | |
| escalates_to_role_id | int | FK | nullable; the role added on escalation |