

NPLify · P0 Technical Baseline

Deliverable 5 — Configuration Schema Specification · Draft v1.0

New XP Technologies Limited

7 October 2026 · Confidential

Status: Built against ERD & Data Model Draft v4.0, the Calculation Specification v1.0 and the Project Understanding v1.0 with NPL's review comments. It specifies every configuration entity (fields, allowed values, defaults, validation rules) in a project-agnostic way, and expresses one existing NPL project, the FRS "Client 1" USDT → EUR flow, end to end in that schema. The worked example was validated against the rules in this document by the script that produced it.

Audience: NPL Finance and Management, who own configuration, and the New XP engineering team.

1 · How configuration is organised

Three ideas carry the whole model. **A project is a client.** Everything a client needs sits under its project: settings, currency pairs, senders, receiver groups, and one partner configuration block per partner the client uses. **Parties are partner-independent.** Senders, receiver groups and receiving entities belong to the project, so the same Ayush → Raj flow can run through Ali today and Jeton tomorrow. **How a partner is used is a block.** Fees, vehicles, collection endpoints, narratives, rails, destination approvals and rebate terms for one partner in one project all hang off a single PARTNER_CONFIG.




Figure 1 — The configuration model. Dashed boxes are global; everything inside the shaded area belongs to one project.

Change control. Configuration is versioned: thresholds, fee structures and policies are new rows with an effective date, never edits. Finance proposes, Management approves (approver ≠ proposer), and every change is audited. Deals keep the versions they were priced on.

2 · Global master data

PARTNER · Global

A global counterparty (Ali, Jeton, PT): remittance companies, fintechs, EMIs, neobanks or crypto exchanges. How a partner is used in a project lives in PARTNER_CONFIG. disclosure_style records whether the partner's markup is visible.

Field	Type	Required	Allowed values · default · meaning
name	string	yes	Ali, Jeton, PT
disclosure_style	string	yes	markup_included / market_plus
rate_expiry_time	string	no	
holiday_calendar	string	no	
status	string	yes	

- A partner is set up once and reused by any project through a PARTNER_CONFIG.
- disclosure_style decides how its price is read: markup_included (its rate contains its margin) or market_plus (it states market + x %).

RATE_SOURCE · Global

A market data source. Cross-source slippage is a query over MARKET_RATE across sources for the same pair and window.

Field	Type	Required	Allowed values · default · meaning
code	string	yes	KRAKEN / CMC / OANDA / XE

Field	Type	Required	Allowed values · default · meaning
staleness_threshold_s	int	yes	

- A snapshot older than staleness_threshold_s is not used for pricing; the next source in the pair's chain is tried.

INTRODUCER · Global

An external introducer who brought in a client and is owed referral commission (Understanding §4.2a). Paid either a share of NPL's earnings or a fixed % per transaction; several introducers may share one deal.

Field	Type	Required	Allowed values · default · meaning
name	string	yes	
status	string	yes	

- Only needed where NPL pays referral commissions.

3 · Project settings

PROJECT · Per client

The client. Owns its whole configuration: parties, groups, pairs, thresholds, partner configurations. Its policies govern every deal. In v4.0 it also carries the disburse policy with an exposure cap (Q5), the network-fee policy (Q7) and the receiver-fee default at conversion (Q6).

Field	Type	Required	Allowed values · default · meaning
name	string	yes	
client_label	string	no	
quote_freshness_min	int	yes	
quote_validity_min	int	yes	
grace_min	int	yes	
grace_drift_pct	decimal	yes	
late_collection_policy	string	yes	requote / honor_with_approval · default requote
bank_fee_treatment_default	string	yes	waived / carry_forward / absorbed
receiver_fee_timing	string	yes	at_conversion (default, Q6) / post_confirmation · default at_conversion
network_fee_policy	string	yes	absorbed / charged_back (project default; per-transaction override via FEE_DECISION)
disburse_policy	string	yes	to_zero / hold_allowed (Q5) · default to_zero
shortfall_tolerance	decimal	no	
exposure_ceiling	decimal	yes	cap on balance resting at a partner
status	string	yes	

- The project is the client: everything below belongs to exactly one project.
- Creating a project creates its default RECEIVER_GROUP automatically.
- exposure_ceiling is the most client money that may rest at any one partner; it is enforced at every release.
- Every change is versioned, proposed by Finance and approved by Management.

THRESHOLD · Per project

Project-level system settings: limits and escalation rules evaluated at write time. settlement_limit now also bounds balance held at a partner under disburse_policy = hold_allowed.

Field	Type	Required	Allowed values · default · meaning
project_id	int	yes	reference
kind	string	yes	max_amount / settlement_limit / daily_slots / rate_variation_rel / custom
currency	string	no	
value	decimal	yes	
condition_expr	string	no	custom conditions
escalation	string	no	finance / management

- One row per kind and currency; currency may be blank for kinds that are not amounts (daily_slots, rate_variation_rel).
- escalation names who decides when the threshold is hit: finance or management.
- condition_expr is only read for kind = custom.

CURRENCY_PAIR · Per project

A pair the project trades, with quote direction and rate precision. v4.0 adds the amount rounding rule: amounts are truncated to whole units at conversion (Q8) and cash collections round to the nearest 100 / 500 / 1000 units.

Field	Type	Required	Allowed values · default · meaning
project_id	int	yes	reference
from_currency	string	yes	
to_currency	string	yes	
quote_direction	string	yes	out_per_in / in_per_out · default out_per_in
rate_precision	int	yes	· default 5
amount_rounding	string	yes	truncate_whole_unit (Q8) · default truncate_whole_unit
cash_rounding_unit	int	no	100 / 500 / 1000 by currency
status	string	yes	

- from_currency is the collection currency, to_currency the payout currency.
- rate_precision is 5 for ordinary pairs and 8 for sub-unit pairs such as USDT → BTC.
- cash_rounding_unit applies only when the pair is collected in cash (100, 500 or 1000 by currency).
- At least one PAIR_RATE_SOURCE is required before the pair can be used.

PAIR_RATE_SOURCE · Per pair

The prioritised source chain for a currency pair.

Field	Type	Required	Allowed values · default · meaning
currency_pair_id	int	yes	reference
rate_source_id	int	yes	reference
priority	int	yes	

- Priority 1 is tried first; the chain continues on staleness or outage; with every source down a manual rate needs Finance approval and evidence.

OWN_WALLET · Per project

Exists only for rerouting and pass-through. AQN-LT-Sub is an own wallet at Aquanow (Q10). No custody in the normal path: CL.OWN.*.HELD may only be debited by a collection on a deal with an approved REROUTE. Also receives recovered dues.

Field	Type	Required	Allowed values · default · meaning
project_id	int	yes	reference
provider	string	yes	e.g. Aquanow (Q10)
account_label	string	no	e.g. LT Sub
network	string	yes	
address	string	yes	
signer_arrangement	string	yes	hardware / multisig
custody_max_hours	int	yes	

- Optional. Needed only if the project may reroute through NPL's own wallet.
- custody_max_hours is the aging limit reported on the custody view.

4 · Parties: senders, receiver groups, receivers, entities, accounts

SENDER · Per project

A sending party of the project (Ayush, Naveen). Which receiver groups a sender may pay is

SENDER_RECEIVER_ALLOW. A sender's refunds go to a RECEIVER of kind sender_return linked to it.

Field	Type	Required	Allowed values · default · meaning
project_id	int	yes	reference
name	string	yes	Ayush, Naveen
risk_tier	string	yes	
status	string	yes	

- A single paying party. Not tied to a partner.
- Must have at least one SENDER_RECEIVER_ALLOW row before it can be chosen on a deal.

SENDER_RECEIVER_ALLOW · Per sender

sendable_to: which receiver groups a sender may pay. Must pre-exist for collect-first attribution (Q1). v4.0 targets the group, the unit a sender's flow is attributed to.

Field	Type	Required	Allowed values · default · meaning
sender_id	int	yes	reference
receiver_group_id	int	yes	sendable_to (was receiver_id)

- The allow-list (sendable_to). A sender may pay only the groups listed here; the group must belong to the same project and must not be the return group.
- Required for collect-first attribution (open question 1).

COLLECTION_SENDING_ENTITY · Per sender

Provenance: where the sender's funds originated. Reference only; never a payout destination (a refund goes to the sender_return receiver's chosen account, not back to the source wallet).

Field	Type	Required	Allowed values · default · meaning
sender_id	int	yes	reference
label	string	yes	sender's own account or a client's account
account_ref	string	no	

- Provenance only: where the sender's funds come from. Never a payout destination.

FEE_OVERRIDE · Per sender × partner pair

A standing sender-specific override of the fee on a partner × pair. One-off decisions on a single transaction are FEE_DECISION.

Field	Type	Required	Allowed values · default · meaning
sender_id	int	yes	reference
partner_pair_id	int	yes	reference
pct	decimal	yes	
effective_from	datetime	yes	
approved_by	int	yes	reference

- Replaces the fee structure's total pct for that sender from effective_from; the sender : receiver proportion of the structure is kept. pct may be 0.

RECEIVER_GROUP · Per project

The unit entitlement is tracked on (design F). Every project has one default group created with it; receivers sit in the default group unless further groups are created and receivers are allocated to them. Payouts within a group are ordinary settlement; across groups they are offsets. With a single group no offset can arise. Each project also has a group of kind return that holds its sender_return receivers.

Field	Type	Required	Allowed values · default · meaning
project_id	int	yes	reference
name	string	yes	
is_default	bool	yes	exactly one per project
kind	string	yes	client / return · default client
status	string	yes	

- Exactly one group per project has is_default = true; it is created with the project.
- Each project also has one group of kind return, created automatically when the first sender_return receiver is needed.
- Create further client groups only when flows must be kept apart; with a single group no offset can arise.

RECEIVER · Per group

A party within a receiver group (Sud, Raj), owning one or more RECEIVING_ENTITY rows. v4.0 adds a kind: counterparty (a client receiver), sender_return (stands for a SENDER so refunds use the normal payout path) or partner_transit (stands for a partner's collection endpoint for the hop of a two-leg route).

Field	Type	Required	Allowed values · default · meaning
project_id	int	yes	reference
group_id	int	yes	receiver group
kind	string	yes	counterparty / sender_return / partner_transit · default counterparty
sender_id	int	yes	when kind = sender_return
partner_config_id	int	yes	when kind = partner_transit
name	string	yes	the group: Sud, Raj
status	string	yes	

- kind sender_return requires sender_id and the return group; kind partner_transit requires partner_config_id.
- A receiver is in exactly one group; moving it is a Management-approved change because it re-attributes entitlement.

RECEIVING_ENTITY · Per receiver

A member of a receiver (NewXP Entity, ReferScout Entity). Bank or wallet details and currency move down to RECEIVING_ENTITY_ACCOUNT in v4.0 (Q4).

Field	Type	Required	Allowed values · default · meaning
receiver_id	int	yes	reference
name	string	yes	NewXP Entity, ReferScout Entity
status	string	yes	

- A legal entity of the receiver. Bank and wallet details live on its accounts, not here.

RECEIVING_ENTITY_ACCOUNT · Per entity

One account of a receiving entity, with its own currency and rail (Q4: EUR via SWIFT and EUR via SEPA are two accounts). Registrations and payout lines point at the account. A sender_return receiver's USDT wallet is an account like any other.

Field	Type	Required	Allowed values · default · meaning
receiving_entity_id	int	yes	reference
currency	string	yes	
rail	string	yes	SWIFT / SEPA / TRC-20 / ERC-20 / ...
details_ref	string	yes	bank or wallet details
status	string	yes	

- One row per currency × rail (EUR via SWIFT and EUR via SEPA are two accounts).
- An account can be paid only through a SETTLEMENT_REGISTRATION with status approved at the paying partner.

REFERRAL_RULE · Per introducer × project

How an introducer is paid on a project (and optionally only on one partner × pair): a share of NPL's earnings in a ratio, or a fixed % applied inside the sender-facing markup (§4.2a).

Field	Type	Required	Allowed values · default · meaning
introducer_id	int	yes	reference
project_id	int	yes	reference
partner_pair_id	int	yes	optional
basis	string	yes	share_of_earnings / fixed_pct
pct	decimal	yes	
effective_from	datetime	yes	

- basis fixed_pct adds pct to the sender share before the sender rate is computed; basis share_of_earnings pays pct of NPL's earnings per deal.
- partner_pair_id narrows the rule to one partner × pair; blank means the whole project.

5 · The partner configuration block

PARTNER_CONFIG · Per project × partner

How a partner is used in this project. Fees, vehicles, endpoints, registrations and rebate rules hang off it. `applicable_for_reroute` defines the alternate-partner set.

Field	Type	Required	Allowed values · default · meaning
<code>project_id</code>	int	yes	reference
<code>partner_id</code>	int	yes	reference
<code>applicable_for_reroute</code>	bool	yes	· default false
<code>status</code>	string	yes	

- How this partner is used in this project. Everything in the partner block hangs off it.
- `applicable_for_reroute` = true puts the partner in the project's alternate set (Management approval).

PARTNER_PAIR · Per partner config × pair

A pair handled by a partner in this project. Fees are per partner × pair, so choosing the partner is part of pricing.

Field	Type	Required	Allowed values · default · meaning
<code>partner_config_id</code>	int	yes	reference
<code>currency_pair_id</code>	int	yes	reference
<code>partner_pricing</code>	string	yes	<code>market_plus_pct</code> / <code>disclosed_rate</code>
<code>partner_markup_pct</code>	decimal	no	known only for <code>market_plus</code>
<code>status</code>	string	yes	

- `currency_pair_id` must be one of the project's pairs.
- `partner_markup_pct` is required when `partner_pricing` = `market_plus_pct` and must be blank otherwise.

FEE_STRUCTURE · Per partner pair, versioned

The versioned NPL client-side fee for a partner × pair. Stamped on the deal group at pricing.

Field	Type	Required	Allowed values · default · meaning
<code>partner_pair_id</code>	int	yes	reference
<code>rate_basis</code>	string	yes	<code>market</code> / <code>partner</code>
<code>mode</code>	string	yes	<code>fixed</code> / <code>variable</code>
<code>pct</code>	decimal	yes	
<code>sender_share_pct</code>	decimal	yes	
<code>receiver_share_pct</code>	decimal	yes	
<code>floor_pct</code>	decimal	no	
<code>cap_pct</code>	decimal	no	
<code>min_margin_pct</code>	decimal	yes	
<code>variance_threshold_rel</code>	decimal	yes	
<code>quoting_rate_policy</code>	string	yes	<code>worst_applicable</code> / <code>designated</code> / <code>best_applicable</code> · default worst_applicable
<code>effective_from</code>	datetime	yes	

- `sender_share_pct` + `receiver_share_pct` = `pct`.
- `mode` variable requires `floor_pct` ≤ `cap_pct` and `min_margin_pct`; `mode` fixed ignores `floor` and `cap`.

- A new version is a new row with a later `effective_from`; rows are never edited (deals keep the version they were priced on).
- `variance_threshold_rel` is the tolerance used by the partner-rate breach check for this partner × pair.

FACILITATING_ENTITY · Per partner config

A partner vehicle or channel (PT-tour, PT Global Inc, PT Sukses). Fixed on a deal leg at quote; only a REROUTE changes it. Owns the crypto-in WALLET registry.

Field	Type	Required	Allowed values · default · meaning
<code>partner_config_id</code>	int	yes	reference
<code>name</code>	string	yes	PT-tour, PT Global Inc
<code>bank_details_ref</code>	string	no	optional
<code>status</code>	string	yes	

- The partner's legal vehicle or channel (e.g. PT Sukses for Ali). Fixed on a deal leg at quote.

WALLET · Per facilitating entity

Crypto-in collection endpoint under a facilitating entity.

Field	Type	Required	Allowed values · default · meaning
<code>facilitating_entity_id</code>	int	yes	reference
<code>network</code>	string	yes	TRC-20 / ERC-20
<code>address</code>	string	yes	
<code>currency</code>	string	yes	
<code>status</code>	string	yes	

- Crypto-in collection endpoint. One per network and currency.

COLLECTION_RECEIVING_ENTITY · Per partner config

Bank-in collection endpoint at the partner.

Field	Type	Required	Allowed values · default · meaning
<code>partner_config_id</code>	int	yes	reference
<code>name</code>	string	yes	
<code>bank_details_ref</code>	string	yes	
<code>currency</code>	string	yes	
<code>status</code>	string	yes	

- Bank-in collection endpoint at the partner. Cash collections have no endpoint record.

SETTLEMENT_SENDING_ENTITY · Per partner config

The narrative on an outgoing transfer: what the receiver sees. Holds no money.

Field	Type	Required	Allowed values · default · meaning
<code>partner_config_id</code>	int	yes	reference
<code>narrative_name</code>	string	yes	what the receiver sees
<code>status</code>	string	yes	

- The name the receiver sees on an outgoing transfer. Holds no money.

SETTLEMENT_RAIL · Per partner config

The bank or EMI that executes an outgoing transfer. Holds no money. Carries the expected bank fee.

Field	Type	Required	Allowed values · default · meaning
partner_config_id	int	yes	reference
name	string	yes	bank or EMI executing the transfer
bank_details_ref	string	no	
expected_bank_fee	decimal	no	
currency	string	yes	

- The bank or EMI that executes the transfer. expected_bank_fee is the figure the bank-fee true-up compares against. Holds no money.

SETTLEMENT_REGISTRATION · Per partner config × account

Destination approval per partner: a receiving-entity account as registered with this partner, with the partner's approval status and payout details. Invariant 8 is restated per group: a quote-first deal leaves Inquiry only if at least one account in the entitled group is approved with the chosen partner.

Field	Type	Required	Allowed values · default · meaning
partner_config_id	int	yes	reference
receiving_entity_account_id	int	yes	was receiving_entity_id
approval_status	string	yes	pending_partner / approved / suspended · default pending_partner
bank_details_ref	string	no	as paid by this partner
approved_at	datetime	no	

- Destination approval is per partner: the same account is registered separately with each partner that may pay it.
- A quote-first deal cannot leave Inquiry unless the entitled group has at least one approved registration with the chosen partner (invariant 8).

PARTNER_REBATE_RULE · Per partner config

A partner rebating part of its fee to NPL (§4.2b: Jeton charges 1.25% and gives back 0.4%). Reconciled monthly through PARTNER_REBATE_ACCRUAL.

Field	Type	Required	Allowed values · default · meaning
partner_config_id	int	yes	reference
pct_of_partner_fee	decimal	yes	
effective_from	datetime	yes	

- Only for partners that return part of their fee; drives the monthly Partner Commissions reconciliation.

6 · Cross-entity rules the system enforces on save

1. Every project has exactly one default receiver group and at most one return group; both are created by the system.
2. A receiver is in exactly one group; a counterparty receiver is in a client group; a sender_return receiver is in the return group and names its sender; a partner_transit receiver names its partner configuration.
3. A sender's allow-list names groups of the same project and never the return group; a sender with no allow-list cannot be chosen on a deal.
4. Every receiving entity has at least one account; account rows are unique per entity, currency and rail.
5. A partner pair's currency pair belongs to the same project; partner_markup_pct is present exactly when partner_pricing is market_plus_pct, and partner_pricing agrees with the partner's disclosure_style.
6. A fee structure's sender and receiver shares add up to its pct; variable mode needs floor $\leq$ cap and a minimum margin; a new version is a new row with a later effective_from.
7. A partner configuration that will pay out needs at least one facilitating entity, one settlement sending entity (narrative) and one settlement rail.
8. A currency pair needs at least one rate source with a unique priority before it is usable.
9. A registration points at an account of a receiving entity in the same project; a quote-first deal for a group needs at least one approved registration with the chosen partner (invariant 8).
10. quote_freshness_min is shorter than quote_validity_min; grace_drift_pct and all percentages are stored as decimals.
11. applicable_for_reroute, exposure_ceiling, thresholds and fee structures are Management-approved changes.

7 · Worked example: the FRS project, end to end

The FRS describes one client flow: senders Ayush and Naveen pay USDT, partners Ali (through its PT vehicles) or Jeton convert to EUR, and receivers Sud (NewXP Entity, ReferScout Entity) and Raj (VoiceAIWrapper) are paid in euros. Below is that project expressed in the schema. Names, policies and the fee split come from NPL's documents; rates of fee, thresholds, addresses and reference numbers are **illustrative placeholders** to be replaced with NPL's values.

How to read it: one block per entity type, in the order of Sections 2 to 5. A code such as DEFAULT or NEWXP-EUR-SEPA is how one row refers to another; the system assigns the numeric ids.

```
partners:
  - code: ALI
    name: Ali
    disclosure_style: markup_included
    rate_expiry_time: "17:00 local"
    holiday_calendar: ID
    status: active
  - code: JETON
    name: Jeton
    disclosure_style: market_plus
    rate_expiry_time: "16:00 local"
    holiday_calendar: EU
    status: active
rate_sources:
  - code: KRAKEN
    staleness_threshold_s: 120
  - code: CMC
    staleness_threshold_s: 300
  - code: OANDA
    staleness_threshold_s: 300
  - code: XE
    staleness_threshold_s: 300
project:
  code: CLIENT1
  name: Client 1 (FRS project)
  client_label: Client 1
  quote_freshness_min: 5
  quote_validity_min: 60
  grace_min: 15
  grace_drift_pct: 0.001
  late_collection_policy: requote
  bank_fee_treatment_default: carry_forward
  receiver_fee_timing: at_conversion
  network_fee_policy: absorbed
  disburse_policy: to_zero
  shortfall_tolerance: 0
  exposure_ceiling: 250000
  status: active
thresholds:
  - kind: max_amount
    currency: USDT
    value: 100000
    escalation: finance
  - kind: settlement_limit
    currency: EUR
    value: 50000
    escalation: management
  - kind: daily_slots
    value: 2
    escalation: management
  - kind: rate_variation_rel
```

```

    value: 0.002
    escalation: finance
currency_pairs:
  - code: USDT-EUR
    from_currency: USDT
    to_currency: EUR
    quote_direction: out_per_in
    rate_precision: 5
    amount_rounding: truncate_whole_unit
    status: active
    sources:
      - rate_source: KRAKEN
        priority: 1
      - rate_source: CMC
        priority: 2
own_wallet:
  provider: Aquanow
  account_label: LT Sub
  network: TRC-20
  address: T...(wallet address)
  signer_arrangement: multisig
  custody_max_hours: 48
receiver_groups:
  - code: DEFAULT
    name: Default group
    is_default: true
    kind: client
    status: active
  - code: RETURNS
    name: Return group
    is_default: false
    kind: return
    status: active
receivers:
  - code: SUD
    group: DEFAULT
    kind: counterparty
    name: Sud
    status: active
    entities:
      - code: NEWXP
        name: NewXP Entity
        status: active
        accounts:
          - code: NEWXP-EUR-SEPA
            currency: EUR
            rail: SEPA
            details_ref: bank-ref-001
            status: active
      - code: REFERSCOUT
        name: ReferScout Entity
        status: active
        accounts:
          - code: RS-EUR-SEPA
            currency: EUR
            rail: SEPA
            details_ref: bank-ref-002
            status: active
  - code: RAJ
    group: DEFAULT
    kind: counterparty
    name: Raj
    status: active
    entities:
      - code: VOICEAI
        name: VoiceAIWrapper

```

```

    status: active
    accounts:
      - code: VAI-EUR-SWIFT
        currency: EUR
        rail: SWIFT
        details_ref: bank-ref-003
        status: active
  senders:
    - code: AYUSH
      name: Ayush
      risk_tier: standard
      status: active
      sendable_to:
        - DEFAULT
      provenance:
        - label: own account
          account_ref: wallet-ayush-1
    - code: NAVEEN
      name: Naveen
      risk_tier: standard
      status: active
      sendable_to:
        - DEFAULT
      provenance:
        - label: own account
          account_ref: wallet-naveen-1
  partner_configs:
    - code: CLIENT1-ALI
      partner: ALI
      applicable_for_reroute: false
      status: active
      pairs:
        - currency_pair: USDT-EUR
          partner_pricing: disclosed_rate
          status: active
          fee_structures:
            - rate_basis: market
              mode: fixed
              pct: 0.01
              sender_share_pct: 0.004
              receiver_share_pct: 0.006
              min_margin_pct: 0.003
              variance_threshold_rel: 0.2
              quoting_rate_policy: worst_applicable
              effective_from: "2026-10-01"
  facilitating_entities:
    - code: PT-TOUR
      name: PT-tour
      status: active
      wallets:
        - network: TRC-20
          address: T...(PT-tour wallet)
          currency: USDT
          status: active
    - code: PT-GLOBAL
      name: PT Global Inc
      status: active
      wallets:
        - network: TRC-20
          address: T...(PT Global wallet)
          currency: USDT
          status: active
  collection_receiving_entities: []
  settlement_sending_entities:
    - narrative_name: PT Global Inc
      status: active

```

```

settlement_rails:
  - name: "Ali's EU bank / EMI"
    bank_details_ref: rail-ref-ali-eur
    expected_bank_fee: 25
    currency: EUR
registrations:
  - account: NEWXP-EUR-SEPA
    approval_status: approved
  - account: RS-EUR-SEPA
    approval_status: approved
  - account: VAI-EUR-SWIFT
    approval_status: approved
rebate_rule: null
- code: CLIENT1-JETON
  partner: JETON
  applicable_for_reroute: true
  status: active
  pairs:
    - currency_pair: USDT-EUR
      partner_pricing: market_plus_pct
      partner_markup_pct: 0.005
      status: active
      fee_structures:
        - rate_basis: market
          mode: fixed
          pct: 0.01
          sender_share_pct: 0.004
          receiver_share_pct: 0.006
          min_margin_pct: 0.003
          variance_threshold_rel: 0.2
          quoting_rate_policy: worst_applicable
          effective_from: "2026-10-01"
facilitating_entities:
  - code: JETON-EMI
    name: Jeton EMI
    status: active
    wallets:
      - network: TRC-20
        address: T...(Jeton wallet)
        currency: USDT
        status: active
collection_receiving_entities: []
settlement_sending_entities:
  - narrative_name: Jeton
    status: active
settlement_rails:
  - name: Jeton EMI (SEPA)
    bank_details_ref: rail-ref-jeton-eur
    expected_bank_fee: 0
    currency: EUR
registrations:
  - account: NEWXP-EUR-SEPA
    approval_status: approved
  - account: RS-EUR-SEPA
    approval_status: approved
  - account: VAI-EUR-SWIFT
    approval_status: approved
rebate_rule: null
introducers: []
referral_rules: []

```

What each part does in one deal

Step of the deal	Configuration it reads
Ayush asks to send USDT for Raj	SENDER Ayush; his allow-list names the default group, so the deal is attributed to DEFAULT; Raj is a receiver in it.
Operations picks Ali for USDT → EUR	PARTNER_CONFIG CLIENT1-ALI, PARTNER_PAIR USDT-EUR (disclosed rate: Ali's margin is inside its rate), its current FEE_STRUCTURE: basis market (the FRS prices on Kraken), fixed 1.00 % (0.40 % sender, 0.60 % receiver). Jeton, the alternative, states market + 0.50 % instead.
Market rate	CURRENCY_PAIR USDT-EUR, source chain Kraken then CMC, 5 decimals; a snapshot older than 120 s is not used.
Quote clocks	PROJECT: freshness 5 min, validity 60 min, grace 15 min if drift ≤ 0.10 %; beyond grace the policy is re-quote.
Can the quote leave Inquiry?	SETTLEMENT_REGISTRATION: Raj's account VAI-EUR-SWIFT is approved with Ali, so yes. In the FRS project every destination is approved with both partners; a project where a registration is still pending_partner could not quote that group through that partner.
Where does Ayush pay?	FACILITATING_ENTITY PT-tour, its TRC-20 USDT WALLET. Provenance recorded against his COLLECTION_SENDING_ENTITY.
Conversion	Receiver fee taken at conversion (receiver_fee_timing); amounts truncated to whole euros (amount_rounding); variance tolerance 0.20 % (THRESHOLD rate_variation_rel).
Payout	DISBURSEMENT from Ali through SETTLEMENT_RAIL "Ali's EU bank / EMI" under the narrative "PT Global Inc" to VAI-EUR-SWIFT; whole euros; disburse_policy to _zero; expected bank fee 25 EUR, treatment carry_forward; Management approval above 50,000 EUR or for a third same-day slot.
If Ali is unavailable	REROUTE to Jeton (applicable_for_reroute = true) via the OWN_WALLET at Aquanow, custody limit 48 hours.

8 · Import and export format

A project's configuration can be exchanged as the YAML or JSON document shown above: one file per project plus one for global master data. Codes are the keys; the system resolves them to ids on import and rejects the file with the list of broken rules from Section 6 rather than importing part of it. Exports carry the version and effective dates of every fee structure and threshold so a file is a faithful snapshot of what deals were priced on.

Draft v1.0 — for review with NPL. Illustrative values are marked as such in Section 7.