# Project –

## Airline Data Management and Analysis Using Power BI

# Task 6th

## Final Dashboard

## Solution Step –

1. First, I inserted a dark blue background to match the airline dashboard theme.
2. Then, I inserted an airplane PNG image and added a text box where I wrote "Airline Data Dashboard," placing it in the top left corner.
3. After that, I inserted two slicers: the first one for selecting the airline and the second one for selecting the destination.
4. Next, I added a bar chart, dragging "Airline" to the Y-axis and "Passenger ID" to the X-axis.
5. I also inserted a donut chart and dragged in "Booking Status" and "Ticket Status."
6. Then, I added two cards: one showing the total number of passengers and the other showing the total number of tickets booked. Finally, I inserted a table visual and dragged in "Airline," "Flight ID," and "Flight Category."
7. I arranged all the visuals neatly on the dashboard and chose the best color combinations to make it visually appealing.


Airline Data Dashboard
Airline
All
Destination
All
Booking Status by Ticket ID
28%
38%
34%
BookingStatus
Cancelled
Confirmed
Pending
100
Total Pessengers
17
TotalTicketsBooked
Passenger Count By Airline
Airline A
Airline D
Airline C
Airline B
30
28
22
20
Airline
0
10
20
30
Pessenger ID
Airline
FlightID
Flight Category
Airline A
1023
Best
Airline A 1048 Best
Airline A 1057 Best
Airline A 1072 Best
Airline A 1081 Best
Airline A 1082 Best
Airline A 1092 Best
Airline A 1124 Best
Airline A 1145 Best
Airline A 1155 Best
Airline A 1168 Best
Airline A 1171 Best

Airline Data Dashboard
Airline
Airline A
Destinati...
All
Booking Status by Ticket ID
27.27%
36.3...
36.36%
BookingStatus
Cancelled
Pending
Confirmed
30
Total Pessengers
3
TotalTicketsBooked
Passenger Count By Airline
Airline
Airline A
30
0
10
20
30
Pessenger ID
Airline A 1006 Best
Airline A 1011 Best
Airline A 1020 Best
Airline A 1023 Best
Airline A 1048 Best
Airline A 1057 Best
Airline A 1072 Best
Airline A 1081 Best
Airline A 1082 Best
Airline A 1092 Best
Airline A 1124 Best
Airline A 1145 Best
Airline A 1155 Best
Airline A 1168 Best
Airline A 1171 Best

## 2. Configure Row-level Security (RLS)

**Solution Steps –**

1. Go to Modeling > Manage Roles
2. click Create
   Role Name – Airline
   Table – Flight information
   Filter – Airline = “Airline A”
3. Save the Role.
4. After publishing to power bi service. I assign to myself to this role in the dataset security settings.






## 3. Publish the report to Power Bi Service.

1. Click Home > Publish.
2. Choose my workspace that is “airline data dashboard”.


Airline Data Dashboard
Airline
All
Destination
All
by Ticket ID
BookingStatus
Cancelled
Confirmed
Pending
senger Count By Airline
28
22
20
Publishing to Power BI
Success!
Open 'Project 3rd.pbix' in Power BI
Get Quick Insights
Did you know?
You can create a portrait view of your report, tailored for mobile phones.
On the View tab, select Mobile Layout. Learn more
Got it
ight Category
Airline A 1092 Best
Airline A 1124 Best
Airline A 1145 Best
Airline A 1155 Best
Airline A 1168 Best

Trial:
55 days left

## Create a workspace

**Name** *

Airline Data Dashboard

This name is available

**Description**

This Is internshala project

**Domain**

Assign to a domain (optional)

Learn more about workspace settings

**Workspace image**

Upload

Reset

**Advanced**

Apply

Cancel




# 4. Setup Scheduled Refresh.

I can't set up a scheduled refresh because I am getting an error and I can't click on the refresh icon. I will provide you with an image of the error for better understanding.

Apply Discard

- Gateway and cloud connections
- Data source credentials
- Parameters
- Refresh
- Data connections
- Q&A
- Explore
- Featured Q&A questions
- Endorsement and discovery
- Request access
- Large semantic model storage format

Apply Discard

Gateway and cloud connections

Data source credentials

Parameters

Refresh

Time zone

Time zone configuration is applied not only to determine the schedule refresh time but also to establish the current date and time for incremental refresh models during on-demand and API refreshes. Learn more

(UTC) Coordinated Universal Time

Configure a refresh schedule

Define a data refresh schedule to import data from the data source into the semantic model. Learn more

Off

Refresh frequency

Daily

Time

Add another time

Send refresh failure notifications to

Semantic model owner