

Exp 10

Html code

```
<html>

<body>

<form action="Register" method="post">

Username:

<input type="text" name="uname"><br><br>

Password:

<input type="password" name="pass"><br><br>

Email:

<input type="text" name="email"><br><br>

Country:

<input type="text" name="country"><br><br>

<input type="submit" value="Register">

</form>

</body>

</html>
```

Servlet code:

```
import java.io.*;

import java.sql.*;

import javax.servlet.*;

import javax.servlet.http.*;

import javax.servlet.annotation.WebServlet;

@WebServlet("/Register")

public class Register extends HttpServlet {

    protected void doPost(HttpServletRequest request,

                           HttpServletResponse response)

        throws ServletException, IOException {

        response.setContentType("text/html");

        PrintWriter out = response.getWriter();
```

```

String uname = request.getParameter("uname");
String pass = request.getParameter("pass");
String email = request.getParameter("email");
String country = request.getParameter("country");
try {
    Class.forName("com.mysql.cj.jdbc.Driver");
    Connection con = DriverManager.getConnection(
        "jdbc:mysql://localhost:3306/studentdb",
        "root",
        "root");
    PreparedStatement ps = con.prepareStatement(
        "insert into users values(?,?,?,?)");
    ps.setString(1, uname);
    ps.setString(2, pass);
    ps.setString(3, email);
    ps.setString(4, country);
    int i = ps.executeUpdate();
    if(i > 0) {
        out.println("Registration Successful");
    }
    con.close();
} catch(Exception e) {
    out.println(e);
}
}
}

```

Sql code:

```

create database studentdb;
use studentdb;
create table users(
username varchar(20),

```

```
password varchar(20),  
email varchar(30),  
country varchar(20)  
);  
insert into users values(  
'Ayush',  
'1234',  
'ayush@gmail.com',  
'India'  
);  
select * from users;
```