

Practical - 4

Practical Title: JavaScript DOM Manipulation, Event Handling, and UI Interactivity

Problem Definition: Add dynamic UI components such as collapsible FAQ, modal popup, image/content slider, notification banner, hamburger menu, and light/dark theme switcher using JavaScript.

Theory :

1. How are DOM elements selected and modified?

DOM manipulation means selecting an HTML element using JavaScript and then changing its text, HTML, style, attributes, classes, or values.

2. Are event listeners attached correctly?

Yes, event listeners are correctly attached using `addEventListener()`. It connects an HTML element with an event such as click or submit and executes a function when that event occurs.




3. Is localStorage used for remembering theme choice?


Yes. `localStorage` can be used to remember the user's theme choice. `setItem()` stores the selected theme, and `getItem()` retrieves it when the page is reopened, allowing the website to maintain the Dark/Light mode preference.

4. Does interactivity improve usability without breaking accessibility?

Yes. Interactivity improves usability when features such as buttons, notifications, menus, and forms make the website easier to use. Accessibility should be maintained by using proper HTML elements, keyboard support, readable text, clear messages, and sufficient contrast so all users can interact with the website.

Implementation/ Output/Result





GitHub Repository Link:

<https://github.com/ayushposhiya00-lab/Student-Hub>

Learning Outcomes:

- Use **JavaScript DOM manipulation**
- Handle **user events** like clicks and form submissions
- Create interactive UI components
- Implement **dark/light theme switching**
- Use **localStorage** to remember user preferences
- Improve the website's **usability and interactivity**.

Faculty Remarks: (Keep this blank for faculty)