

Lively Backend API Reference

Base URL prefix: /api/v1

JSON uses camelCase. Auth: Authorization: Bearer <jwt> where noted.

Interactive Swagger: GET /docs

1. Plans

GET /api/v1/plans (public, no auth)

Returns monthly and yearly subscription plan catalog.

Response 200

```
{
  "success": true,
  "plans": [
    {
      "id": "monthly", "name": "Monthly", "price": 15.99,
      "billingInterval": "month", "maxParents": 1, "maxChildren": 6
    },
    {
      "id": "yearly", "name": "Yearly", "price": 149.49,
      "billingInterval": "year", "maxParents": 1, "maxChildren": 6
    }
  ]
}
```

2. Auth - Invite code and login subscription

Invite codes are 6 chars from 23456789ABCDEFGHJKLMNPQRSTUVWXYZ (no 0/O/1/I/L), unique per guardian.
Generated on email verify.

POST /api/v1/auth/email/verify

Verifies email, creates invite code, returns JWT.

Request: { "email": "parent@example.com", "code": "4821" }

Response 200:

```
{
  "success": true,
  "message": "Email verified successfully",
  "code": "4821",
  "token": "<jwt>",
  "user": {
    "id": "<uuid>", "name": "John Doe",
    "email": "parent@example.com", "guardian": true,
    "emailVerified": true, "inviteCode": "A3K7MX"
  },
  "children": []
}
```

POST /api/v1/auth/login

Returns inviteCode on user and subscription (null until billing exists).

Request: { "email": "parent@example.com", "password": "Demo@123" }

Response 200:

```
{
  "success": true, "message": "Login successful", "token": "<jwt>",
  "user": { "inviteCode": "A3K7MX", "...": "..." },
  "children": [], "subscription": null
}
```

POST /api/v1/auth/invite-code/regenerate (auth required)

No body. Replaces family invite code.

Headers: Authorization: Bearer <jwt>

Response 200:

```
{
  "success": true,
  "message": "Invite code regenerated",
  "inviteCode": "B9H2NP"
}
```

3. Promo code validate

POST /api/v1/promo-code/validate (auth required)

Validates active, unexpired codes under redemption limits. Does not redeem. Seeded sample: LIVELY20 (20% off).

Request: { "code": "LIVELY20" }

Valid 200:

```
{
  "success": true, "valid": true, "code": "LIVELY20",
  "discountPercent": 20, "message": "Promo code applied"
}
```

Invalid 200:

```
{
  "success": true, "valid": false, "code": "BADCODE",
  "discountPercent": null,
  "message": "Invalid or expired promo code"
}
```

Errors: 401 Unauthorized

4. Children CRUD

All routes require Bearer JWT. Child ids are UUIDs. Soft delete. Max 6 active children per parent. PIN stored hashed; create echoes plain PIN.

POST /api/v1/children

Request:

```
{
  "name": "Alex", "dateOfBirth": "2015-06-20", "gender": "boy",
  "devices": ["this_device", "shared_device"], "pin": "6756"
}
```

Response 201:

```
{
  "success": true, "message": "Child created successfully",
  "child": {
    "id": "<uuid>", "name": "Alex",
    "dateOfBirth": "2015-06-20", "gender": "boy",
    "devices": ["this_device", "shared_device"],
    "pin": "6756", "onBoarding": false
  }
}
```

GET /api/v1/children

With children:

```
{
  "success": true, "message": "Children fetched successfully",
  "children": [{ "id": "<uuid>", "name": "Alex", ... }]
}
```

Empty:

```
{ "success": true, "message": "No children found", "children": [] }
```

GET /api/v1/children/{childId}

Response 200:

```
{
```

```
"success": true, "message": "Child fetched successfully",
"child": {
  "id": "<uuid>", "name": "Alex",
  "dateOfBirth": "2015-06-20", "gender": "boy",
  "devices": ["this_device", "shared_device"],
  "onBoarding": false,
  "progress": { "completedActivities": 0, "currentLevel": null }
}
```

PATCH /api/v1/children/{childId}

Partial update. All fields optional. Response omits pin.

Request example:

```
{ "name": "Alex", "dateOfBirth": "2015-06-20", "gender": "boy",
  "devices": ["this_device"], "pin": "6756" }
```

Response 200: success + updated child (no pin field)

DELETE /api/v1/children/{childId}

Soft delete. Subsequent get returns 404.

Response 200:

```
{
  "success": true,
  "message": "Child removed successfully",
  "childId": "<uuid>"
}
```

Children error responses

400 Invalid child id / validation / max children

401 Unauthorized

404 Child not found

5. Related endpoints

POST /api/v1/auth/signup

POST /api/v1/auth/email/resend

GET /health