
26/9/24

Page No.
Date:

1. Configuring Hub using Cisco Packet Tracer



Procedure:


1. Add 2 PC's and a Laptop
2. Click on them → Desktop → IP Configuration
3. Set the IP Configuration the end devices.
4. Add a Hub.
5. Use auto connection option and connect the Hub to every end devices
6. Add PDU to any two end devices
7. Check connectivity and packet transmissions.

Result:

PC0 and Laptop 0 successfully connected and packets were transmitted via Hub0

Page No.
Date:

2. Configuring Switch using Cisco Packet Tracer



Procedure:


1. Open Cisco Packet Tracer.
2. Add 4 end devices and 1 switch.
3. Set the IP ~~configuration~~ address using IP configuration.
4. Select the source and distination for PDV.
5. Simulate the data transfer
6. Verify pings are successful

Result:

PC0 should connect and communicate with PC1 through switch.

Page No.
Date:

3. Configuring a Router using Cisco Packet Tracer



Procedure:

1. Open Cisco Packet Tracer.
2. Add 2 switches and add 3 PCs to each switch and connect both the switches to the router.
3. Set IP Addresses and mask both the regions as 2 seperate LANs.
4. Select the source and destination for PDU.
5. Simulate the data transfer.
6. Verify pings are successful.

Result:

PC0 should connect and communicate with PC5 through switch and router.