Company Profile and Product Range

Kaveri Motion Components · Rev 2026

About Kaveri Motion Components

• Kaveri Motion Components Pvt. Ltd., Ambattur Industrial Estate, Chennai, is a B2B supplier of industrial parts: pneumatic, power transmission and hydraulic components for machine builders, OEMs and plant maintenance teams across South India. We sell pneumatic cylinders, solenoid valves, filter-regulators, ball bearings, gear motors, jaw couplings and hydraulic adapters, with stock held in Chennai. Customer service hours are 9:00 am to 6:00 pm IST, Monday to Saturday.

What we sell: product families

• Pneumatic cylinders: ISO 15552 cylinders in 32, 40, 50, 63, 80 and 100 mm bore, strokes 25 to 1000 mm, with seal kits (standard rubber or high-temperature Viton), see the Pneumatic Cylinders Manual.

• Solenoid valves: 5/2-way valves, single or double coil, 24 V DC or 230 V AC, 1/4 inch ports, plus spare coils, see the Solenoid Valves Manual.

• Filter-regulators: 1/2 inch air preparation units, 40 micron filter, see the Filter-Regulator Manual.

• Ball bearings: sealed and shielded deep groove ball bearings, 20 to 30 mm bore, including C3 clearance versions, see the Ball Bearings Catalogue.

• Gear motors: helical inline gear motors 0.75 kW and 1.5 kW, output 36 to 144 rpm, see the Gear Motors Manual.

• Couplings: jaw couplings for shafts up to 35 mm with spare rubber or urethane spiders, see the Jaw Couplings Data Sheet.

• Hydraulic adapters: BSP to JIC steel adapters up to 400 bar, see the Hydraulic Adapters Data Sheet.

Popular stocked items

Popular items held in stock in Chennai: sealed ball bearing 25 mm bore (6205-2RS)

sealed ball bearing 25 mm bore with C3 clearance (6205-2RS-C3)

shielded ball bearing 20 mm bore (6204-ZZ)

heavy series sealed ball bearing 25 mm bore (6305-2RS)

pneumatic cylinder 63 mm bore 200 mm stroke (PC15-63-200)

pneumatic cylinder 50 mm bore 100 mm stroke (PC15-50-100)

cylinder seal kits for 50 and 63 mm bore

5/2 solenoid valve 24 V DC (SV52-S-24D) and spare 24 V DC coil

gear motor 1.5 kW 72 rpm (GM-090-1.5-i20-M1)

jaw coupling size 95 and spare spider

hydraulic adapter 1/2 inch BSP to JIC -08.

How to order and get help

- Prices and stock: ask the assistant or the sales team.
- Quotations and volume prices: sales team, reply within 1 working day.
- Non-catalogue and custom products: applications engineering, reply within 2 working days.
- Warranty claims: Quality team, reply within 7 working days.
- Order status: give the order number and the last 4 characters of the registered GSTIN. Delivery terms are in the Ordering and Delivery Terms.