

5. Write a PHP program to perform following string operations:

- a) Print your name.
- b) Print the size of a string. Pass string as an argument.
- c) Concat two strings.
- d) convert case of string
- e) Find one string from another.

Explanation of Functions Used

strlen()

Returns the length of a string.

strtoupper(), strtolower(), ucfirst()

Used to change the letter case.

strpos()

Finds the position of one string inside another.
Returns **false** if not found.

Concatenation:

`$str1 . $str2`



PHP Program for String Operations

```
<?php
```

```
echo "<h2>String Operations in PHP</h2>";
```

```
// a) Print your name
```

```
$name = "Payal Vasoya";
```

```
echo "a) Your Name: " . $name . "<br><br>";
```

```
// b) Print size of a string (pass string as argument)
```

```
function stringSize($str) {
```

```
    return strlen($str);
```

```
}
```

```
$str1 = "Hello PHP";
```

```
echo "b) Size of String '$str1' is: " . stringSize($str1) . "<br><br>";
```

```
// c) Concatenate two strings
$strA = "Welcome to ";
$strB = "PHP Programming!";
$concat = $strA . $strB;

echo "c) Concatenated String: " . $concat . "<br><br>";

// d) Convert case of a string
$caseString = "php Programming";

echo "d) Case Conversion:<br>";
echo "Uppercase: " . strtoupper($caseString) . "<br>";
echo "Lowercase: " . strtolower($caseString) . "<br>";
echo "First letter capital: " . ucfirst(strtolower($caseString)) .
"<br><br>";

// e) Find one string inside another
$mainStr = "PHP programming is powerful";
$findStr = "power";

$pos = strpos($mainStr, $findStr);

echo "e) Searching '$findStr' in '$mainStr':<br>";

if ($pos !== false) {
    echo "String found at position: " . $pos;
} else {
    echo "String not found!";
}

?>
```
