

# ☐ PHP Application for Cookie Handling

A **cookie** is a small text file stored on the **client's browser** by a website.

It is used to store user information such as:

- Username
- Login status
- Preferences
- Shopping cart items

Cookies help websites remember users when they revisit.

---

## ✓ Step 1: Create a Cookie

### ☐ create\_cookie.php

```
<?php
$cookie_name = "username";
$cookie_value = "Payal";
$expiry_time = time() + (60 * 60); // 1 hour expiry

setcookie($cookie_name, $cookie_value, $expiry_time);

echo "Cookie Created Successfully!";
?>
```

### ☐ Explanation:

- `setcookie()` function is used to create a cookie.
  - `time() + (60*60)` means cookie will expire in 1 hour.
  - Cookie is stored in the user's browser.
- 

## ✓ Step 2: Access (Read) a Cookie

### ☐ read\_cookie.php

```
<?php
if(isset($_COOKIE["username"])) {
    echo "Cookie Value is: " . $_COOKIE["username"];
} else {
    echo "Cookie is not set!";
}
?>
```

### □ **Explanation:**

- `$_COOKIE` is a superglobal array.
  - It stores all cookie values.
  - `isset()` checks whether the cookie exists.
- 

## ✓ **Step 3: Destroy a Cookie**

### □ **delete\_cookie.php**

```
<?php
setcookie("username", "", time() - 3600);
echo "Cookie Deleted Successfully!";
?>
```

### □ **Explanation:**

- To delete a cookie, set expiry time to past.
  - `time() - 3600` means 1 hour ago.
  - Browser removes the cookie automatically.
- 

## ✓ **Alternative: Single File Application**

```
<?php
// Create Cookie
setcookie("user", "Payal", time()+3600);

// Read Cookie
if(isset($_COOKIE["user"])) {
    echo "Cookie Value: " . $_COOKIE["user"] . "<br>";
}

// Delete Cookie
// setcookie("user", "", time()-3600);
?>
```