Congratulations! You passed!
TO PASS 80% or higher

Keep Learning

GRADE
100%

Sample Size & Assumptions

LATEST SUBMISSION GRADE
100%

1. A poll was done at a public University asking undergraduate students whether they are an in state student or out of state student. A sample of 232 undergraduate students at the University were asked and it was revealed that 43% of students were from out of state. From the results, a 95% confidence interval was calculated to be (0.3663, 0.4937). **1 / 1 point**

Which of the following corresponds to the value of 43%? (Select all that apply)

- [x] Statistic

Correct
Correct.

- [ ] Parameter
- [x] Sample proportion

Correct
Correct.

- [ ] Population proportion
- [x] Estimate of the population proportion

Correct
Correct.

- [ ] Test statistic

2. **In order to make the above confidence interval researchers first had to check their assumptions. Select all the appropriate assumptions that are needed to create a one population proportion confidence interval.** **1 / 1 point**

- [ ] The population proportion comes from data that is considered a simple random sample
- [x] The sample proportion comes from data that is considered a simple random sample

Correct
Correct.

- [x] The number of respondents who replied "out of state" must be at least 10

Correct
Correct.

- [x] The number of respondents who replied "in state" must be at least 10

Correct
Correct.

- [ ] The distribution of our population proportion must be normally distributed

3. **What is the margin of error for the given 95% confidence interval above?** **1 / 1 point**

- ( ) 1.96
- ( ) 0.00106
- ( ) 0.0325
- (•) 0.0637
- ( ) 0.1274

✓ Correct

4. **A larger sample was taken and the same sample proportion was found. How would the width of the 95% confidence interval change from our initial interval?** 1 / 1 point

- ○ Widen
- ◉ Shorten
- ○ Stay the same
- ○ Unable to tell

✓ Correct

5. **If the researcher would like to have their confidence interval be narrower, more precise, which of the following would achieve this?** 1 / 1 point

- ◉ Change the confidence level to 90%
- ○ Change the confidence level to 99%
- ○ Calculate a conservative 95% confidence interval

✓ Correct

6. **What minimum sample size does the researcher need in order to create a 95% conservative confidence interval with a margin of error of no more than 4%?** 1 / 1 point

- ○ 24.5
- ○ 25
- ○ 600
- ○ 600.25
- ◉ 601

✓ Correct

7. **What minimum sample size does the researcher need in order to create a 98% conservative confidence interval with a margin of error of no more than 3%?** 1 / 1 point

- ○ 1067.11
- ○ 1068
- ○ 1502.85
- ◉ 1503

✓ Correct

8. **Which of the following would be considered an appropriate interpretation of the given 95% confidence interval?** 1 / 1 point

- ○ We estimate, with 95% confidence that the sample proportion of out of state undergraduate students at this University is between (0.3663, 0.4937)
- ◉ We are 95% confident that the population proportion of out of state undergraduate students at this University is between 36.63% and 49.37%
- ○ There is a 95% chance that the population proportion of out of state undergraduate students at this University is between 36.63% and 49.37%
- ○ If we repeated this study many times we would expect to obtain the true population proportion of out of state undergraduate students at this University 95% of the time in the resulting confidence interval of (0.3663, 0.4937)

✓ Correct

9. **Which of the following best describes the confidence level in the context of the problem?** 1 / 1 point

- ○ If we repeated this study many times, each time producing a new sample (of the same size) from which a 95% confidence interval is computed, then we would expect the population proportion of out of state undergraduate students at this University to be contained within the (0.3663, 0.4937) interval 95% of the time.
- ○ If we repeated a similar study many times, each time producing a new sample (of various sizes) from which a 95% confidence interval is computed, then 95% of the resulting confidence intervals would be expected to contain the population proportion of out of state undergraduate students at this University.

- If we repeated this study many times, each time producing a new sample (of the same size) from which a 95% confidence interval is computed, then 95% of the resulting confidence intervals would be expected to contain the sample proportion of out of state undergraduate students at this University.
- If we repeated this study many times, each time producing a new sample (of the same size) from which a 95% confidence interval is computed, then 95% of the resulting confidence intervals would be expected to contain the population proportion of out of state undergraduate students at this University.

✓ **Correct**

10. **Based on the reported 95% confidence interval (and no additional calculations), does it appear there is a minority of undergraduate students at the University that are from out of state?** **1 / 1 point**

- Yes, because 43% is below 50%
- No, because our sample size is not large enough
- No, because the entire interval is below 50%
- Yes, because the entire interval is below 50%
- Unable to tell

✓ **Correct**