Practical NO. 7

```
CREATE TABLE employees(
   ID INT PRIMARY KEY,
   Name VARCHAR(50),
   Salary INT
);

INSERT INTO employees VALUES
(1, 'Rahul', 35000),
(2, 'Neha', 45000),
(3, 'Raj', 30000);

SELECT * FROM employees;
```

```
mysql> SELECT * FROM employees;
+----+-------+--------+
| ID | Name  | Salary |
+----+-------+--------+
|  1 | Rahul |  35000 |
|  2 | Neha  |  45000 |
|  3 | Raj   |  30000 |
+----+-------+--------+
3 rows in set (0.00 sec)
```

Procedures -

```
DELIMITER $$

CREATE PROCEDURE increase_salary()
BEGIN
   DECLARE done INT DEFAULT 0;
   DECLARE emp_id INT;
   DECLARE emp_salary INT;

   DECLARE emp_cursor CURSOR FOR
      SELECT id, salary FROM employees;

   DECLARE CONTINUE HANDLER FOR NOT FOUND SET done = 1;

   OPEN emp_cursor;

   read_loop: LOOP
      FETCH emp_cursor INTO emp_id, emp_salary;

      IF done THEN
         LEAVE read_loop;
      END IF;
```

```
        UPDATE employees
        SET salary = emp_salary + 5000
        WHERE id = emp_id;

    END LOOP;

    CLOSE emp_cursor;
END $$


DELIMITER ;


CALL increase_salary();


SELECT * FROM employees;
```

```
mysql> SELECT * FROM employees;
+----+-------+--------+
| ID | Name  | Salary |
+----+-------+--------+
|  1 | Rahul |  40000 |
|  2 | Neha  |  50000 |
|  3 | Raj   |  35000 |
+----+-------+--------+
3 rows in set (0.00 sec)
```

Functions -

```
DELIMITER $$

CREATE FUNCTION total_salary()
RETURNS INT
DETERMINISTIC
BEGIN
    DECLARE done INT DEFAULT 0;
    DECLARE total INT DEFAULT 0;
    DECLARE emp_salary INT;

    DECLARE emp_cursor CURSOR FOR
        SELECT salary FROM employees;

    DECLARE CONTINUE HANDLER FOR NOT FOUND SET done = 1;

    OPEN emp_cursor;

    read_loop: LOOP
```

```
        FETCH emp_cursor INTO emp_salary;

        IF done THEN
            LEAVE read_loop;
        END IF;

        SET total = total + emp_salary;

    END LOOP;

    CLOSE emp_cursor;

    RETURN total;

END $$

DELIMITER ;

SELECT total_salary();
```

```
mysql> SELECT total_salary();
+----------------+
| total_salary() |
+----------------+
|         125000 |
+----------------+
1 row in set (0.00 sec)
```