

Practical No. 2

Implementation of SQL DDL COMMANDS.

1. CREATE CMD:-

```
mysql> CREATE TABLE EMPLOYEE(EMP_ID INT PRIMARY KEY,  
-> EMP_NAME VARCHAR (20),  
-> EMP_AGE INT,  
-> EMP_ADDRESS VARCHAR(50),  
-> EMP_MOBNO INT,  
-> EMP_SALARY INT);  
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> describe EMPLOYEE;
```

Field	Type	Null	Key	Default	Extra
EMP_ID	int	NO	PRI	NULL	
EMP_NAME	varchar(20)	YES		NULL	
EMP_AGE	int	YES		NULL	
EMP_ADDRESS	varchar(50)	YES		NULL	
EMP_MOBNO	int	YES		NULL	
EMP_SALARY	int	YES		NULL	

6 rows in set (0.01 sec)

2. ALTER CMD:-

```
mysql> ALTER TABLE EMPLOYEE ADD EMP_EMAIL VARCHAR(50);  
Query OK, 0 rows affected (0.09 sec)  
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> describe EMPLOYEE;
```

Field	Type	Null	Key	Default	Extra
EMP_ID	int	NO	PRI	NULL	
EMP_NAME	varchar(20)	YES		NULL	
EMP_AGE	int	YES		NULL	
EMP_ADDRESS	varchar(50)	YES		NULL	
EMP_MOBNO	int	YES		NULL	
EMP_SALARY	int	YES		NULL	
EMP_EMAIL	varchar(50)	YES		NULL	

7 rows in set (0.00 sec)

3. RENAME CMD:-

```
mysql> RENAME TABLE EMPLOYEE TO EMPL;  
Query OK, 0 rows affected (0.03 sec)
```

```
mysql> describe EMPL;
```

Field	Type	Null	Key	Default	Extra
EMP_ID	int	NO	PRI	NULL	
EMP_NAME	varchar(20)	YES		NULL	
EMP_AGE	int	YES		NULL	
EMP_ADDRESS	varchar(50)	YES		NULL	
EMP_MOBNO	int	YES		NULL	
EMP_SALARY	int	YES		NULL	
EMP_EMAIL	varchar(50)	YES		NULL	

7 rows in set (0.00 sec)

4. DROP CMD:-

```
mysql> ALTER TABLE EMPL
-> DROP EMP_EMAIL;
Query OK, 0 rows affected (0.06 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> describe EMPL;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| EMP_ID         | int           | NO   | PRI | NULL     |       |
| EMP_NAME       | varchar(20)   | YES  |     | NULL     |       |
| EMP_AGE        | int           | YES  |     | NULL     |       |
| EMP_ADDRESS    | varchar(50)   | YES  |     | NULL     |       |
| EMP_MOBNO      | int           | YES  |     | NULL     |       |
| EMP_SALARY     | int           | YES  |     | NULL     |       |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)
```

5. TRUNCATE CMD:-

```
mysql> TRUNCATE TABLE EMPL;
Query OK, 0 rows affected (0.05 sec)
```