

Practical NO. 5

CREATE TABLE Students(

 Name VARCHAR(50),

 Math INT,

 Sci INT,

 Lang INT,

 Total INT,

 Avg DECIMAL(2,2),

 Result VARCHAR(10)

);

```
mysql> SELECT * FROM Students;
```

Name	Math	Sci	Lang	Total	Avg	Result
John	68	90	72	NULL	NULL	NULL
Henry	95	92	80	NULL	NULL	NULL
Man	29	67	41	NULL	NULL	NULL
Bryan	45	60	71	NULL	NULL	NULL
Fringe	77	80	64	NULL	NULL	NULL
Lawson	55	76	67	NULL	NULL	NULL
Marsh	59	52	41	NULL	NULL	NULL
Lyod	81	56	33	NULL	NULL	NULL
Adams	32	31	36	NULL	NULL	NULL

```
9 rows in set (0.00 sec)
```

UPDATE Students

 SET TOTAL = Math + Sci + Lang;

```
mysql> SELECT * FROM Students;
```

Name	Math	Sci	Lang	Total	Avg	Result
John	68	90	72	230	NULL	NULL
Henry	95	92	80	267	NULL	NULL
Man	29	67	41	137	NULL	NULL
Bryan	45	60	71	176	NULL	NULL
Fringe	77	80	64	221	NULL	NULL
Lawson	55	76	67	198	NULL	NULL
Marsh	59	52	41	152	NULL	NULL
Lyod	81	56	33	170	NULL	NULL
Adams	32	31	36	99	NULL	NULL

9 rows in set (0.00 sec)

UPDATE Students

SET Avg = Total/3;

```
mysql> SELECT * FROM Students;
```

Name	Math	Sci	Lang	Total	Avg	Result
John	68	90	72	230	76.67	NULL
Henry	95	92	80	267	89.00	NULL
Man	29	67	41	137	45.67	NULL
Bryan	45	60	71	176	58.67	NULL
Fringe	77	80	64	221	73.67	NULL
Lawson	55	76	67	198	66.00	NULL
Marsh	59	52	41	152	50.67	NULL
Lyod	81	56	33	170	56.67	NULL
Adams	32	31	36	99	33.00	NULL

9 rows in set (0.00 sec)

UPDATE Students

SET Result = "Pass"

WHERE Math > 34 AND Sci > 34 AND Lang > 34;

```
mysql> SELECT * FROM Students;
```

Name	Math	Sci	Lang	Total	Avg	Result
John	68	90	72	230	76.67	Pass
Henry	95	92	80	267	89.00	Pass
Man	29	67	41	137	45.67	NULL
Bryan	45	60	71	176	58.67	Pass
Fringe	77	80	64	221	73.67	Pass
Lawson	55	76	67	198	66.00	Pass
Marsh	59	52	41	152	50.67	Pass
Lyod	81	56	33	170	56.67	NULL
Adams	32	31	36	99	33.00	NULL

9 rows in set (0.00 sec)

UPDATE Students

SET Result = "Fail"

WHERE Math < 35 OR Sci < 35 OR Lang < 35;

```
mysql> SELECT * FROM Students;
```

Name	Math	Sci	Lang	Total	Avg	Result
John	68	90	72	230	76.67	Pass
Henry	95	92	80	267	89.00	Pass
Man	29	67	41	137	45.67	Fail
Bryan	45	60	71	176	58.67	Pass
Fringe	77	80	64	221	73.67	Pass
Lawson	55	76	67	198	66.00	Pass
Marsh	59	52	41	152	50.67	Pass
Lyod	81	56	33	170	56.67	Fail
Adams	32	31	36	99	33.00	Fail

9 rows in set (0.00 sec)

CREATE TABLE StudentInfo(

Name VARCHAR(50),

Address VARCHAR(100),

PhoneNo INT,

DOB DATE

);

```
mysql> SELECT * FROM StudentInfo;
```

Name	Address	PhoneNo	DOB
John	Pune	5678544378	2005-06-23
Henry	Delhi	4563457869	2006-07-12
Man	Satara	2345678987	2004-04-26
Bryan	Mumbai	6543987654	2005-12-10
Fringe	Kerala	9876543234	2004-12-11
Lawson	Mumbai	7896543456	2005-06-28
Marsh	Pune	6578965434	2004-03-05
Lyod	Delhi	789678967	2005-07-09
Adams	Pune	8769234565	2006-08-17

```
9 rows in set (0.00 sec)
```

```
SELECT Students.Name, Students.Avg, Students.Result, StudentInfo.PhoneNo
FROM Students, StudentInfo
WHERE Students.Name = StudentInfo.Name;
```

Name	Avg	Result	PhoneNo
John	76.67	Pass	5678544378
Henry	89.00	Pass	4563457869
Man	45.67	Fail	2345678987
Bryan	58.67	Pass	6543987654
Fringe	73.67	Pass	9876543234
Lawson	66.00	Pass	7896543456
Marsh	50.67	Pass	6578965434
Lyod	56.67	Fail	789678967
Adams	33.00	Fail	8769234565

```
9 rows in set (0.00 sec)
```

```
CREATE VIEW PassStudents
AS SELECT Name, Total, Avg, Result
FROM Students
WHERE Result = "Pass";
```



```
mysql> SELECT * FROM PassStudents;
```

Name	Total	Avg	Result
John	230	76.67	Pass
Henry	267	89.00	Pass
Bryan	176	58.67	Pass
Fringe	221	73.67	Pass
Lawson	198	66.00	Pass
Marsh	152	50.67	Pass

```
6 rows in set (0.01 sec)
```