CS355

Mobile Application Development การพัฒนาโปรแกรมประยุกต์สำหรับอุปกรณ์พกพา




Pakorn Leesutthipornchai, Ph.D.
Assistant Professor
ผศ.ดร.ปกรณ์ ลี้สุทธิพรชัย
pakornl@cs.tu.ac.th



MA14: Database Server Connection การติดต่อฐานข้อมูลออนไลน์

Store (Save) Data to Database Server




2


Retrieve (Read) Data from Database Server




Script Files at Server Site




Run on Mobile Device




Run on Mobile Device: Save Record Data



Database: Table




Content of 'trans' Table




7

5

Content of 'trans' Table after Save Record Data




Gradle Script



11

Run on Mobile Device: View Record Data



Gradle Script (Project: DatabaseServer)


```
// Top-level build file where you can add configuration options common to all sub-projects/modules.
2
3
       buildscript {
4
          repositories {
              jcenter()
5
6
7
          dependencies {
8
               classpath 'com.android.tools.build:gradle:2.1.3'
9
10
               // NOTE: Do not place your application dependencies here; they belong
11
               // in the individual module build.gradle files
12
13
14
15
       allprojects {
16
          repositories /
17
               jcenter()
18
19
```



Gradle Script (Module: app)


apply plugin: 'com.android.application' android { compileSdkVersion 25 buildToolsVersion "25.0.3" useLibrary 'org.apache.http.legacy defaultConfig { applicationId "com.example.cs.databaseserver" 10 minSdkVersion 15 11 targetSdkVersion 25 12 versionCode 1 versionName "1.0" 13 14 15 buildTypes { 16 release { 17 minifvEnabled false 18 proguardFiles getDefaultProguardFile('proguard-android.txt'), 'proguard-rules.pro' 19 20 21 22 23 dependencies { 24 compile fileTree(dir: 'libs', include: ['*.jar']) 25 compile 'com.android.support:appcompat-v7:25.1.0' 26 compile 'org.apache.httpcomponents:httpclient:4.5' 27 28

AndroidManifest.xml



14

Store (Save) Data to Database Server




Files

✓ Code: MainActivity.java

✓ Layout : activity_main.xml

✓ Menu: menu main.xml



MainActivity.java (1/3)

```
@SuppressLint("NewApi")
@Override
protected void onCreate(Bundle savedInstanceState) {
  super.onCreate(savedInstanceState);
  setContentView(R.layout.activity main);
  if (android.os.Build.VERSION.SDK_INT > 9)
    StrictMode.ThreadPolicy policy = new Strictmode.ThreadPolicy.Builder().permitAll().build();
    StrictMode.setThreadPolicy(policy);
  final ImageButton btn = (ImageButton) findViewBvId(R.id.button);
  btn.setOnClickListener(new View.OnClickListener() {
    public void onClick(View v) {
       if (v != null
             InputMethodManager imm = (InputMethodManager)
                              getSystemService(Context.INPUT_METHOD_SERVICE);
             mm.hideSoftInputFromWindow(v.getWindowToken(), 0);
             final EditText txtMsg = (EditText)findViewById(R.id.msg);
             ktMsq.requestFocus();
```

MainActivity.java (3/3)

```
String url = "http://www.lstpch.com/android/saveData.php";
  List<NameValuePair> params = new ArrayList<NameValuePair>();
  params.add(new BasicNameValuePair("sName", txtName.getText().toString()));
  params.add(new BasicNameValuePair("sMsg", txtMsg.getText().toString()));
  params.add(new BasicNameValuePair("sAmt", txtAmt.getText().toString()));
  String resultServer = getHttpPost(url, params)
  String strStatusID = "0"; String strError = "Unkn ratus!";
  JSONObject c;
            c = new JSONObject(resultServer);
            strStatusID = c.getString("StatusID");
            strError = c.getString("Error");
  } catch (JSONException e) {
     e.printStackTrace();
     Toast.makeText(MainActivity.this, "Submission Error!", Toast.LENGTH_LONG).show();
  if(strStatusID.equals("0")){
     dialog.setMessage(strError);
     dialog.show(); return false;
  } else {
     dialog.setTitle(R.string.submit title);
     dialog.setMessage(R.string.submit result);
     dialog.show(); txtName.setText(""); txtMsg.setText(""); txtAmt.setText(""); return true;
}// end SaveData()
```

MainActivity.java (2/3)

```
public boolean SaveData(){
    final EditText txtName = (EditText)findViewById(R.id.name);
    final EditText txtMsg = (EditText)findViewById(R.id.msg);
    final EditText txtAmt = (EditText)findViewById(R.id.amt);

final AlertDialog.Builder dialog = new AlertDialog.Builder(this);
    dialog.setTitle(R.string.err_title);
    dialog.setIcon(android.R.drawable.btn_star_big_on);
    dialog.setPositiveButton("Close", null);


if(txtName.getText().length() == 0){
    dialog.setMessage(R.string.input_name);
    dialog.show();
    txtName.requestFocus();
    return false;
}
...
```

18

saveData.php

```
date default timezone set('Asia/Bangkok');
             $obiConnect = mysql connect("localhost","??????","??????");
    2.
             $obiDB = mysql select db("lstpchco android");
    3.
             mysql query("SET NAMES UTF-8");
    4.
             $strName = $_REQUEST["sName"];
    5.
             $strMsq = $ REQUEST["sMsq"];
    6.
             $strAmt = $_REQUEST["sAmt"];
    7.
    8.
             $strSOL = "INSERT INTO trans(name, msq, amt)
                                 VALUES(".$strName."',".$strMsq."',".$strAmt."')";
    9.
    10.
             $objQuery = mysql_query($strSQL);
             if(!$obiOuerv){
    11.
                      $arr['StatusID'] = "0";
    12.
                      $arr['Error'] = "Cannot save data!";
    13.
    14.
             }else{
                      $arr['StatusID'] = "1";
    15.
                      $arr['Error'] = "";
    16.
    17.
    18.
             mysql_close($objConnect);
             echo json_encode($arr);
    19.
    20. ?>
20
```

Menu: menu_main.xml




■ 6:00 Database Server รายการบันทก Item 1 Sub Item 2 Sub Item 2 Item 3 Sub Item 3 Item 4 Sub Item 4 Item 5 Sub Item 5 Sub Item 6 Sub Item 6 Sub Item 6 Item 7 Sub Item 7

activity_list.xml

```
<LinearLayout
                 android:orientation="vertical" >
  <TextView
                 android:id="@+id/textView"
                 android:text="@string/hdtxt"/>
  <View
    android:layout_height="1dip"
    android:background="#CCCCCC" />
  <LinearLayout
    android:orientation="horizontal"
    android:layout_width="match_parent"
    android:layout_height="0dp"
    android:layout_weight="1">
    <ListView
      android:id="@+id/listView"
      android:layout_width="match_parent"
      android:layout_height="wrap_content" >
    </ListView>
  </LinearLayout>
</LinearLayout>
```

Retrieve (Read) Data from Database Server



✓ Code: ListActivity.java

✓ Layout : activity_list.xml

✓ Layout : activity_column.xml

22



activity_column.xml

```
<LinearLayout>
  <TextView
                android:id="@+id/col_trans_id"
                android:layout weight="1"
          android:text="@string/col trans id str"/>
  <TextView
                android:id="@+id/col name"
                android:layout weight="1"
            android:text="@string/col_name_str"/>
  <TextView
                android:id="@+id/col msq"
                android:layout_weight="2"
            android:text="@string/col_msg_str" />
                android:id="@+id/col_amt"
  <TextView
                android:layout_weight="1"
             android:text="@string/col amt str" />
</LinearLayout>
```

ListActivity.java (1/2)

```
DecimalFormat formatter = new DecimalFormat("#,###,##");
@Override
protected void onCreate(Bundle savedInstanceState) {
  super.onCreate(savedInstanceState);
  setContentView(R.layout.activity_list);
  final ListView lisView = (ListView)findViewById(R.id./istView);
  String url = "http://www.lstpch.com/android/getData.php";
           JSONArray data = new JSONArray(getJSONUrl(url));
           final ArrayList<HashMap<String, String>> MyArrList = new ArrayList<HashMap<String, String>>();
           HashMap<String, String> map;
           for(int i = 0; i < data.length(); i++){
                      JSONObject c = data.getJSONObject(i);
                      map = new HashMap<String, String>();
map.put("trans_id", c.getString("trans_id"));
                      map.put("name", c.getString("name"));
                      map.put("msg", c.getString("msg"));
                      map.put("amt", c.getString("amt"));
                      MyArrList.add(map);
           SimpleAdapter sAdap;
           sAdap = new SimpleAd
                                              ListActivity.this, ..., rList, R.layout. activity_column,
                                              new String[] {"trans_id", "name", "msg", "amt"},
                                              new int[] {R.id. col_trans_id, R.id.col_name, R.id.col_msg,
                                              R.id.col_amt});
           lisView.setAdapter(sAdap);
```

getData.php

```
$objConnect = mysql_connect("localhost","??????","??????");
        $objDB = mysql_select_db("lstpchco_android");
2.
         $strSQL = "SELECT * FROM trans ORDER BY trans_id DESC";
3.
         $obiOuerv = mvsal querv($strSOL);
4.
         $intNumField = mysql num fields($objQuery);
5.
         $resultArray = array();
6.
        while($obResult = mysql_fetch_array($objQuery)){
7.
                 $arrCol = array();
8.
                 for($i=0;$i<$intNumField;$i++){
9.
                      $arrCol[mysql_field_name($objQuery,$i)] = $obResult[$i];
10.
11.
                 array_push($resultArray,$arrCol);
12.
13.
        mysql_close($objConnect);
14.
         echo ison encode($resultArray);
15.
16. ?>
```

27

ListActivity.java (2/2)

```
final AlertDialog.Builder viewDetail = new AlertDialog.Builder(this);
                  lisView.setOnItemClickListener(new OnItemClickListener() {
                     public void onItemClick( AdapterView<?> myAdapter, View myView,
                                              int position, long mylng) {
                        String sTransID = MyArrList.get(position).get("trans_id").toString();
                        String sName = MyArrList.get(position).get("name").toString();
                        String sMsg = MyArrList.get(position).get("msg").toString();
                        String sAmt = MvArrList.get(position).get("amt").toString();
                        viewDetail.setIcon(android.R.drawable.btn star big or
                        viewDetail.setTitle("รายละเอียด");
                        viewDetail.setMessage("เลขที่รายการ : " + sTransID + "\n'
                              + "ชื่อ : " + sName + "\n" + "รายการ : " + sMsa + "\n"
                              + "จำนวนเงิน : " + formatter.format(Double.parseDouble(sAmt)));
                        viewDetail.setPositiveButton("OK",
                              new DialogInterface.OnClickListener() {
                                public void onClick(DialogInterface dialog, int which) {
                                   dialog.dismiss();
                             });
                        viewDetail.show();
                  });
               } catch (JSONException e) {
                  e.printStackTrace();
             }//end onCreate()
26
```

References

http://developer.android.com

- http://www.thaicreate.com/mobile/android-add-insert-save-dataweb-server.html
- http://www.thaicreate.com/mobile/android-json-from-url.html