

SYLLABUS OUTLINE CHAPTER 1

1 Rocks and minerals and their exploitation

1.1 Formation of rocks

Candidates should be able to:

- describe and interpret the rock cycle
- state and explain the formation and characteristics of named igneous, sedimentary and metamorphic rocks

Further guidance and exemplification:

- igneous: granite and basalt
- sedimentary: limestone, sandstone and shale
- metamorphic: marble and slate

1.2 Extraction of rocks and minerals from the Earth

Candidates should be able to:

- describe the following methods of extraction of rocks and minerals from the Earth:
 - surface mining
 - subsurface mining
- discuss the factors that affect the decision to extract rocks and minerals

Further guidance and exemplification:

- opencast / open-pit / open-cut / strip mining
- deep mining / shaft mining
- exploration
- geology
- accessibility
- environmental impact assessment
- supply and demand

1.3 Impact of rock and mineral extraction

Candidates should be able to:

- describe and explain the environmental, economic and social impacts of rock and mineral extraction

Further guidance and exemplification:

- loss of habitat
- noise, water, land, air, visual pollution
- management of waste
- employment opportunities
- improvements in local / national economy
- improvements in facilities and infrastructure

1.4 Managing the impact of rock and mineral extraction

Candidates should be able to:

- describe and evaluate strategies for restoring landscapes damaged by rock and mineral extraction

Further guidance and exemplification:

- safe disposal of mining waste
- land restoration: soil improvement, bioremediation, tree planting
- making lakes and nature reserves
- using as landfill sites

1.5 Sustainable use of rocks and minerals**Candidates should be able to:**

- define sustainable resource and sustainable development
- describe and evaluate strategies for the sustainable use of rocks and minerals

Further guidance and exemplification:

- increased efficiency of the extraction of rocks and minerals
- increased efficiency of the use of rocks and minerals
- the need to recycle rocks and minerals
- legislation

Case study:

- Study the development, impact and management of a mine including land restoration after the mine has closed.

TYPE OF ROCKS

Igneous Rocks

- Igneous rocks form when liquid magma cools and solidifies.
- Magma is molten rock beneath the surface, while lava is what it is called when it reaches the surface.
- Extrusive rocks are formed on the surface of the Earth from lava, which is magma that has emerged from underground.
- Intrusive rocks are formed from magma that cools and solidifies within the crust of the planet.
- Examples of igneous rocks include basalt (extrusive) and granite (intrusive).

Sedimentary Rocks


- Sedimentary rocks are created when existing rocks on the Earth's surface are weathered.
- Sediments (small rock particles) gather and compress into layers as newer deposits accumulate on top.
- Water and wind transport sediments through erosion, which can include clays, silts, sands, gravels, and small boulders.
- Sedimentary rocks may also contain fossils
- Examples of sedimentary rocks include limestone, sandstone, and shale.

Metamorphic Rocks

- Metamorphic rocks are formed from existing rock that has been altered by heat and/or pressure without melting it.
- These changes can be physical, chemical, or both.
- Examples of metamorphic rocks include marble and slate.

ROCK CYCLE

- When the Earth's crust first formed, all the rocks were igneous.
- These rocks were slowly eroded, releasing small particles that formed sediment, and these sediments built up over time to form sedimentary rocks.
- The rocks that make up the Earth's crust are always moving, which creates the heat and pressure needed to form metamorphic rock.
- All rock types are constantly eroded and formed in the rock cycle.
- The rock cycle is a representation of the changes between the three rock types and processes causing them



MINERAL EXPLORATION

Prospecting

- Prospecting involves examining the surface of rocks to search for minerals.

Remote Sensing

- Remote sensing involves gathering information about the Earth's surface from above, using photographs taken from the air.
- These images are carefully analyzed to determine mineral presence.
- Aerial photography is more efficient than surface exploration because it covers more ground.

Radiation Detection

- Weathering of mineral deposits at the Earth's surface results in mineral oxides, which can be detected by their unique radiation patterns.
- These patterns are recorded by a satellite and analyzed on a computer.

Satellite Signals

- Some satellites emit signals to the Earth's surface and receive reflected signals, indicating the presence of minerals.
- This system works in all weather conditions.

Satellite Images

- To check for mineral presence, computers process data from a region of interest captured by satellites.
- Geologists visit the location to confirm the presence of the mineral, which is recorded by the satellite's positioning system.
- They can also assess the availability of the mineral in nearby areas.
- The use of satellites is a cost-effective and time-saving method.

Geochemical Analysis

- Geochemical analysis involves studying the chemical properties of rocks through sampling, which can be taken from stream sediments, soil, or rocks using shallow drilling.
- The location of the sample points can be accurately determined through the Global Positioning System (GPS).

Geophysics

- Geophysics is a method that utilizes the physical properties of rocks to identify mineral ores present in them.
- This technique involves sending a series of seismic waves (vibrations) through the Earth's surface.
- Several sensors are placed at varying distances from the source of vibrations on the surface.
- As the vibrations create shock waves, they travel down into the rock layers and reflect back to the sensors on the surface.
- The patterns of the shock waves recorded by the sensors vary depending on the mineral present in the rock layers.

METHODS OF MINERAL EXTRACTION

Surface Mining

- Surface Mining involves open-cast (open-pit, open-cut) and strip mining techniques.
- Open-pit mining is employed when a valuable deposit is located near the surface. The process involves clearing vegetation and removing topsoil, followed by breaking up and loosening the rocks using explosives. The loose rock is then removed using diggers and transferred into trucks or

railway wagons. Quarries are open pits used to extract building materials such as sand, gravel, and stone.

- Strip mining is another method used to mine a seam of mineral, whereby the overlying rock and soil (overburden) is removed as a thin strip. It is mainly used in coal mining.

Sub-Surface Mining

- Sub-surface mining includes deep and shaft mining techniques.
- This involves sinking a vertical shaft down to the rock layer containing minerals and creating a horizontal tunnel that follows the mineral layer. The minerals are extracted by digging using machines and miners, and the loose rock is removed from the mine and piled up on waste heaps on the surface. The extracted minerals are then transported to the surface using trucks or trains.

FACTORS THAT AFFECT THE DECISION OF EXTRACTION

- Various factors play a role in determining whether to extract rocks and minerals from a given site.

Cost of exploration and extraction

- In terms of cost, open-pit mining is preferred for large-scale mining as it involves low extraction costs per tonne compared to costlier shaft mining, which is only feasible for deposits of higher value.

Geology

- Geology plays a role as high-grade ores are more profitable than low-grade ores, and small deposits of high-grade ore are worth mining while small deposits of low-grade ore are left as reserves.

Accessibility

- Accessibility is another consideration as transporting the ore to processing plants can be expensive, and the cost of building road or rail links must be factored in.

Environmental Impact Assessment

- Environmental impact assessment is crucial, with companies needing to present plans to minimize habitat loss and restore land post-mining.
- The choice of site for mine waste should also be considered.

Supply and Demand

- The relationship between supply and demand is a key factor in mining decisions, as an increase in demand for a commodity raises prices and

profitability, while a drop in demand can make working mines unprofitable due to extraction and transport costs.

- Companies must also consider the terms of their license and any long-term agreements with the government to avoid sudden tax increases that could render mining unfeasible.

ENVIRONMENTAL IMPACTS

Ecological impacts

- Clearing vegetation and removing habitat impacts animals that depend on them for food and shelter.
- As deep mining continues for years, more habitats are destroyed due to increased overburden aboveground.

Pollution

- Rock and Mineral extraction leads to different types of pollution as discussed below.
- Noise Pollution: Noise pollution from machinery and explosives disturbs animal behavior and causes hearing problems for people.
- Water Pollution: Water supplies may also be polluted, making it unsafe for people to drink. Acidic water may dissolve toxic metal ions that kill aquatic organisms. Organisms absorb the ions, and they reach concentrations higher than that in water (bioaccumulation). The concentrations increase up the food chain (biomagnification) and cause the death of top consumers.
- Land pollution: Toxic waste prevents plant growth even years after mining stops.
- Air pollution: Dust particles settle on vegetation, reducing photosynthesis rates. Breathing in dust can cause severe lung diseases.
- Visual pollution: The landscape is damaged.

ECONOMICAL IMPACT

- The extraction of minerals has economic impacts such as the creation of job opportunities for people and revenue for the government through taxes.
- The mining process creates employment directly and indirectly, as jobs are created for transportation and mining equipment, and for refining the minerals to produce products.
- If all of these activities occur in the same country, it can generate the highest income and even earn foreign exchange.
- The income earned can be used for purchasing goods and services and investing in infrastructure projects, including transport, healthcare, and education.

- These services can be beneficial not only for miners but also for their families. Investing in infrastructure projects can help the country to build well-planned communities.

MANAGING IMPACT OF MINERAL EXTRACTION

Safe disposal of mining waste

- To prevent collapse, mine waste must be safely stored.
- The location of the mine must prevent water pollution, and the waste must be monitored to detect any movement or further pollution.

Soil improvement

- After being landfill, mine waste can be covered by a layer of soil enriched with fertilizers.

Tree planting

- After improving soil fertility, plants and trees can be grown in the area to help the ecosystem recover.

Bioremediation

- A process of removing pollutants from waste using living organisms, can be used.

In-situ treatment

- Involves treating contaminated waste in place

Ex-situ treatment

- Involves removing contaminated waste from the site to a treatment plant.
- Microorganisms, such as bacteria, can absorb pollutants and metabolize them into less harmful substances.
- Some plants can bioaccumulate toxic metals, and their aboveground parts are removed after growing for a while, making the ground less toxic.

Creating lakes and natural reserves

- By introducing several tree and herb species, habitats for many species can be created, turning them into valuable green spaces for human recreation and helping maintain biodiversity.
- If the rock lining the extraction hole is non-toxic and impervious to water, it can be filled with water to form a reservoir or lake, which can be used for irrigating farmland or providing clean, safe drinking water for humans.

Landfilling

- Involves tipping waste into a hole, levelling it off and compacting it from time to time.

SUSTAINABLE MINING

- Sustainable resources are those that can be replenished continuously, such as agriculture and forestry.
- Sustainable development is the practice of meeting current needs without compromising future generations' ability to meet their own needs.
- Strategies for the sustainable use of rocks and minerals include:

Improving the efficiency of extraction

- Processing mine waste for a second time to recover valuable minerals and reduce the risk of pollution.
- Chemical and biological treatments using microorganisms can extract valuable minerals.
- Improving machine performance and using data analysis by computers to predict geological conditions.

Improving the efficiency of use

- Engineering solutions such as designing steel beams that use less steel but retain the same strength.

Promoting recycling

- Recycling uses less energy than processing ores and produces less waste, reducing the risk of pollution.
- Governments can pass laws requiring manufacturers to take responsibility for recycling and reuse.
- Legislation can ensure that rocks and minerals are used sustainably.

SYLLABUS OUTLINE CHAPTER 2

2 Energy and the environment

2.1 Fossil fuel formation

Candidates should be able to:

- describe the formation of the fossil fuels: coal, oil and gas

2.2 Energy resources and the generation of electricity

Candidates should be able to:

- classify the following energy resources as non-renewable or renewable:
- fossil fuels, nuclear power, biofuels, geothermal power, hydro-electric power, tidal power, wave power, solar power, wind power
- describe how each of these energy resources is used to generate electricity
- describe the environmental, economic and social advantages and disadvantages of each of these energy resources

Further guidance and exemplification:

- non-renewable: fossil fuels, nuclear power using uranium
- renewable: biofuels (bioethanol, biogas and wood), geothermal power, hydro-electric power, tidal power, wave power, solar power, wind power

2.3 Energy demand

Candidates should be able to:

- describe and explain the factors affecting the demand for energy

Further guidance and exemplification:

- domestic demand
- industrial demand
- transport
- personal and national wealth
- climate

2.4 Conservation and management of energy resources

Candidates should be able to:

- describe and explain strategies for the efficient management of energy resources
- research and development of new energy resources

Further guidance and exemplification:

- reducing consumption, such as using insulation, turning electrical devices off and using energy efficient devices and vehicles
- energy from waste cooking oil
- exploiting existing energy sources
- education of people for energy conservation
- transport policies
- fracking

2.5 Impact of oil pollution

Candidates should be able to:

- describe the causes and impacts of oil pollution on marine and coastal ecosystems

Further guidance and exemplification:

- causes: off-shore oil extraction, pipelines and shipping
- impacts on ecosystems: birds, marine mammals, coral reefs, beaches

2.6 Management of oil pollution

Candidates should be able to:

- discuss strategies for reducing oil spills in marine and coastal ecosystems
- discuss strategies for minimising the impacts of oil spills on the marine and coastal ecosystems

Further guidance and exemplification:

- MARPOL (International Convention for the Prevention of Pollution from Ships)
- double-hulled oil tankers
- dealing with oil spills (booms, detergent sprays, skimmers)

Case study:

- Study the impact and management of an oil pollution event.

FOSSIL FUEL FORMATION

- The process of fossil fuel formation involves the creation of carbon-based fuels that originated from decaying organic matter millions of years ago.
- Coal is formed from plant matter while oil and natural gas are created from sea creatures.

Coal Formation

- Coal formation occurred when massive forests covered the Earth, and the vegetation died and became peat, which later compressed into lignite and coal.

Oil and Natural Gas formation

- Oil and natural gas formation resulted from small organisms that died and sank to the bottom of the sea, and as sediments accumulated and underwent pressure and temperature changes, the remains transformed into crude oil and natural gas, which eventually rose through the sandstone and filled pores. These fossil fuels get trapped below an impervious rock layer.

GENERATION OF ELECTRICITY

Turbine

- A turbine is a machine with fins that revolves by using gas, steam, or air. It is connected to a generator.

Generator

- A generator is a machine which converts mechanical energy into electrical energy.

Fossil Fuels (NR) and Biofuels (R)

- Fossil fuels and biofuels produce a significant amount of energy through combustion.
- This energy is utilized to heat water and produce steam, which drives the turbines.

Nuclear Power (NR)

- Nuclear power relies on uranium, a radioactive element, which releases a vast amount of energy when nuclear fission occurs.
- This energy is then used to heat water, produce steam, and rotate the turbines.

Geothermal Power (R)

- Geothermal power is generated by pumping cold water under pressure into a layer of hot rocks.
- The rocks heat the water, which then returns to the surface under pressure and heats a second supply of water via a heat exchanger.
- The steam produced by this process drives a turbine, which generates electricity.

Wind Power (R)

- Wind turbines have rotating blades that rotate due to the force of the wind.
- The rotation is maximized by a gearbox, while brakes are used to slow down or stop the rotor in very windy conditions to prevent damage to the blades.
- As the turbine rotates, the generator produces electricity.

Solar Power (R)

- Solar power uses photovoltaic cells, which generate a small electric charge when exposed to light.
- A bank of cells arranged in solar panels produces a significant amount of electricity.

Tidal Power (R)

- Tidal power utilizes the natural rise and fall in water levels in an area.
- A tidal barrage, a small dam that releases water back through a turbine, is used to hold back water when the levels drop.
- This flowing water then drives a turbine, which generates electricity.

Wave Power (R)

- Wave power also uses a turbine and generator, but it relies on the smaller differences in water levels caused by wind.
- As the turbine rotates, the generator produces electricity.

Hydro-electric Power (R)

- Hydro-electric power is generated by using a dam on a river to store water in a reservoir.
- The stored water is released and flows through a turbine, causing it to rotate.
- The turbine then activates a generator that generates electricity.

RENEWABLE AND NON RENEWABLE

Definition of Renewable Resources

- Energy from a source that is not depleted when used, such as wind or solar power.

Advantages of Renewable Resources

- As their name suggests, they are renewable meaning that unlike non-renewable energy they will never run out.
- Renewable are mostly clean and have little lasting impact on environment.
- They require investment once only and maintenance thereafter, no need to buy fuel like fossil fuels etc. So they are cheaper in the long run.
- They can be used in remote areas (wind power in mountainous areas), where other power resources can't be used due to difficulty of transporting furnace oil etc. Also, these areas may be far away from the national grid (It is uneconomical to extend the grid to small population centres as the wires and pylons are expensive)
- The supply of fossil fuels is very unstable due to conflicts in the Middle East, thus to have secure energy supplies in the future, Pakistan should develop renewable energy.

Disadvantages of Renewable Resources

- Solar energy is not much efficient, about 20%, when converting light energy from the sun into electricity; also it requires regular maintenance to remove dust which can cut efficiency by 3/4th. Also the panels must tilt with time of day and location of sun to maintain maximum efficiency
- Some dangerous substances like cadmium are used to make solar panels and raise questions about how they will be dealt in future when their lifetime has expired
- Wind turbines produce an audible sound which locals hate and it also spoils the scenery. Also not many places have many windy days
- Geo-thermal isn't available at all places in the world and few favourable places exist. Also it leads to Carbon Dioxide emissions which lead to global warming; melting of polar ice caps and floods of low lying areas
- Less water is available downstream due to dams, thus affecting fisheries as mangroves don't get enough fresh water. Agriculture may also be affected due to lack of water for plant growth
- Biomass produces limited amount of energy and is unfeasible to sustain current power demands

- Wind and solar power aren't available at all times like during windless days or cloudy days or nights
- All of the renewable sources require large amounts of capital to produce single megawatt of electricity as compared to fossil fuels
- In hydel projects immense costs are incurred due to; Large scale planning and research costs, which involves dam design etc, Evacuation procedures along with resettlement of people affected by the reservoir of the dam, Building roads (for access to site) and tunnels (to channel water into the turbines), Laying down power lines and connecting them to the grid system, hiring professionals (engineers etc) and workers and accommodating them on site, Buying expensive heavy machinery and maintaining it and Buying raw materials like cement and steel in exceptionally large quantities
- Hydro-electric causes massive displacement of people and loss of livelihood. Forests are flooded and killed; the trees then decay and produce methane, leading to global warming

Definition of Non-Renewable Resources

- Non-renewable energy comes from sources that will run out or will not be replenished for thousands or even millions of years.

Advantages of Non-Renewable Resources

- They require low initial investment as compared to renewable sources, and are perfect for urgently meeting demands as they require less time to build
- Electricity can be produced on large scale as no know how of advanced engineering like those involved in big dams etc is required
- The technology exists and therefore there are no research costs

Disadvantages of Non-Renewable Resources

- These energy sources are non-renewable meaning that they will eventually run out and can't be depended upon in the long run
- They pollute the environment leading to acid rain or global warming. Acid rain kills trees and aquatic life. Also nuclear power produces wastes which remain radioactive for thousands of years and need to be stored underground safely for that period of time
- These projects however do require a lot of expensive maintenance and fuel, so are expensive in the long run. Also, **Independent Power Producers** charge a higher rate for electricity generation than state owned thermal stations

- Due to gas cuts in both industrial and power sector, it seems that relying heavily upon gas thermal stations isn't a reliable option in the long run.

ENERGY DEMAND

- Energy demand is influenced by several factors, including domestic and industrial demand, transport, personal and national wealth, and climate change.

Domestic Demand

- The demand for energy in domestic settings is driven by affordability, availability, and social status.
- The demand for electricity increases as more people purchase items that are considered necessities but not naturally available, such as fruits and vegetables produced in greenhouses or transported from other areas.
- Both scenarios involve significant energy costs.

Industrial Demand

- Manufacturing processes require large amounts of energy, especially in the production of items like iron and steel.
- As advanced manufacturing techniques make luxury items cheaper, more people want to buy them, increasing the demand for both the products and the energy needed for their production.

Transport

- As manufacturers supply customers globally, production costs decrease in importing countries but increase in transport costs, requiring large amounts of fossil fuels.

Personal and National Wealth

- Economic conditions affect energy demand.
- In good economic conditions, people have more money to spend on luxury items, leading to an increase in the demand for products and energy.
- In poor economic conditions, families reduce the purchase and use of electrical items and fuel, leading to a decrease in the demand for energy.

Climate and Energy Demand

- Energy demand due to climate depends on the country.

- People living in a temperate climate experience colder winters and fewer daylight hours, leading to higher energy demand for heating and lighting.
- Climate change and excessive heat or cold also increase energy consumption, particularly in urban areas, leading to a need for additional heating and air conditioning units.

CONSERVATION AND MANAGEMENT OF ENERGY RESOURCES

- Insulation techniques such as loft, underfloor and cavity wall insulation to prevent heat loss
- Use of double-glazed windows to act as an insulator
- Turning off electrical devices when not in use and replacing them with energy-efficient devices
- Developing alternative fuels and engine technology for vehicles
- 'Scrappage' schemes to remove inefficient machines from use
- Energy from waste by extracting energy from reused materials through anaerobic digestion or incineration
- Education and communication of the benefits of technology to promote new ways of thinking
- Energy-efficiency ratings for new products to compare with old ones
- Stricter building regulations for more energy-efficient construction
- Preventing sales of inefficient electrical devices
- Incentives to encourage purchase of more efficient technologies such as insulating older houses, replacing older electrical devices and scrapping older, inefficient cars
- Use of renewable resources as primary energy source and fossil-fuel or biofuel as backup
- Transport policies including regulations on exhaust gases and fuel efficiency, restrictions on vehicle use, taxation on fuels, surcharges for peak time travel, and improving public transport and cycling routes
- Development of new resources such as fracking for obtaining oil or gas from shale rock by splitting it open using water, sand, and chemicals

Purpose of Three Components of Fracking

- Water for high-pressure handling
- Chemicals to prevent blockage of pipes
- Sand to keep the cracks in the rock open

OIL POLLUTION

- Despite of the research into other forms of energy, the world is still very reliant on oil because
 - It is relatively easy to store and transport.
 - It is easier to extract from the ground than solid materials such as coal.

- It can be made into a number of different products.
- It produces less pollution when burnt compared with coal.
- Oil is not present in every location, so the supplies have to be transported to the customers. Oil is toxic and spillage can cause great damage.

CAUSES OF OIL POLLUTION

- **Offshore oil extraction:** leakage from the rigs.
- **Oil pipelines:** leaks in the oil pipework.
- **Shipping:** risk of collision or damage to oil tankers.

IMPACTS OF OIL POLLUTION

Phytoplankton

- Oil floats on the surface of the water and blocks the sunlight from entering.
- The phytoplankton can't photosynthesise, so they die.

Fish

- Shortage of food; reduction in phytoplankton.
- Oil floating on the surface prevents gas exchange.
- Fish become short of oxygen and die;
- Direct contact of the fish with oil affects their gills.

Birds

- Shortage of food as fish and other creatures die;
- May consume oil when eating fish (toxic);
- When hunting for food, feathers get covered with oil, affecting their ability to fly.

Mammals

- Food sources are depleted;
- Mammals may also swallow oil while feeding (toxic);
- Coating of oil will affect their skin

Reefs

- Complete devastation of the reef due to lack of oxygen (species die);
- Areas may be covered in oil.

Beaches

- Oil (washed by tides) coats rocks;
- Organisms in shallow water and rock pools may die due to toxic effects of the oil;
- Animal food sources and tourism are affected

MANAGEMENT OF OIL POLLUTION

Regulations of the MARPOL

- The MARPOL (Marine Pollution) is an international convention aimed at preventing pollution from ships.
- Its regulations include supervising the transport of oil at sea and ensuring that all tankers have appropriate systems in place.
- Failure to comply can result in heavy fines or the ship being prohibited from leaving port.

Tanker Design

- Oil spills can occur due to damage to the hull of a ship.
- To prevent this, ships can have an increased number of compartments within the hull so that if one is damaged, the entire ship's contents are not lost.
- Double-hulled tankers are another solution, where if the outer layer is damaged, the inner plate still keeps the contents secure.
- Although they cost more, double-hulled tankers significantly reduce the risk of oil spills.

Minimizing the Impact of Oil Spills

- Various methods can help minimize the impact of oil spills.
- Floating booms can surround the oil slick and prevent it from spreading, but this process is effective only for small spills in calm seas.
- Detergent sprays can break down the oil slick into smaller droplets, but they can damage coral reefs.
- Skimmers can clean the water using materials that oil easily attaches to, but they are effective only when the oil slick is contained within a boom and the sea is calm. Unfortunately, when oil reaches beaches, it must be removed by hand, which is difficult and time-consuming.

SYLLABUS OUTLINE CHAPTER 3

3 Agriculture and the environment

3.1 Soil composition

Candidates should be able to:

- describe and explain the composition of soils

Further guidance and exemplification:

- composition: mineral particles, organic content (living plants, animals, microorganisms and their dead remains), air and water
- particle size: sand, silt, clay

3.2 Soils for plant growth

Candidates should be able to:

- describe soils as a medium for plant growth
- describe the differences between a sandy and clay soil

Further guidance and exemplification:

- mineral ion:
- nitrogen as nitrate ions (NO_3^-), phosphorus as phosphate ions (PO_4^{3-}), potassium as potassium ions (K^+)
- organic content
- pH
- air content
- water content
- drainage
- ease of cultivation

3.3 Agriculture types

Candidates should be able to:

- describe the different types of agriculture

Further guidance and exemplification:

- arable, pastoral and mixed
- subsistence and commercial

3.4 Increasing agricultural yields

Candidates should be able to:

- describe techniques used to increase agricultural yields

Further guidance and exemplification:

- rotation
- fertilisers
- irrigation
- insect control (insecticide and biological control), weed control (herbicide), fungi control (fungicide)
- mechanisation
- selective breeding of animals and plants
- genetically modified organisms
- controlled environments: greenhouses and hydroponics

3.5 Impact of agriculture

Candidates should be able to:

- describe and explain the impact of agricultural practices on the environment and people

Further guidance and exemplification:

- overuse of insecticides and herbicides
- overuse of fertilisers
- mismanagement of irrigation causing salinisation and waterlogging
- overproduction and waste
- exhaustion of mineral ion content
- soil erosion
- cash crops replacing food crops

3.6 Causes and impacts of soil erosion

Candidates should be able to:

- describe the causes of soil erosion
- describe and explain the impacts of soil erosion

Further guidance and exemplification:

- removal of natural vegetation by over cultivation and overgrazing
- water and wind erosion
- loss of habitats
- desertification
- silting of rivers
- displacement of people
- malnutrition and famine

3.7 Managing soil erosion

Candidates should be able to:

- describe and explain strategies to reduce soil erosion

Further guidance and exemplification:

- terracing
- contour ploughing
- bunds
- wind breaks
- maintaining vegetation cover
- addition of organic matter to improve soil structure
- planting trees, mixed cropping, intercropping and crop rotation

3.8 Sustainable agriculture

Candidates should be able to:

- describe and explain strategies for sustainable agriculture

Further guidance and exemplification:

- organic fertiliser (crop residue, manure)
- managed grazing (livestock rotation)
- crop rotation
- use of pest resistant and drought resistant varieties of crops
- trickle drip irrigation
- rainwater harvesting

SOIL COMPOSITION

Mineral Particles

- Combination of rock fragments and other inorganic substances
- Formed through physical, chemical, and biological weathering of the parent rock

Organic Content

- Mixture of living plants, animals, microorganisms, and their remains
- Essential for soil fertility and nutrient cycling

Air in Soil

- Held within pore spaces between mineral particles and organic content
- Enters soil through diffusion

Water in Soil

- Held within pore spaces for plant growth
- Enters soil through precipitation or irrigation

FACTORS AFFECTING SOIL COMPOSITION

- Type of soil
- Management practices
- Local climate
- Size of mineral particles

TYPES OF SOIL

Type Of Soil	Size	Texture
Sand	2.0 – 0.02 mm	Gritty
Silt	0.02 – 0.002 mm	Silky
Clay	<0.002 mm	Sticky when wet and Hard when dried

IMPORTANCE OF SOIL FOR PLANT GROWTH

- Soil is an important medium for plant growth as it supplies water, mineral nutrients, anchorage and oxygen to the plants.
- Plants require nitrogen, phosphorus, potassium and other elements to construct proteins and carry out essential life processes.

Organic Content in Soil

- Soil organic content is made up of decomposers that produce humus which is rich in nutrients.

- Earthworms break down vegetation, mix and aerate the soil, and spread organic matter through it.
- Fungi feed directly on dead matter and digest hard woody items, aiding plants to take up nutrients through their roots.
- Bacteria work on organic matter, convert waste products to simple chemicals, and some convert nitrogen to nitrates which is important in the nitrogen cycle.
- High levels of organic matter increase water-holding capacity, air spaces in the soil, the number of decomposers, tunnels and burrows, providing additional drainage and less compaction, and prevent the loss of mineral nutrients.

Soil pH and Nutrient Availability

- Soil pH depends on the type of parent rock and pH of water that flows into the area.
- It affects the uptake and availability of nutrients by plant roots.
- Farmers can change the pH of the soil either to acidify it using fertilizers that have an acidic effect or to make it alkaline by adding ground limestone.

Soil Drainage and Cultivation

- The capacity of the soil to drain water must be medium to prevent both water loss and surplus amount of water.
- Ease of cultivation refers to how easily the soil can be ploughed.

TYPES OF AGRICULTURE

Arable Farming

- Farming in which we focus on production of plants for consumption by humans.

Pastoral Farming

- Farming in which we focus on production of animals or animal-related products.

Mixed Farming

- Farming in which we are practicing both types of farming; arable and pastoral.

Subsistence Farming

- Subsistence farming means growing of crops mainly for the people who work on them.
- Surplus is sold in the local village market.
- Most of the farmers have to supplement their income from other sources e.g. carpenter, blacksmith, cobbler.

INPUTS	PROCESSES	OUTPUTS
• Land	• Ploughing by wooden plough	• Rice
• Soil	• Sowing by Labor (Desi Seeds)	• Wheat
• Climate	• Irrigation by Traditional methods	• Maize
• Water	• Fertilizing by Natural Manure	• Vegetables
• Natural Manure	• Weeding by Labor	•
• Draft Power	• Threshing by Labor	•
• Desi Seeds	• Harvesting by Labor	•
• Traditional Plough	•	•
• Labour	•	•
• Inherited Knowledge	•	•

Commercial Farming

- Commercial farming means the growing of crops for sale
- A crop that is grown primarily for sale is called a cash crop.

INPUTS	PROCESSES	OUTPUTS
• Land	• Ploughing by Tractors	• Rice
• Soil	• Sowing by Machines (HYV)	• Wheat
• Climate	• Irrigation by Modern Methods	• Maize
• Water	• Fertilizing by Chemical Fertilizers	• Vegetables
• Fertilizers	• Weeding by Labor	• Cotton
• Machinery	• Threshing by Thresher	• Sugarcane
• HYV seeds	• Harvesting by Harvester	•

• Pesticides	•	•
• Skilled Labour	•	•
• Knowledge	•	•

TECHNIQUES USED TO INCREASE AGRICULTURAL YIELDS

Crop Rotation

- The principle of growing different types of plants in different plots each year.

Advantages of crop rotation

- Diseases in the soil affecting the plant are left behind;
- Pests need to find a new site; their population is reduced;
- The soil in the new plot is likely to have the essential nutrients;
- Crops ready to harvest at different times; less potential waste, less labour and machinery needed.

Fertilisers

- Contain minerals such as nitrogen, potassium and phosphorus. Add on to the nutrients available in the soil.

Advantages of Chemical Fertilizers

- Increases yield
- Extension of farm
- Grows faster because it provides nitrogen, potassium, and phosphate.
- Better than dung

Disadvantages of Chemical Fertilizers

- Costly
- Knowledge and skills needed
- Pollution of ground water
- Eutrophication
- Not readily available

Irrigation

- Artificial supply of water.

Advantages of Irrigation

- Better water supply
- Meet rain shortages
- Reduces salinity
- Increases yield

Pesticide/Insecticide

- Used to control pests.
- Pest is an animal that attacks or feeds upon a crop plant.

Advantages of Pesticide

- Kill insects, pests, and viruses
- Prevent loss
- Increases the output and income.

Disadvantages of Pesticide

- Costly
- Knowledge and skills needed
- Also kill useful insects
- Sever effects in natural food chain

Alternative to Pesticide

- Biological Control: Find Natural Predators

Advantages of Biological Control

- No chemical residues;
- No impact of sprays;
- No need of reapplication;
- The predators will die naturally when the pests are controlled.

Disadvantages of Biological Control

- Not as instant as chemical control;
- Pests may breed faster than the predator;
- Predator may feed on an unintended plant.

Herbicide

- Weed-killing chemicals are known as herbicides.

- Weed are wild plants

Weed must be controlled because they:

- Compete with crops for light, water and nutrients;
- Reduce the quality of a seed or grain crop;
- Might be poisonous;
- Make cultivation difficult;
- Can block drainage systems with excessive growth;
- Can be a source of pests and diseases
- Can look untidy.

Advantages of herbicides

- Easier to manage;
- Alternatives may be less effective;
- Cheaper;
- Results are more predictable;
- Less labour needed;
- Effect is more rapid.

Alternatives to herbicides are cultural controls

- Hand weeding and hoeing;
- Weed barriers;
- Flame guns.

Mechanisation**Advantages of Machinery**

- Less time consuming
- Less labor
- Better work
- Better processes
- No need of rest

Disadvantages Of Machinery

- Expensive to buy or import
- High maintenance cost
- Difficult to repair
- Unemployment
- Skilled labor required

- Cannot be used in mountains
- Cannot be used in small lands

Selective Breeding

- Choose parents that exhibit the desired characteristics of the species;
- Raise the offspring from these parents;
- Select the best offspring that shows the desired characteristics;
- Repeat the process.
- Examples: beef cattle, dairy cattle.
- Drawbacks: slow process; less success rate

Genetically Modified Organisms (GMO)

- The DNA of one organism is inserted into another.

Advantages of GMO

- Disease and pest-resistance may increase;
- Nutritional value may increase;
- Herbicide resistance may increase;
- Crops with longer storage lives.

Disadvantages of GMO

- Unknown impact of the new characteristics on human health;
- Products are not natural;
- Genes might get into wild plants if they interbreed with GMOs.

Greenhouse

- Used to manage the environment for plant growth

Hydroponics

- Growing plants without soil, with the nutrients the plant needs dissolved in water.

Advantages of Hydroponics

- No need for soil;
- Can be used anywhere;
- Easy to harvest;
- Exact nutrients needed are provided;

- Water is recycled;
- Pollutant are not released into the environment.

Disadvantages of Hydroponics

- Expensive to set up;
- Suitable for small production areas only;
- Technical knowledge required;
- Disease, if present, may spread rapidly;
- Plants can die quickly if conditions are not maintained.

IMPACT OF AGRICULTURE

Overuse of herbicides and insecticides

- Resistance within pest population can develop with regular use of one insecticide.
- Solution: use a range of different pesticides.

Unintended environmental damage

- Beneficial insects like bees are affected, and food web is disturbed.
- Spray drift can affect the next crop and cause leaching of chemicals into nearby lakes.
- Solution: use alternatives to synthetic pesticides or apply them only when necessary.

Overuse of fertilizers

- Addition of extra mineral nutrients is a waste of money and resources if the soil has reached its maximum level.
- Heavy rain can dissolve and leach nutrients, leading to eutrophication.
- Large quantities can affect the pH of the soil and the availability of minerals, and some trace elements can be toxic to the plant.
- Solution: strict limits on fertilizer use, use organic fertilizers, and improve soil management practices.

Mismanagement of irrigation causing salinization and waterlogging

- Damage to soil structure, death of plant roots, loss of nutrients, soil erosion, and difficulty in soil cultivation can occur.

- Solution: proper irrigation management, use of salt-tolerant crops, and soil conservation practices.

Overproduction and waste

- Waste from unsold crops, storage, transportation, low-quality products, and inefficient use of labor.
- Solution: better market analysis, crop rotation, mixed cropping, and leaving land fallow.

Exhaustion of mineral ion content

- The repeated use of soil without proper rest can leave it depleted of nutrients and minerals.
- Solution: crop rotation, mixed cropping, and use of organic fertilizers.

Soil erosion

- Over cultivation of soils leads to loss of soil structure and vulnerability to erosion.
- Solution: soil conservation practices and crop rotation.

Cash crops replacing food crops

- Commercial farmers tend to grow crops that generate more cash, causing a decline in the availability of staple food.
- Solution: promote diversified and sustainable agriculture, and support small-scale farmers.

CAUSES OF SOIL EROSION

- Removal of natural vegetation
- Over cultivation
- Overgrazing
- Wind erosion
- Water erosion

IMPACTS OF SOIL EROSION

- Topsoil is removed
- Loss of habitat for organisms in topsoil
- Silting up of water courses
- Affects water quality and availability

- Buried aquatic organisms
- Desertification
- Risk of famine and malnutrition

WAYS TO MANAGE SOIL EROSION

Terracing

- Prevents soil erosion on steep slopes by holding water in flat terraced areas.

Contour Ploughing

- Ploughing along the contour of land in parallel furrows to prevent the formation of gullies and run-off of topsoil.

Bunds

- Artificial banks at the edges of growing spaces to hold back water.

Windbreaks

- Permeable barriers that reduce the impact of wind on an area to prevent wind erosion.
- Vegetation allows wind to pass through, reducing wind speed and preventing erosion due to run-off.

Maintaining Vegetation Cover

- Sowing legumes after a crop harvest to prevent soil erosion and increase soil fertility for the next major crop.

Addition of Organic Matter

- Improves soil structure and increases decomposers in the soil.
- Acts like a sponge, holding extra water and reducing soil erosion.

Planting Trees

- Trees act as windbreaks and provide shade and natural habitat for animals.

Mixed Cropping

- Growing more than one type of plant in the same area to use resources in the soil more efficiently.

SUSTAINABLE AGRICULTURE

- Sustainable agriculture aims to meet the population's agricultural product needs while making efficient use of non-renewable resources.
- It also supports the natural ecosystem by following natural processes with farming techniques and sustaining the economic independence of farmers.

Organic Fertilizers

- Using organic fertilizers can help reduce the risk of eutrophication and save on disposal costs since they are a waste product already present on many farms.
- They also have minimal transport costs and do not require energy for their manufacture.
- Additionally, organic fertilizers can improve soil structure.

Managed Grazing

- Managed grazing prevents overgrazing, ensures sufficient grazing, maintains appropriate soil fertility by animal waste, and prevents soil compaction by maintaining good drainage.

Crop Rotation

- Crop rotation, can help increase agricultural yields while also promoting soil health and reducing the build-up of pests and diseases.
- Use of Pest-Resistant, Drought-Resistant, and Herbicide-Resistant Varieties of Crops
- The use of pest-resistant, drought-resistant, and herbicide-resistant varieties of crops can help reduce the use of pesticides, herbicides, and water, respectively.

Trickle Drip Irrigation

- Trickle drip irrigation, can help increase agricultural yields while reducing water usage.

Rainwater Harvesting

- Rainwater harvesting involves collecting rainwater, for example, from the roofs of buildings, and storing it in a tank or reservoir for later use.
- This can help reduce the need for water from other sources, such as rivers or groundwater.

SYLLABUS OUTLINE CHAPTER 4

4 Water and its management

4.1 Global water distribution

Candidates should be able to:

- describe the distribution of the Earth's water

Further guidance and exemplification:

- oceans
- fresh water: ice sheets and glaciers, ground water, atmosphere, lakes and rivers

4.2 The water cycle

Candidates should be able to:

- describe and interpret the water cycle

Further guidance and exemplification:

- precipitation, surface run-off, interception, infiltration, through-flow, ground water flow, transpiration, evaporation and condensation

4.3 Water supply

Candidates should be able to:

- describe the sources of fresh water used by people

Further guidance and exemplification:

- aquifers, wells, rivers, reservoirs, desalination plants

4.4 Water usage

Candidates should be able to:

- describe the different ways in which fresh water can be used

Further guidance and exemplification:

- domestic, industrial, agricultural

4.5 Water quality and availability

Candidates should be able to:

- compare the availability of safe drinking water (potable water) in different parts of the world

Further guidance and exemplification:

- between water-rich and water-poor regions and the potential for water conflict
- access to safe drinking water in urban and rural areas

4.6 Multipurpose dam projects

Candidates should be able to:

- describe and evaluate multipurpose dam projects

Further guidance and exemplification:

- choice of site
- environmental, economic and social impacts
- sustainability

4.7 Water pollution and its sources

Candidates should be able to:

- describe the sources of water pollution

Further guidance and exemplification:

- domestic waste, including sewage from urban and rural settlements
- industrial processes
- agricultural practices

4.8 Impact of water pollution

Candidates should be able to:

- describe and explain the impact of pollution of fresh water on people and on the environment

Further guidance and exemplification:

- global inequalities in sewage and water treatment
- risk of infectious bacterial diseases, typhoid and cholera
- accumulation of toxic substances from industrial processes in lakes and rivers
- bioaccumulation of toxic substances in food chains
- the effect of acid rain on organisms in rivers and lakes
- nutrient enrichment leading to eutrophication

4.9 Managing pollution of fresh water

Candidates should be able to:

- describe and explain strategies for improving water quality

Further guidance and exemplification:

- improved sanitation
- treatment of sewage
- pollution control and legislation

4.10 Managing water-related disease

Candidates should be able to:

- describe the life cycle of the malaria parasite
- describe and evaluate strategies to control malaria
- describe strategies to control cholera

Further guidance and exemplification:

- antimalarial drugs, vector control, eradication
- safe drinking water (potable water) supply
- boiling and chlorination

Case studies:


- Study the impact of a named multipurpose dam scheme.
- Study the causes, impact and management of pollution in a named body of water.

GLOBAL WATER DISTRIBUTION

- Oceans and seas cover 71% of the Earth's surface and contain 97% of all the Earth's water.
- In contrast, only 3% of the planet's water is freshwater, and 65% of that freshwater is locked up in ice sheets, making it unavailable for human consumption or use.

WATER CYCLE

- The water cycle is a continuous process of movement and exchange between the atmosphere, the Earth's surface, and subsurface.
- It includes processes such as precipitation, surface run-off, interception, infiltration, through-flow, groundwater flow, evaporation, transpiration, and condensation.



WATER SUPPLY

- Surface water refers to water found in lakes, rivers, and swamps.
- Ground water is water found in the soil and rocks beneath the surface of the earth.

- Aquifers are porous rocks beneath the ground that store water, and can be trapped by alternating layers of permeable and impermeable rocks or folded layers of rock.
- In addition, permeable rocks that are exposed on the surface can receive new supplies of rainwater, while water is stored in porous rocks like limestone and sandstone below the water table. Mechanical pumps or manual labor are typically used to raise water from these sources to the surface.
- An artesian aquifer is a type of aquifer in which the water is under pressure, allowing water from a well sunk into it to rise to the surface without the need for a pump.
- Potable water is safe for drinking, and is typically stored in reservoirs, which are artificial lakes created behind dams or by the side of a river.
- Wells are holes that are bored or dug into rock to reach water stored beneath the surface.
- Rivers are large, natural streams of water that flow in a channel to the sea, a lake, or another river. They provide surface transfers of water to low-lying areas where farms, villages, towns, and cities are located.
- Desalination is the process of removing salt from seawater through distillation or reverse osmosis.
- Distillation involves boiling water to release it as vapor, leaving salt behind, which is then condensed as liquid water and can be used. However, this process is only 10-30% efficient and requires a lot of energy, and the provision of energy and saltwater (brine) is a source of pollution.

USES OF WATER

- Water usage can be divided into three main categories: domestic, industrial, and agricultural.

Domestic Uses Of Water

- Drinking
- Bathing
- Watering the yard and gardens
- Preparing food
- Washing clothes and dishes

Industrial Uses Of Water

- Pharmaceutical Industries for injections, syrups
- Tanning industry for washing, dyeing
- Food processing industry for preparing juices and beverages
- Textile Industry for washing, bleaching, blurring, dyeing

- Iron and Steel industry to cool down furnace for making steel
- Thermal power station to produce steam that makes the turbines move

Agricultural Uses Of Water

- For irrigation
- For Buffaloes
- For Food of Livestock

WATER QUALITY AND AVAILABILITY

Water-rich countries

- Definition: countries with plentiful fresh water supplies
- Examples: Russia, Canada, China, Amazon, Yangtze, Mississippi
- Exceptions: Australia, Argentina, Sudan, due to containing substantial areas of desert within their borders

Water-poor countries

- Definition: countries with scarce fresh water supplies
- Dominated by desert countries
- Exceptions: Singapore and Mauritius due to high precipitation totals, but they are tiny island states with only small areas for rain to fall on

Water conflict

- Definition: conflict between countries, states, or groups over access to water resources

Physical water scarcity

- Definition: not enough water to meet both human demands and those of ecosystems to function effectively
- Arid regions frequently suffer from physical water scarcity
- Can also occur where water seems abundant, but resources are over-committed

Economic water scarcity

- Definition: caused by a lack of investment in water infrastructure or insufficient human capacity to satisfy the demand of water in areas where the population cannot afford to use an adequate source of water
- Unlike rural areas, urban areas have higher access to safe drinking water

MULTIPURPOSE DAM PROJECTS

Example

- Ramganga Dam, Uttarakhand, India

Choice of site

- High precipitation to provide sufficient water
- Low temperature to prevent evaporation
- Built on strong impermeable rock so water doesn't drain and has a good foundation
- Built high up to have good potential for hydroelectric power
- Narrow, steep-sided valley
- Rivers and lakes nearby to provide water
- Away from developed areas to reduce the risk of pollution in reservoirs
- Easily accessible
- Maximizes water storage capacity

Advantages of Dams

- Hydroelectric power generation: Dams provide a reliable source of renewable energy through hydroelectric power generation.
- Flood control: Dams can help control flooding by regulating the flow of water.
- Irrigation: Dams provide a consistent supply of water for irrigation, enabling farmers to grow crops in areas that would otherwise be unsuitable for farming.
- Recreation: Dams create large bodies of water that can be used for recreational activities such as swimming, fishing, and boating.

Disadvantages of Dams

- Displacement of people: The construction of dams often results in the displacement of people; as entire communities are forced to relocate.
- Environmental impact: Dams can have negative environmental impacts, such as altering the natural flow of rivers, disrupting ecosystems, and affecting fish populations.
- Siltation: Over time, dams can become filled with silt, reducing their capacity to hold water.
- Cost: Dams can be very expensive to build and maintain, and the cost of electricity generated from hydroelectric power may not always be competitive with other sources of energy.

WATER POLLUTION

Causes

- Sewage discharged into rivers
- Domestic waste thrown into rivers
- Pesticides/fertilisers runoff from agricultural fields
- Industrial waste thrown into rivers
- No organized collection of domestic waste
- Waste from ship discharged into rivers
- Leakage of oil from ship

Effects

- Not for drinking / poisonous / contaminates groundwater
- Cost of treatment
- Causes disease – risk of cholera, typhoid, diarrhoea , hepatitis, dysentery etc.
- Not for food processing (e.g. fish canning)
- Smells
- Reduces fish catch / kills fish
- Can damage machinery
- Blocks canals / causes flooding
- Risk of malaria from stagnant water

Solutions

- Treatment of sewage
- Improve sanitation facilities in poor quality housing
- Proper dumping of domestic and industrial waste
- Organized collection of Domestic waste
- Organic farming (Alternative to chemical fertilisers/pesticides)
- Fines on Water polluters
- Maintenance of ships

WATER RELATED DISEASES

Water-Borne Diseases

- Spread through consumption of contaminated water or contact with dirty water while washing food, pots, pans, hands, and face
- Examples: cholera and typhoid

Cholera

- Intestinal infection causing severe diarrhea, dehydration, and possible death

Causes

- poor sanitation, contaminated water and food, disruption of piped water supply after natural disaster

Strategies to control cholera

- Keep sewage and drinking water separate
- Directly remove sewage to treatment works
- Treat water before delivery to homes
- Do not use contaminated water to wash food
- Wash hands after contact with fecal material
- Boil water and use chlorination

Water-Bred Diseases

- Disease spread by carriers that breed in water and bite victims, such as malaria

Malaria

- Life-threatening disease transmitted through infected Anopheles mosquito bites carrying Plasmodium parasite

Strategies to control malaria

- Sleep under mosquito nets and use antimalarial drugs in and around homes
- Drain marshes and stagnant pools to eliminate breeding grounds
- Use kerosene to choke larvae in pools
- Spray antimalarial drugs on stagnant water to kill larvae
- Use vaccinations
- Educate people on malaria risks through campaigns and programs

SYLLABUS OUTLINE CHAPTER 5

5 Oceans and fisheries

5.1 Oceans as a resource

Candidates should be able to:

- outline the resource potential of the oceans

Further guidance and exemplification:

- food, chemicals, building materials
- wave / tidal energy
- tourism
- transport
- potential for safe drinking water

5.2 World fisheries

Candidates should be able to:

- outline the distribution of major ocean currents
- explain the distribution of major marine fish populations
- describe the El Niño Southern Oscillation (ENSO) phenomenon and its effects on fisheries along the Pacific coast of South America

Further guidance and exemplification:

- identify the position of major cold and warm ocean currents (names are **not** required)
- shallow water of continental shelves
- cold and warm ocean currents

5.3 Impact of exploitation of the oceans

Candidates should be able to:

- describe and explain the impact of exploitation of fisheries
- describe how farming of marine species reduces the exploitation of fisheries

Further guidance and exemplification:

- overfishing of marine species
- effect on target and bycatch species

5.4 Management of the harvesting of marine species

Candidates should be able to:

- describe, explain and evaluate strategies for management of the harvesting of marine species

Further guidance and exemplification:

- net types and mesh size
- other species-specific methods: pole and line
- quotas
- closed seasons
- protected areas and reserves
- conservation laws
- international agreements (implementation and monitoring)

Case studies:

- Study the resource potential, exploitation, impact and management of a marine fishery.
- Study an example of farming of marine species, including the source of food, pollution from waste and impact on the natural habitat.

OCEANS AS A RESOURCE

Food

- Fish and other edible sea animals are a major source of food.

Chemicals and Building Materials

- Oceans contain eroded materials from the land that can be used for various purposes.
- Some substances like salt, magnesium, tin, gold, titanium, and diamonds can be directly extracted from the ocean.
- Mining of sand, gravel, and crushed rock for construction industry must be done with care to avoid physical damage to the seabed and associated habitats.
- Fine particle clouds produced during mining can interfere with photosynthesis and act as a source of heavy metals.

Oil

- Offshore drilling rigs extract oil from the ocean.

Wave and Tidal Energy

- The energy in waves and tides can be harnessed to generate electricity.

Tourism

- Seaside locations with great natural beauty, particularly coral reefs, are popular tourist attractions.
- Activities such as diving, snorkeling, windsurfing, jet skiing, deep-sea fishing, and sunbathing attract visitors.
- Boat trips to view sea creatures, especially whales and dolphins, are a popular business.

Transport

- Ships are important for transporting people and goods.
- Pleasure cruises and bulk freight transport are major economic sectors.

Types of Ships and Their Functions in Transportation

Bulk Carriers

- Used to transport food like rice and wheat in large quantities.

Container Ships

- Carry entire loads in container-sized units, a method known as containerization.

Tankers

- Transport fluids, especially liquified petroleum gas, liquified natural gas, vegetable oils, and wine.

Refrigerated Ships

- Used to transport perishable items such as vegetables, fruits, fish, and dairy products.

Roll-on/Roll-off Ships

- Transport vehicles and their loads that can be easily driven on and off the ship.

Coastal Trading Vessels

- Used for trading between places that are close together, especially in island groups.

Ferries

- Used primarily for the movement of foot passengers, sometimes with their cars, between islands or between mainland and islands.

Cruise Ships

- Used for pleasure voyages where the ship's facilities are a crucial part of the trip.

Ocean Liners

- Used to transport people from one port to another.

DISTRIBUTION OF MAJOR OCEAN CURRENTS

- Ocean currents are movements of surface water in a constant direction.
- Prevailing winds determine the direction in which the current flows.
- In the southern hemisphere, currents are generally anticlockwise due to the blowing of winds from the south-east.
- Cold currents come from the poles while warm currents originate from the tropics or either side of the equator.

DISTRIBUTION OF MAJOR MARINE FISH POPULATION

- The main fisheries are located on continental shelves where water is shallow, allowing light to penetrate with plentiful oxygen than further below.
- Fish are found where there are plentiful phytoplankton.
- Phytoplankton produce their food through photosynthesis, which requires light, water, and carbon dioxide.

- The limiting factor for photosynthesis is likely to be light as most ocean water has absorbed all the sunlight by a depth of only 200m. However, not all areas with continental shelves have significant fisheries because phytoplankton also require mineral nutrients to make proteins, such as a source of nitrogen and sulfur, and phosphorus, which is needed for nucleic acids.
- Chlorophyll, the green pigment essential for photosynthesis, requires magnesium.

UPWELLING

- The most important fisheries of the world are located where the current system stirs up decaying material from the seabed, which is rich in nutrients.
- Upwelling refers to the areas where minerals at the ocean floor are brought up to the surface by currents.
- An example of this is the Peruvian anchovy off the west coast of South America.

EL NINO SOUTHERN OSCILLATION

- ENSO is a change in the prevailing winds that leads to a change in the pattern of currents in the oceans of the South Pacific.
- Warm nutrient-poor water comes into the region from the equator, resulting in no upwelling of the cold, nutrient-rich water that supports the anchovy fishery.
- No nutrients mean the phytoplankton do not grow well, resulting in less food for the fish.
- This affects countries where the anchovy fishery is essential for producing fishmeal used to feed farmed fish.

OVERFISHING

- Overfishing occurs when the number of fish caught is greater than the rate at which the fish reproduce, leading to a fall in fish numbers in an area.

Causes of overfishing

- Increasing demand for fish as food due to growing global population
- Advances in technology making it easier to find and catch fish
- Use of large nets that catch unintended species (bycatch)

Impact of overfishing

- Stagnation in global fish catch since the 1990s, leading to job losses and reduced food supply
- Reduction in the size of fish caught, increasing demand for food

- Harvesting of protected and endangered species as bycatch
- Disruption of the marine food chain and reduction in biodiversity

Solution

- By having quotas/government licences
- Secure fishing grounds from foreign fishing boats
- Limit number of months in year able to fish (to allow breeding)
- Only catch adult fish (by using nets with larger holes/mesh)
- Laws to protect of mangrove forests
- Laws/fines to prevent marine pollution
- Education in sustainable methods
- Mesh Size (Large) and Net Size (Small)

SYLLABUS OUTLINE CHAPTER 6

6 Managing natural hazards

6.1 Earthquakes and volcanoes

Candidates should be able to:

- describe the structure of the Earth
- describe and explain the distribution and causes of earthquakes and volcanoes
- understand magnitude and the Richter scale

Further guidance and exemplification:

- crust, mantle and core
- global pattern and structure of plates
- plate movement: constructive, destructive and conservative

6.2 Tropical cyclones

Candidates should be able to:

- describe and explain the distribution and causes of tropical cyclones (storms, hurricanes and typhoons)

Further guidance and exemplification:

- between 5° and 20° north and south of the Equator, ocean surface temperature of at least 27 °C and ocean depth of at least 60 m

6.3 Flooding

Candidates should be able to:

- describe and explain the causes of flooding

Further guidance and exemplification:

- heavy rainfall, prolonged rainfall, snowmelt
- land relief
- saturated soil, compacted soil
- deforestation, cultivation and urbanisation
- storm surges, tsunamis
- rise in sea level through climate change

6.4 Drought

Candidates should be able to:

- describe and explain the causes of drought

Further guidance and exemplification:

- lack of rain caused by prolonged high pressure
- effect of El Niño Southern Oscillation (ENSO) and La Niña on ocean temperatures and evaporation
- effect of climate change

6.5 The impacts of natural hazards

Candidates should be able to:

- describe and explain the impacts of natural hazards on people and the environment

Further guidance and exemplification:

- tectonic events: damage to buildings and infrastructure, fire, tsunamis, landslides, loss of farmland and habitats, water-related disease, loss of life, trauma, financial losses
- tropical cyclones: flooding, loss of life, financial losses, damage to buildings and infrastructure, loss of crops and habitats, water-related disease
- flooding: loss of life, loss of livestock, loss of crops, damage to buildings and infrastructure, contamination of drinking water supplies, water-related disease, financial losses •
- drought: death of organisms, water sources dry up, decline in crop yields, starvation, increased soil erosion, desertification, decrease in air quality, increased risk of wildfires

6.6 Managing the impacts of natural hazards

Candidates should be able to:

- describe and evaluate the strategies for managing the impacts of natural hazards before, during and after an event

Further guidance and exemplification:

- tectonic: monitoring and warning, land use zoning, structure of buildings, disaster preparation (plans, drills, emergency supplies and emergency rescue teams), evacuation, rebuilding of damaged areas, international aid
- tropical cyclones: monitoring and warning, structure of buildings, disaster preparation (plans, drills, emergency supplies and emergency rescue teams), evacuation, emergency shelters, rebuilding of damaged areas, international aid
- flooding: monitoring and warning, use of storm hydrographs (run-off, through-flow, ground water flow), shelters, rescue, rebuilding of damaged areas, flood management techniques
- drought: monitoring, emergency water supplies, water conservation, increase water supply (dams and reservoirs, wells, use of aquifers, water transfer, desalination, rainwater harvesting), international aid

6.7 Opportunities presented by natural hazards

Candidates should be able to:

- describe and explain the opportunities presented by natural hazards to people

Further guidance and exemplification:

- flooding: deposition of silt on farmland
- volcanoes: fertile soils, extraction of minerals, geothermal energy resources

Case studies:

- Compare and contrast the strategies for managing the impacts of tectonic events between a named more economically developed country (MEDC) and a named less economically developed country (LEDG).
- Study the strategies for managing the impacts of a tropical storm or flood or drought.

STRUCTURE OF EARTH

Layer	Temperature (Celsius)	State	Material
Inner Core	5000-6000	Solid	Iron, Nickel
Outer Core	4000-5000	Liquid	Iron, Nickel
Mantle	1000-1200	Liquid	Mainly silicate minerals

EARTHQUAKES AND VOLCANEOES

Plate Boundaries

- Plate boundaries are the regions where two or more tectonic plates meet.
- There are three main types of plate boundaries: constructive (divergent), destructive (convergent), and conservative.

Constructive (Divergent) Plate Boundary

- A constructive plate boundary occurs when two tectonic plates move away from each other.
- This movement is caused by convection currents that rise to the surface.
- When two oceanic plates move away from each other, magma rises to the surface and solidifies when it comes in contact with cold ocean water.
- The solidified magma forms new basaltic ocean crust and can also form shield or basic volcanoes with non-explosive eruptions.
- This process is known as sea-floor spreading or ridge push and can trigger small earthquakes.
- If two continental plates move away from each other, a rift valley may form.

Destructive (Convergent) Plate Boundary

- A destructive plate boundary occurs when two tectonic plates move towards each other.
- When an oceanic plate and a continental plate move towards each other, the denser oceanic plate is forced down (subducted) under the lighter continental plate.
- This happens in the subduction zone and an ocean trench is formed.
- The friction between the plates triggers earthquakes, and the heat produced due to friction turns the descending plate into magma.
- The magma starts to rise and erupt through a weakness in the crust as an explosive composite volcano.
- Fold mountains can also form, and the magma that erupts at the surface forms a chain of volcanic islands called an island arc.

- If two continental plates move towards each other, the sediments between the two plates are compressed (collision zone) and pushed upwards to form fold mountains.
- Earthquakes occur, but there is no volcanic activity as there is no subduction of an oceanic plate.

Conservative Plate Boundary

- A conservative plate boundary occurs when two tectonic plates slide past each other.
- They move at different speeds and get locked together, building up pressure until it is released as an earthquake.

RICHTER SCALE

- The magnitude (strength) of an earthquake is measured using a seismometer on the Richter scale.

Richter Magnitude	Earthquake effects
0-2	Not felt by people
2-3	Felt little by people
3-4	Ceiling lights swing
4-5	Walls crack
5-6	Furniture moves
6-7	Some buildings collapse
7-8	Many buildings destroyed
8-Up	Total destruction of buildings, bridges and roads

TROPICAL CYCLONES

- Warm ocean surface temperature of at least 27°C, ocean depth of at least 60m, occurring between 5° and 20° north and south with little wind shear.
- Between 5° and 20° north and south, do not form on equator due to zero Coriolis effect and straight flow of air from high to low pressure.

FLOODS

Physical Causes

- Heavy Rainfall: Heavy rainfall can lead to increased overland flow and reduced soil infiltration capacity.
- Prolonged Rainfall: Prolonged rainfall may saturate the soil and reduce its ability to absorb water, which can cause the water table to rise.
- Snowmelt: When snow melts rapidly, overland flow can occur.
- Land Relief: Steep land gradients can cause overland flow to occur quickly, giving water little time to infiltrate the soil.
- Saturated Soil: Saturated soil prior to rainfall can result in reduced infiltration and increased overland flow.
- Storm Surges and Tsunamis: Storm surges and tsunamis can cause flooding in low-lying coastal areas.

Human Causes

- Deforestation: Deforestation results in a reduction of both interception and infiltration.
- Cultivation: Cultivation practices such as ploughing down slopes instead of across them can increase the flow of water.
- Urbanization: Urbanization and the use of impermeable surfaces like concrete and tarmac lead to overland flow since there is no infiltration.
- Climate Change: Climate change can cause a rise in sea levels and increased rainfall in some regions.

DROUGHTS

- Lack of rain due to prolonged high pressure, where air sinks and doesn't form rain clouds.
- El Niño causes warmer surface water in the Pacific Ocean, altering storm patterns and causing droughts in Australia.
- La Niña causes cooler water along South America, leading to drought in parts of North and South America.
- Climate change causes rainfall to decrease in some parts of the world, leading to drought.

IMPACTS OF NATURAL HAZARDS

Tectonic Events

- Tectonic events can cause damage to buildings and infrastructure, fires from ruptured gas pipes, tsunamis along coastlines, landslides that cover buildings and roads, destruction of farmland, loss of wildlife habitats, water-related diseases due to lack of sanitation and clean water, loss of

life, trauma and poor mental health, and financial losses when repairing the damage.

Tropical Cyclones

- Tropical cyclones can cause flooding from storm surges and heavy rainfall, loss of life, damage to buildings and infrastructure, disruption of electricity, transport and water supply, water-borne diseases, economic loss as production is halted, damage to crops and food shortages, loss of wildlife habitats.

Flooding

- Flooding can result in loss of life, damage to buildings and infrastructure, contamination of water supplies leading to disease, loss of crops and livestock leading to food shortages, deposition of silt from the flood waters, recharge of groundwater stores, rivers may change course, and financial losses when repairing the damage.

Droughts

- Droughts can cause water sources to dry up, decline in crop yields, loss of crops, livestock, plants, and wildlife, decrease in land prices, migration from rural to urban areas, unemployment, increase in food prices, health problems due to malnutrition, soil erosion leading to desertification, increased risk of wildfires and poor air quality, and conflicts over water usage and food.

MANAGING IMPACTS OF NATURAL HAZARDS

Volcanoes

- Predicting eruptions through monitoring tremors, ground temperature, changes in volcano shape, and gas emissions.
- Preparation and protection through a hazard map, lava diversion channels, lava barriers, spraying lava with water, and building reinforcements.

Earthquakes

- Predicting earthquakes by monitoring tremors, groundwater levels, and radon gas, as well as mapping past events and measuring local magnetic fields.
- Preparation and protection through earthquake-proof buildings, smart meters, and land-use planning.

Tropical cyclones

- Predicting cyclones through satellite tracking.

- Preparation and protection through cyclone shelters, coastal embankments, and preserving mangrove swamps.

Flooding

- Predicting floods by monitoring rainfall and river discharge.
- Preparation and protection through hard engineering projects, soft engineering projects, increasing the river channel, land-use planning, and using sandbags and pumps.

Droughts

- Predicting droughts by monitoring precipitation and temperature.
- Preparation and protection through increasing water supplies, water conservation, agricultural improvements, and government stockpiling supplies of water, food, and medicine.

OPPORTUNITIES BY NATURAL HAZARDS

- Natural hazards can provide opportunities for people to be close to family and friends.
- Confidence in prediction, preparation, and protection can be increased through experiences with natural hazards.
- Volcanic eruptions can lead to the creation of fertile soil and high crop yields.
- Natural hazards can create beautiful scenery for tourism and enjoyment.
- Geothermal energy can be harnessed from natural hazards such as volcanoes.
- Natural hazards can provide the opportunity for mining valuable minerals such as sulfur, diamonds, and gold.
- Living near rivers can provide access to important resources such as food, water, and irrigation.
- Flat land near rivers can be valuable for building and communication.

SYLLABUS OUTLINE CHAPTER 7

7.1 The atmosphere

Candidates should be able to:

- describe the structure and composition of the atmosphere
- describe the natural greenhouse effect

Further guidance and exemplification:

- troposphere, stratosphere, mesosphere, thermosphere
- nitrogen, oxygen, carbon dioxide, argon, water vapour
- the ozone layer

7.2 Atmospheric pollution and its causes

Candidates should be able to:

- describe and explain the causes of atmospheric pollution, with reference to:
 - smog
 - acid rain
 - ozone layer depletion
 - enhanced greenhouse effect

Further guidance and exemplification:

- smog: volatile organic compounds (from industrial processes), vehicle emissions, impact of temperature inversion
- acid rain: sulfur dioxide and oxides of nitrogen
- ozone layer depletion: action of chlorofluorocarbons (CFCs)
- enhanced greenhouse effect: greenhouse gases (carbon dioxide, water vapour and methane)

7.3 Impact of atmospheric pollution

Candidates should be able to:

- describe and explain the impact of atmospheric pollution

Further guidance and exemplification:

- smog: effects on human health
- acid rain: acidification of bodies of water, effects on fish populations, damage to crops and vegetation, damage to buildings
- ozone depletion: higher levels of ultraviolet radiation reaching the Earth's surface, increased rates of skin cancer and cataracts, damage to vegetation
- climate change: melting of ice sheets, glaciers and permafrost; rise of sea-level; flooding and loss of land; forced migration

7.4 Managing atmospheric pollution

Candidates should be able to:

- describe and explain the strategies used by individuals, governments and the international community to reduce the effects of atmospheric pollution

Further guidance and exemplification:

- reduction of carbon footprint
- reduced use of fossil fuels
- energy efficiency
- carbon capture and storage
- transport policies
- international agreement and policies
- CFC replacement

- catalytic converters
- flue-gas desulfurisation
- taxation
- reforestation and afforestation

Case study:

- Study the causes, impact and management of a specific example of atmospheric pollution.

STRUCTURE OF ATMOSPHERE

- The atmospheric pressure decreases as the height increases, in all layers of the atmosphere.
- Based on temperature changes, the atmosphere is divided into four layers:

Troposphere

- Temperature decreases with height as conduction and convection of heat from the Earth's surface decrease.
- The top of this layer is called the **tropopause**, where temperatures remain fairly constant.
- This is the upper limit to the Earth's weather and climate

Stratosphere

- Temperature increases slightly with height.
- This is called temperature inversion.
- This is caused by the concentration of ozone that absorbs the incoming ultraviolet radiation from the Sun.
- This layer also acts as a shield against incoming meteorites.
- The top of this layer is called the **stratopause**.

Mesosphere

- Temperature falls rapidly as there's no dust, water vapour or ozone to absorb the short-wave radiation.
- The upper limit of this layer is called the mesopause.

Thermosphere

- Temperatures rise rapidly because of the absorption of ultraviolet radiation by atomic oxygen.
- The upper limit of this layer is called the thermopause.



COMPOSITION OF THE ATMOSPHERE


- The Earth's atmosphere is composed of the following molecules; **nitrogen, oxygen, argon**, and then trace amounts of **carbon dioxide**, neon, helium, methane, krypton, hydrogen, nitrous oxide, xenon, ozone, iodine, carbon monoxide, and ammonia.
- Lower altitudes also have quantities of **water vapor**.
- NITROGEN (N₂) 78.09
- OXYGEN (O₂) 20.95
- WATER VAPOUR (H₂O) 0.2-4
- CARBON DIOXIDE (CO₂) 0.03
- ARGON (Ar), HELIUM (He), NEON (Ne), KRYPTON (Kr) 0.93/Trace

NATURAL GREENHOUSE EFFECT

- A process that helps keep the Earth's surface and atmosphere warm.
- The Earth receives incoming short-wave radiation from the Sun.
- Half of this radiation is absorbed by the Earth's surface.
- Around 20% is absorbed by the atmosphere.
- Around 30% is reflected by clouds and the Earth's surface, back into space.
- As the Earth's surface warms, outgoing long-wave radiation (infrared radiation) is emitted back into the atmosphere.
- Greenhouse gases absorb some of this radiation and deflect it back to the Earth's surface.
- The more the concentration of the greenhouse gases, the more effectively they return radiation back to Earth.

Examples of greenhouse gases

- Natural: water vapour, carbon dioxide (65%), ozone, methane (17%) and nitrous oxides (6%).
- Artificial: Chlorofluorocarbons (CFCs) (12%).



ATMOSPHERIC POLLUTION AND ITS CAUSES

Acid Rain

- Precipitation with a pH value of less than 7.
- Burning of fossil fuels in factories and power stations release sulfur dioxide and nitrogen oxides.
- Vehicle emissions add further nitrogen oxides.
- When these gases mix and react with the water vapour in the atmosphere, they form weak solutions of nitric and sulfuric acid.
- They are carried by prevailing winds.
- They eventually fall to Earth as acid rain.

Smog

- Burning of fossil fuels in industry, homes and vehicles provides particles like smoke and dust for fog to form around.

Photochemical smog

- Involves chemical reactions induced by sunlight on certain pollutants.
- These reactions convert them into harmful substances, like ground-level or tropospheric ozone ('bad' ozone).

Volatile Organic Compounds (VOCs)

- Chemicals that easily enter the atmosphere as gases, mainly from evaporation.
- Examples: hydrocarbons (like methane), ammonium nitrate, carbon monoxide (incomplete combustion), etc.

Temperature inversion

- A weather condition when the air temperature increases with altitude, rather than decreasing.
- During the day, the surfaces is heated due to longwave radiation.
- On calm and clear nights, the Earth surface cools very quickly, emitting radiation, cooling the air above it.
- At higher altitude, the air doesn't cool as quickly, so this air becomes warmer than the air below it.
- This layer of warm air is the inversion layer, that disrupts the regular convection currents.
- The concentration of smog (pollutants) increases, often in valleys surrounded by steep-sided hills.

Ozone Layer Depletion

- Ozone layer protects the Earth from the Sun's harmful radiation.
- It is formed when oxygen (O_2) filters from the top of the troposphere and reacts under the influence of ultraviolet radiation to form ozone (O_3).
- It is continually formed, destroyed and replaced naturally, creating a dynamic balance, that is disturbed by human activities.
- When CFCs reach the stratosphere, the ultraviolet radiation breaks them down, releasing chlorine.
- Chlorine reacts with oxygen in a destructive process, breaking down the ozone molecules to chlorine monoxide and oxygen, depleting the layer and forming a hole.
- This hole allows harmful radiation to enter the Earth's atmosphere.

Enhanced Greenhouse Effect

- Created by addition of greenhouse gases to the atmosphere through human activities.
- More heat retained in the atmosphere.
- Increased temperature of the Earth's surface, leading to global warming and climate change.

EFFECT OF ATMOSPHERIC POLLUTION

Acid Rain

- Acidification of ground water, making the water undrinkable; can cause diarrhoea and stomach upset if the water is consumed.
- Acidification of groundwater damages tree roots.
- Crop yields decline.
- Nutrients like calcium are leached out of the soil
- Fish die as acidity levels increase.
- Limestone buildings are chemically weathered.

Smog

- Irritation of eyes and throat
- Respiratory diseases, like asthma
- Fine particles carried into lungs, leading to lung cancer, strokes and heart attacks.
- Breathing difficulties.

Ozone Depletion

- Higher levels of ultraviolet radiation cause sun burn, skin cancers, retina Damage.
- Extra ultraviolet radiation limits the reproduction of phytoplankton, affecting the entire food webs.
- Changes in biochemical composition of some plant leaves make them less attractive as food.

Enhanced Greenhouse Gases

- Melting of ice sheets, glaciers and cause a rise in sea-levels.
- Damage to low-lying countries from flooding.

- Forced migration as people lose their homes and farmland from rising sealevels.
- Loss of biodiversity, habitat or extinction if animals and plants can't adapt.
- Increased droughts could lead to desertification and famine.
- Sea-level rise leads to the loss of coastal land and increased erosion.

SYLLABUS OUTLINE CHAPTER 8

8 Human population

8.1 Human population distribution and density

Candidates should be able to:

- identify where people live in the world

Further guidance and exemplification:

- population density
- population distribution

8.2 Changes in population size

Candidates should be able to:

- describe and explain the growth curve of populations
- describe and explain the changes in human populations

Further guidance and exemplification:

- lag, exponential (log), carrying capacity
- birth and death rates
- factors affecting birth and death rates
- factors affecting migration

8.3 Population structure

Candidates should be able to:

- describe population structure in MEDCs and LEDCs

Further guidance and exemplification:

- population pyramids

8.4 Managing human population size

Candidates should be able to:

- evaluate strategies for managing human population size

Further guidance and exemplification:

- family planning
- improved health and education
- national population policies – pronatalist or antinatalist

Case study:

- Study the strategies a named country or region has used to manage population size.

POPULATION DISTRIBUTION AND DENSITY

- Population density refers to the number of people living in a particular area and is measured as the population per unit area.
- Population distribution refers to how people are spread across a given region. For instance, coastal regions often have high population densities due to the availability of freshwater, while deserts and mountains are sparsely populated.

CHANGES IN POPULATION SIZE

- Lag phase is the period of slow growth that occurs when an organism is adapting to a new environment.
- Log/exponential phase is the period of rapid population growth that occurs when all requirements are abundant.
- Stationary phase is when the population growth rate slows down to zero as the carrying capacity of the environment is reached.
- Carrying capacity is the maximum population size that an environment can sustain in terms of food, water, and other resources.

BIRTH RATE

- The number of live births per thousand person in a particular year.

Reasons For High Birth Rate

- Lack of knowledge of contraception (artificial method to prevent pregnancy)
- Lack of availability of contraceptives
- No family planning
- Need children for help on farms
- More children means more income
- Desire for a son
- Concept that children will support in old age
- Religious beliefs/Allah will provide/prestige of large families
- High infant mortality rate
- Women at home to care for children
- Women lack education
- Early marriages
- Do not know about problems of overpopulation/large families

Measures To Control High Birth Rate

- Access to education of contraception
- Use of contraceptives
- Family Planning
- Ban child labour

- Religious support for birth control
- More clinics and hospitals to reduce infant mortality rate
- Education of women
- Job opportunities for women
- Ban on early marriages
- Awareness about problems of overpopulation.

DEATH RATE

- The number of deaths per thousand person in a particular year.

Reasons For High Death Rate

- Lack of medicines
- Medicines are expensive
- Lack of clinics, hospitals
- Lack of trained doctors, nurses
- Lack of vaccinations
- Poor hygiene
- No access to clean drinking water
- Lack of food production and supply
- Poor lifestyles
- No exercise
- Improper diet

Measures To Control High Death Rate

- Better medicines
- More clinics, hospitals
- Trained doctors, nurses
- More widespread vaccinations
- Prevention of diseases, e.g. malaria, cholera, typhoid;
- Improved hygiene
- Access to clean drinking water
- Proper sewage
- Improvement in food production and supply
- Healthy lifestyles
- More exercise
- Balanced diet


PRONATALIST AND ANTINATALIST POLICIES

- Pronatalist policies encourage couples to have more children, while antinatalist policies discourage them from having children.
- In some countries, such as France, couples are encouraged to have more than two children. They may receive financial incentives such as minimum wage payments, tax breaks, and subsidized childcare.

- Antinatalist policies are used in some LEDCs where population growth is too fast. These policies range from family planning and education initiatives to laws limiting couples to having only one child.

DEMOGRAPHIC TRANSITION MODEL

- Graphs suggesting sequence of change in relationships between birth and death rates over a period of time.



Stage 1

- This indicates high birth rate (moderately stable) while the death rate is also high but with many fluctuations due to sporadic outbreak of diseases, famine etc.
- There is little natural increase in the population of Pakistan.

Stage 2

- This indicates the fall of the death rate but the birth rate remains more or less at previous levels.
- The gap between the two rates widens so as a result the rate of natural increase of population peaks to its maximum.

- The percentage of the population under 15 increases.

Stage 3

- This indicates a fall in the birth rate and the stabilization of the death rate.
- The growth of a city's population slows down and the life expectancy also increases.


Stage 4

- Both birth rates and death rates are low with the birth rate fluctuating somewhat due to changes in the economy yet the death rates remains stable.
- Population growth is slow and at the end of the stage four, the death rates rise slightly as more people become old and are more prone to die

Stage 5

- The birth rate falls below the death rate resulting in a natural decrease in population.

POPULATION PYRAMID



MIGRATION

- Movement of the people from one place to another is called migration.

Types of Migration

- There are three types of migration
- Internal Migration
- External / International Migration
- Seasonal Migration

Internal Migration

- Movement of the people within the country is called internal migration.
- Internal migration has four types;
- Rural to Urban
- Rural to Rural
- Urban to Rural
- Urban to Urban

Causes of Rural-Urban Migration**RURAL PUSH FACTORS**

- Lack of employment opportunities in rural areas and hope of better employment in cities
- Limited educational facilities motivates people to move as better institutions are more likely to be in the urban areas
- Droughts may damage the farmlands leaving it unsuitable for farming purposes
- Water logging and salinity also damages the farmland
- No law and order may result in improper carriage of justice
- Standard of living maybe poor and better standard of living maybe expected in the urban areas
- Less access to highly qualified doctors and hospitals
- Shortage of clean water for sanitation and drinking
- Traditional lifestyle maybe unacceptable to the new generations
- Lack of shopping opportunities
- Limited access to electricity and gas supplies

URBAN PULL FACTORS

- Better chances of getting employed
- Chances for getting more highly paid jobs as compared to the rural areas

- Better educational institutions
- Bright lights are a source of attraction for people in rural areas
- More culturally free
- Better law and order
- People in urban areas are usually assured of supplies of food and hence are more reliable
- Recreational and entertainment facilities such as parks, malls etc
- Better infrastructure and easy access to different locations
- Easy availability of hospitals and qualified doctors
- Easy access to gas, electricity, telephones and other means of communication

Effects of Rural Urban Migration

On Urban Area

- Burden upon economy in terms of increased demand for electricity, water, gas, communication etc as the urban population increases
- Increased pollution (air, water and noise)
- Traffic issues such as jams and accidents etc
- Increase in the crime rate and violence as the people emigrating maybe illiterate (so face difficulty to find jobs) and unemployment may force them to indulge in such activities
- Poverty of immigrants may result in formation of temporary locations or slums
- Distribution and composition of people changes as more males may come (from rural areas) and increase the percentage of male members in urban areas
- Traffic congestion.
- Spread of diseases

On Rural Area

- Loss of workforce / only the old and young left.
- Fewer children.
- This results in lower agricultural production in rural areas as men are required for planting, growing and harvesting the crop
- Loss of educated people.
- Women left behind / unbalanced sex ratio.
- As rural areas depopulate the government authorities might shift their attention away from rural areas towards urban areas. This may mean less developmental funds for rural areas to be spent on education/ health etc
- Loss of infrastructure. e.g. roads, electricity, telephone.

- Lack of government investment.

How To Reduce Rural-Urban Migration?

- Better access to medical / health and family planning facilities
- More free contraceptives and better availability
- Better access to education and training
- More / better jobs
- Better infrastructure/ roads, electricity, telephone etc.
- Land reform
- More cottage and small-scale industries in villages

SYLLABUS OUTLINE CHAPTER 9

9 Natural ecosystems and human activities

9.1 Ecosystems

Candidates should be able to:

- define the terms *ecosystem*, *population*, *community*, *habitat* and *niche*
- describe the biotic (living) and abiotic (non-living) components of an ecosystem
- describe biotic interactions
- describe the process of photosynthesis
- describe energy flow using food chains, food webs and trophic levels
- describe and explain ecological pyramids based on numbers and energy
- describe the process of respiration
- describe the carbon cycle

Further guidance and exemplification:

- biotic: producers, primary, secondary and tertiary consumers, decomposers
- abiotic: temperature, humidity, water, oxygen, salinity, light, pH
- competition, predation and pollination
- state the word equation and the importance of chlorophyll
- state the word equation

9.2 Ecosystems under threat

Candidates should be able to:

- describe and explain causes and impacts of habitat loss

Further guidance and exemplification:

- causes: the drainage of wetlands, intensive agricultural practices, deforestation
- impacts: loss of biodiversity and genetic depletion, extinction

9.3 Deforestation

Candidates should be able to:

- describe and explain the causes and impacts of deforestation

Further guidance and exemplification:

- causes: timber extraction and logging, subsistence and commercial farming, roads and settlements, rock and mineral extraction
- impacts: habitat loss, soil erosion and desertification, climate change, loss of biodiversity and genetic depletion

9.4 Managing forests

Candidates should be able to:

- describe and explain the need for the sustainable management of forests

Further guidance and exemplification:

- growing forests act as carbon sinks and mature forests act as carbon stores
- role in water cycle
- prevention of soil erosion
- biodiversity as a genetic resource
- food, medicine and industrial raw materials
- ecotourism

9.5 Measuring and managing biodiversity

Candidates should be able to:

- describe and evaluate methods for estimating biodiversity
- apply sampling techniques to unfamiliar situations
- evaluate national and international strategies for conserving the biodiversity and genetic resources of natural ecosystems

Further guidance and exemplification:

- pitfall traps, pooters, quadrats and transects
- random and systematic sampling
- sustainable harvesting of wild plant and animal species
- sustainable forestry / agroforestry
- national parks, wildlife / ecological reserves and corridors
- extractive reserves
- world biosphere reserves
- seed banks
- role of zoos and captive breeding
- sustainable tourism and ecotourism

Case studies:


- Study the causes and impacts of deforestation in a named area.
- Study the conservation of a named species.
- Study a named biosphere reserve.

ECOSYSTEM

- Ecosystems consist of living things (biotic components) and non-living things (abiotic components) in a specific area.
- A population is a group of organisms of the same species living in a defined area at the same time.
- A community refers to the populations of different species living in an area and interacting with each other.
- A habitat is a place within an ecosystem where a particular organism resides.
- Niche refers to the role or function of a species within an ecosystem.
- A food chain is a diagram that shows the relationship between a single producer and primary, secondary, and tertiary consumers.
- A food web illustrates the relationships between all (or most) of the producers and consumers in an ecosystem.
- A trophic level refers to a feeding level in a food chain or web.
- A pyramid of numbers represents the number of organisms at each trophic level in an ecosystem using a horizontal bar whose length is proportional to the numbers at that level.

Energy Pyramid

ScienceFacts.net



- The pyramid shape of the diagram reflects the loss of energy at each trophic level.

Why Energy Is Lost?

- Lost during transfer as heat to the environment
- Used for cellular respiration
- Used for growth
- Lost as feces

- Lost by incomplete digestion by higher trophic level
- Food chains cannot have more than 4 or 5 trophic levels as there's not enough energy to pass on.


Biotic Factors

- Producers: organisms within an ecosystem that can carry out photosynthesis
- Primary consumers: organisms within an ecosystem that derive their food from producers
- Secondary consumers: organisms within an ecosystem that derive their food from primary consumers
- Tertiary consumers: organisms within an ecosystem that derive their food from secondary consumers
- Decomposers: organisms within an ecosystem that derive their food from the bodies of dead organisms


Abiotic Factors

- Temperature
- Humidity
- Water
- Oxygen
- Salinity
- Brackish water
- Light


Photosynthesis



Respiration



Carbon Cycle



ECOSYSTEM UNDER THREAT

Causes of Habitat Loss

The drainage of wetlands

- Drainage for agriculture, forestry and mosquito control
- Dredging for flood protection
- Use for disposal of waste created by road construction
- Discharge of pollutants
- Peat removal
- Removal of groundwater

Intensive agricultural practices

- Wetlands are drained, and other land is occupied to provide for intensive agricultural practices, resulting in habitat loss.

Over cultivation of soil

- Leads to soil erosion, causing habitat loss for decomposers living in the soil.

Deforestation

- Clearance of climax communities that would otherwise provide habitat for a wide range of tree and ground dwelling species.

Impacts of Habitat Loss

- Extinction: the process by which a species or other named group ceases to exist on Earth or other named area.
- Loss of biodiversity: various species die or relocate when their habitat is destroyed.
- Genetic depletion: the loss of species containing potentially useful genes.

DEFORESTATION

- Deforestation is the cutting down of trees by human use for any purpose.

Causes

- Fuel wood: Most of the people living in the rural areas depends on wood for heating and cooking which results in excessive cutting of forests.
- Road construction: Due to industrialization and urbanization more demand for better transport facilities are required so network is getting larger and denser so forests have been cut down to make roads.
- Residential purpose because of the increasing population. Growth of large cities has converted forest areas into settlements.
- Urbanization i.e. for building industries and airports.
- Forest are cut down to grow crops to meet the food requirement of growing population and to carry out mining activities.
- For construction of dams and barrages: In order to this, millions of hectares of land were cleared to provide irrigational facilities.
- To obtain raw material for paper, railway sleepers, industries for furniture's and making boats.
- Large domestic and foreign market for wood based product. Wood is used in industries little sports goods. Chip board, hard board, veneer plywood and safety matches. Wood is also required for construction industry. Bus bodies, boats and railway coaches use wood as a result forests are cut down to meet the demand of industry.

- Overgrazing of land by cattle, goats and sheep's has also converted sub-tropical scrub forest and tropical forest areas in desert.
- Lack of enforcement of forest rules and regulations.
- Forest Fires.

Effects

- No roots to hold the soil together, no interception.
- Loss of wood for fuel may have to travel much further to find fuel.
- Shortages of firewood for heating, domestic use.
- Lack of leaf fall. Lack of decomposition. Lack of humus Loss of fertility, soil lost only rocks left
- Less infiltration more run off
- More exposure to sun and wind.
- Soil become unfit for agriculture if deposited soils is fertile it improves agriculture eg. Piedmont plains and on active and old flood plains.
- Siltation in reservoirs because soil exposed and washed into rivers.
- Landslides, avalanches nor held by trees.
- Blocks roads, building destroyed.
- Loss of scenery, beauty, shade, leads to decrease in tourism so people lose their jobs.
- Loss of habitat, species lost, extinction, animals more away, less biodiversity.
- Less rain, less transpiration
- Less trees to take carbon dioxide so global warming.
- Loss of timber for furniture, construction.
- Rivers levels lower
- Muddy water undrinkable.
- Air pollution from burning.

IMPORTANCE OF FOREST

- Forests play a crucial role in the ecosystem, and proper forest management is essential to maintain their ecological balance. Here are some reasons why managing forests is important
- Carbon Sinks and Carbon Stores: Forests act as carbon sinks and carbon stores. Carbon sinks are areas where the intake of CO₂ is greater than its output from respiration, resulting in the net flow of carbon from the atmosphere into plants. Carbon stores, on the other hand, are mature vegetated areas where the intake of CO₂ equals its output from respiration, and mature plants store carbon.
- Role in Water Cycle: Forests add water to the atmosphere during transpiration, leading to the formation of clouds, which eventually release precipitation. Deforestation reduces this process, causing local droughts in

the area. Moreover, forests generate moisture in the atmosphere that can affect rainfall around the world.

- **Prevention of Soil Erosion:** Forests intercept rain, reducing heavy rainfall on the forest floor. Tree debris on the forest floor slows run-off, while roots of trees hold soil in place. Forests on the coast reduce erosion by absorbing energy from storms.
- **Ecotourism:** Ecotourism is responsible travel to a natural area that promotes conservation of the environment. Visitors travel to appreciate the natural beauty of the forest. Ecotourism is both a reason to manage forests sustainably and a method by which this can be achieved. It may focus mainly on the economic aspect, with success measured by income, or on sustainability, with success measured by limiting the number of visitors.

MEASURING BIODIVERSITY

- Biodiversity can be measured using various sampling techniques
- **Random Sampling:** Sampling devices are placed randomly using tables or dice. It is used to compare the number of insects in different areas.
- **Systematic Sampling:** Sampling devices are placed in a predetermined pattern or along a line, usually a transect, to check how species change along a gradient. For example, from the shade of a woodland to an open field.

Sampling Methods

- **Quadrat:** A frame of a known area is placed on the site to be sampled to count the number of organisms of a particular species. It is used to sample sedentary organisms, such as plants, and calculate the percentage cover of the organism in the quadrat.
- **Transect:** Sampling devices are laid out along a line already placed across an area to sample sedentary organisms. It is an example of systematic sampling.
- **Pitfall Traps:** Used to sample non-sedentary organisms like insects, consists of a jar sunk up to its rim in the soil, which may or may not be covered depending on the predicted likelihood of rainfall. Traps should be inspected and emptied regularly. It can be used randomly or systematically. Drawback: measures the activity and number of the species.
- **Pooter:** Used to sample non-sedentary organisms, like insects, in short vegetation or on trees. Insects are trapped in a net, and a pooter is used to transport them from the nets or traps to a laboratory, for example.

MANAGING BIODIVERSITY

Harvesting Wild-Grown Medicinal Plants

- Wild plants are preferred over cultivated ones for medicinal use
- A management plan should be in place to control harvesting of wild-grown medicinal plants
- The plan should include assessment of abundance, growth rate, reproductive biology, impact of harvesting, and yield sustainability
- Monitoring of the harvesting should be detailed and sustainable

Sustainable Forestry

- Selective logging involves the removal of only mature trees of valuable species, leaving other species and immature trees to repair the forest over time
- Agroforestry involves growing crops around trees to enrich the soil, provide food for animals and people, and sometimes medicine
- Alley cropping involves planting rows of trees with companion crops in the alleyways between rows to improve soil, provide minerals to crops, and suppress weeds
- These methods allow the long-term survival of farmland

National Parks

- An area of land protected by the government to preserve entire ecosystems
- Laws that ban or limit activities such as hunting, logging, and wildflower collection are implemented and enforced with regular inspection and hefty fines or imprisonment
- Extensive facilities for tourists are provided, and an entry fee charged is used for conservation work
- The largest national park in the world is the Northeast Greenland National Park

Wildlife and Ecological Reserves

- Protection of wild plant and animal species and their habitat that play an important role in balancing ecosystems and natural processes
- Extractive reserves are areas of land allocated to local groups or communities for natural resource extraction
- Wildlife corridors are links of wildlife habitat that join two or more larger areas of similar wildlife habitat, critical for the maintenance of ecological processes and animal movement
- World Biosphere Reserves promote management, research, and education in ecosystem conservation and attract funding and support of experts in the conservation community

Seed Banks

- Purpose: To preserve genetic diversity of endangered plants when habitat protection is not possible.
- Benefit: Wild plants carry genes that could be used in crop plants for pest and disease resistance.
- Advantage: Seeds occupy less space than plants, allowing more species to be stored.
- Impact: Collecting small seed samples is unlikely to harm the wild population.
- Convenience: Seeds are dormant and require minimal care compared to living plants.

Zoos and Captive Breeding

- Role: To educate people about illegal trade, conduct scientific research, and increase species numbers.
- Goal: To release captive-bred animals into the wild when habitats are restored.
- Objective: To maintain genetic biodiversity of a species by avoiding interbreeding and reducing adaptability loss

Reducing Inbreeding

- Strategies: Prohibit repeated breeding with the same partner, use in-vitro fertilization and inter-zoo swapping of individuals, and keep a studbook to track breeding history.

Sustainable Tourism and Ecotourism

- Definition: Management of tourism in a sustainable way that minimizes habitat damage and satisfies people's needs.
- Importance: The growth of the tourist industry depends on maintaining the environment.
- Approach: Safeguard wildlife and use resources sustainably.