

The Capital Vault - Award-Winning Luxury Website Build Instructions

Project Overview

Build a premium, high-converting landing page for The Capital Vault using modern web technologies. The site positions your business as a \$10,000+ premium service with luxury aesthetics, asymmetrical design, and production-grade micro-interactions.

Design Specifications:

- **Color Palette:** Black (#0a0a0a) + Gold (#d4af37) + Off-white (#f7f4ed)
- **Typography:** Playfair Display (serif, headlines) + Sora (sans-serif, body)
- **Layout:** Asymmetrical composition with offset visuals
- **Animations:** Smooth, intentional micro-interactions
- **Conversion Focus:** Clear hero → proof → process → CTA flow

Phase 1: Project Setup

Step 1.1: Initialize Your Project

Bash

```
# Create a new directory
mkdir capital-vault-luxury
cd capital-vault-luxury

# Initialize npm project
npm init -y

# Install dependencies
npm install vite react react-dom
npm install -D @vitejs/plugin-react tailwindcss postcss autoprefixer typescript

# Initialize Tailwind CSS
npx tailwindcss init -p
```

Step 1.2: Configure Vite

Create vite.config.js :

JavaScript

```
import { defineConfig } from 'vite'
import react from '@vitejs/plugin-react'

export default defineConfig({
  plugins: [react()],
  server: {
    port: 3000,
    open: true
  }
})
```

Step 1.3: Configure Tailwind CSS

Update `tailwind.config.js` :

JavaScript

```
/** @type {import('tailwindcss').Config} */
export default {
  content: [
    './index.html',
    './src/**/*..{js,jsx,ts,tsx}',
  ],
  theme: {
    extend: {
      colors: {
        'luxury-black': '#0a0a0a',
        'luxury-gold': '#d4af37',
        'luxury-cream': '#f7f4ed',
        'luxury-dark-gray': '#1a1a1a',
      },
      fontFamily: {
        'playfair': ['Playfair Display', 'serif'],
        'sora': ['Sora', 'sans-serif'],
      },
      spacing: {
        '128': '32rem',
        '144': '36rem',
      },
      animation: {
        'fade-in': 'fadeIn 0.8s ease-in-out',
        'slide-up': 'slideUp 0.8s ease-out',
        'scale-in': 'scaleIn 0.6s ease-out',
      },
      keyframes: {
```

```

    fadeIn: {
      '0%': { opacity: '0' },
      '100%': { opacity: '1' },
    },
    slideUp: {
      '0%': { transform: 'translateY(30px)', opacity: '0' },
      '100%': { transform: 'translateY(0)', opacity: '1' },
    },
    scaleIn: {
      '0%': { transform: 'scale(0.95)', opacity: '0' },
      '100%': { transform: 'scale(1)', opacity: '1' },
    },
  },
},
},
},
},
plugins: [],
}

```

Step 1.4: Create Project Structure

Bash

```

mkdir -p src/components src/styles
touch src/main.jsx src/App.jsx src/styles/globals.css

```

Step 1.5: Create index.html

HTML

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>The Capital Vault | Premium Business Funding</title>
  <meta name="description" content="Premium capital for businesses banks reje

  <!-- Google Fonts -->
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Playfair+Display:wght@

  <script type="module" src="/src/main.jsx"></script>
</head>
<body>
  <div id="root"></div>

```

```
</body>
</html>
```

Step 1.6: Create `src/main.jsx`

JSX

```
import React from 'react'
import ReactDOM from 'react-dom/client'
import App from './App.jsx'
import './styles/globals.css'

ReactDOM.createRoot(document.getElementById('root' )).render(
  <React.StrictMode>
    <App />
  </React.StrictMode>,
)
```

Step 1.7: Create `src/styles/globals.css`

CSS

```
@tailwind base;
@tailwind components;
@tailwind utilities;

/* Custom Luxury Styles */
:root {
  --color-black: #0a0a0a;
  --color-gold: #d4af37;
  --color-cream: #f7f4ed;
  --color-dark-gray: #1a1a1a;
  --transition-smooth: all 0.3s cubic-bezier(0.25, 0.46, 0.45, 0.94);
}

* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

html {
  scroll-behavior: smooth;
}

body {
```

```
font-family: 'Sora', sans-serif;
background-color: var(--color-black);
color: #fff;
line-height: 1.6;
overflow-x: hidden;
}

h1, h2, h3, h4, h5, h6 {
font-family: 'Playfair Display', serif;
font-weight: 900;
letter-spacing: -0.02em;
}

/* Luxury Button Styles */
.btn-luxury {
background: var(--color-gold);
color: var(--color-black);
padding: 14px 36px;
border: none;
border-radius: 4px;
font-weight: 700;
font-size: 13px;
letter-spacing: 0.1em;
text-transform: uppercase;
cursor: pointer;
transition: var(--transition-smooth);
box-shadow: 0 8px 24px rgba(212, 175, 55, 0.25);
}

.btn-luxury:hover {
background: #8b6f3d;
transform: translateY(-2px);
box-shadow: 0 12px 32px rgba(212, 175, 55, 0.35);
}

.btn-luxury:active {
transform: translateY(0);
}

/* Gold Divider */
.divider-gold {
height: 3px;
background: var(--color-gold);
width: 100%;
}

/* Gradient Text */
.gradient-gold {
```

```

background: linear-gradient(135deg, var(--color-gold) 0%, #c9a961 100%);
-webkit-background-clip: text;
-webkit-text-fill-color: transparent;
background-clip: text;
}

/* Premium Card */
.card-luxury {
  background: rgba(255, 255, 255, 0.05);
  border: 1px solid rgba(212, 175, 55, 0.2);
  border-radius: 8px;
  padding: 40px;
  backdrop-filter: blur(10px);
  transition: var(--transition-smooth);
}

.card-luxury:hover {
  border-color: var(--color-gold);
  box-shadow: 0 8px 32px rgba(212, 175, 55, 0.15);
  transform: translateY(-4px);
}

/* Responsive */
@media (max-width: 768px) {
  h1 {
    font-size: 48px;
  }

  h2 {
    font-size: 36px;
  }

  .btn-luxury {
    padding: 12px 28px;
    font-size: 12px;
  }
}

```

Phase 2: Build Core Components

Step 2.1: Create `src/App.jsx`

JSX

```

import React, { useState } from 'react'
import Header from './components/Header'
import Hero from './components/Hero'
import Stats from './components/Stats'
import CaseStudy from './components/CaseStudy'
import WhyBanksSayNo from './components/WhyBanksSayNo'
import HowWeWork from './components/HowWeWork'
import FAQ from './components/FAQ'
import LeadForm from './components/LeadForm'
import CTA from './components/CTA'
import Footer from './components/Footer'

export default function App() {
  return (
    <div className="bg-luxury-black text-white">
      <Header />
      <Hero />
      <Stats />
      <CaseStudy />
      <WhyBanksSayNo />
      <HowWeWork />
      <FAQ />
      <LeadForm />
      <CTA />
      <Footer />
    </div>
  )
}

```

Step 2.2: Create `src/components/Header.jsx`

JSX

```

import React, { useState } from 'react'

export default function Header() {
  const [isOpen, setIsOpen] = useState(false)

  return (
    <header className="sticky top-0 z-50 bg-luxury-black border-b-4 border-luxu
      <div className="max-w-7xl mx-auto px-6 py-6 flex justify-between items-ce
        <div className="flex items-center gap-2">
          <div className="text-2xl font-playfair font-bold text-luxury-gold">
            Capital Vault
          </div>
        </div>
      </div>
    </div>
  )
}

```

```

    <nav className="hidden md:flex gap-8 items-center">
      <a href="#how-we-work" className="text-sm font-medium hover:text-luxu
      <a href="#faq" className="text-sm font-medium hover:text-luxury-gold
      <button className="btn-luxury">Schedule Call</button>
    </nav>

    <button
      className="md:hidden text-luxury-gold text-2xl"
      onClick={() => setIsOpen(!isOpen)}
    >
      ≡
    </button>
  </div>

  {isOpen && (
    <nav className="md:hidden bg-luxury-dark-gray border-t border-luxury-go
      <a href="#how-we-work" className="text-sm font-medium hover:text-luxu
      <a href="#faq" className="text-sm font-medium hover:text-luxury-gold
      <button className="btn-luxury w-full">Schedule Call</button>
    </nav>
  )}
</header>
)
}

```

Step 2.3: Create `src/components/Hero.jsx`

JSX

```

import React, { useEffect, useState } from 'react'

export default function Hero() {
  const [isVisible, setIsVisible] = useState(false)

  useEffect(() => {
    setIsVisible(true)
  }, [])

  return (
    <section className="relative bg-luxury-black py-32 px-6 overflow-hidden">
      /* Background gradient accent */
      <div className="absolute top-0 right-0 w-96 h-96 bg-luxury-gold opacity-5

      <div className="max-w-7xl mx-auto relative z-10">
        <div className="grid md:grid-cols-2 gap-12 items-center">
          /* Left: Text Content */

```



```

<div className={`transition-all duration-1000 ${isVisible ? 'opacity-100' : 'opacity-0'}>
  <div className="inline-block mb-6 px-4 py-2 bg-luxury-gold bg-opacity-10">
    <span className="text-luxury-gold text-xs font-bold tracking-wide">
      </div>

    <h1 className="text-6xl md:text-7xl font-playfair font-black mb-6">
      Premium Capital for Businesses <span className="text-luxury-gold">
        </h1>

    <p className="text-xl text-gray-300 mb-8 leading-relaxed max-w-lg">
      We work with the businesses traditional lenders won't touch. Bad
    </p>

    <div className="flex flex-col sm:flex-row gap-4">
      <button className="btn-luxury">Get Your Capital Strategy</button>
      <button className="px-6 py-3 border-2 border-luxury-gold text-luxury-gold">
        Learn More
      </button>
    </div>
  </div>

  {/* Right: Visual Element (Asymmetrical) */}
  <div className={`relative h-96 md:h-full transition-all duration-1000 ${isVisible ? 'opacity-100' : 'opacity-0'}>
    <div className="absolute inset-0 bg-gradient-to-br from-luxury-gold to-luxury-black">
      <div className="absolute inset-0 border-2 border-luxury-gold border-style-dashed">
        </div>
      </div>

    {/* Stats overlay */}
    <div className="absolute bottom-8 left-8 right-8 bg-luxury-black bg-opacity-80">
      <div className="grid grid-cols-3 gap-4 text-center">
        <div>
          <div className="text-2xl font-playfair font-bold text-luxury-gold">
            <div className="text-xs text-gray-400 mt-2">Businesses Funded</div>
          </div>
        <div>
          <div className="text-2xl font-playfair font-bold text-luxury-gold">
            <div className="text-xs text-gray-400 mt-2">Capital Deployed</div>
          </div>
        <div>
          <div className="text-2xl font-playfair font-bold text-luxury-gold">
            <div className="text-xs text-gray-400 mt-2">Average Funding</div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
</section>

```

```
)  
}
```

Step 2.4: Create `src/components/Stats.jsx`

JSX

```
import React from 'react'  
  
export default function Stats() {  
  const stats = [  
    { number: '600+', label: 'Business Owners Funded', icon: '👥' },  
    { number: '$80M+', label: 'Capital Deployed', icon: '💰' },  
    { number: '50+', label: 'Lenders in Our Network', icon: '🔗' },  
    { number: '5-23 Days', label: 'Average Funding Speed', icon: '⚡' },  
  ]  
  
  return (  
    <section className="bg-luxury-dark-gray py-20 px-6 border-y-4 border-luxury">  
      <div className="max-w-7xl mx-auto">  
        <div className="grid md:grid-cols-4 gap-8">  
          {stats.map((stat, idx) => (  
            <div  
              key={idx}  
              className="card-luxury text-center group">  
              >  
                <div className="text-4xl mb-4">{stat.icon}</div>  
                <div className="text-4xl font-playfair font-bold text-luxury-gold">  
                  {stat.number}</div>  
                <p className="text-gray-300 text-sm">{stat.label}</p>  
              </div>  
            </div>  
          </div>  
        </div>  
      </div>  
    </section>  
  )  
}
```

Step 2.5: Create `src/components/CaseStudy.jsx`

JSX

```
import React from 'react'  
  
export default function CaseStudy() {
```

```

return (
  <section className="bg-luxury-black py-32 px-6">
    <div className="max-w-7xl mx-auto">
      <div className="grid md:grid-cols-2 gap-16 items-center">
        {/* Left: Case Study Details */}
        <div>
          <div className="inline-block mb-4 px-3 py-1 bg-luxury-gold bg-opacity-10">
            <span className="text-luxury-gold text-xs font-bold tracking-wide">Case Study</span>
          </div>

          <h2 className="text-5xl font-playfair font-black mb-6">
            HVAC Contractor – <span className="text-luxury-gold">Rejected 3 Times</span>
          </h2>

          <div className="space-y-6 mb-8">
            <div>
              <p className="text-luxury-gold font-bold text-sm mb-2">THE SITUATION</p>
              <p className="text-gray-300">Credit score: 620. No collateral. No cash on hand.</p>
            </div>

            <div>
              <p className="text-luxury-gold font-bold text-sm mb-2">WHAT WE DID</p>
              <p className="text-gray-300">Structured his application across 30 days</p>
            </div>

            <div>
              <p className="text-luxury-gold font-bold text-sm mb-2">THE RESULTS</p>
              <p className="text-2xl font-playfair font-bold text-luxury-gold">Approved</p>
              <p className="text-gray-300">$1.3M deployed by day 59. He scaled to 10 units</p>
            </div>
          </div>

          <button className="btn-luxury">See More Success Stories</button>
        </div>

        {/* Right: Visual */}
        <div className="relative">
          <div className="bg-gradient-to-br from-luxury-gold via-transparent to-luxury-black">
            <div className="relative z-10 bg-luxury-dark-gray border-2 border-luxury-gold">
              <div className="text-center space-y-8">
                <div className="text-6xl">✔</div>
                <div>
                  <p className="text-gray-400 text-sm mb-2">Revenue Growth</p>
                  <p className="text-4xl font-playfair font-bold text-luxury-gold">+150%</p>
                </div>
                <div className="h-1 bg-gradient-to-r from-luxury-gold to-transparent">
                  <p className="text-gray-300 text-sm">In less than 60 days</p>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </section>
)

```

```

        </div>
      </div>
    </div>
  </div>
</section>
)
}

```

Step 2.6: Create `src/components/WhyBanksSayNo.jsx`

JSX

```

import React from 'react'

export default function WhyBanksSayNo() {
  const reasons = [
    {
      title: "They Don't Understand Your Business",
      description: "Yours goes into a system. A bot reviews it. 60-90 days late"
    },
    {
      title: "They Only Offer One Product",
      description: "Their loan program fits their box. Your situation is comple"
    },
    {
      title: "They Prioritize Their Risk, Not Your Growth",
      description: "They don't care if you'll scale. They care about collateral"
    }
  ]

  return (
    <section className="bg-luxury-dark-gray py-32 px-6 border-y-4 border-luxury"
      <div className="max-w-7xl mx-auto">
        <h2 className="text-5xl font-playfair font-black mb-16 text-center">
          Why <span className="text-luxury-gold">Banks Say No</span>
        </h2>

        <div className="grid md:grid-cols-3 gap-8 mb-16">
          {reasons.map((reason, idx) => (
            <div key={idx} className="card-luxury">
              <div className="text-4xl mb-4">✗</div>
              <h3 className="text-xl font-playfair font-bold mb-4">{reason.title}
              <p className="text-gray-300">{reason.description}</p>
            </div>
          ))}
        </div>
      </div>
    )
  )
}

```

```

        <div className="bg-luxury-black border-2 border-luxury-gold rounded-lg |
          <p className="text-xl text-gray-300 mb-4">Capital Vault operates diff
          <p className="text-3xl font-playfair font-bold text-luxury-gold">We u
        </div>
      </div>
    </section>
  )
}

```

Step 2.7: Create `src/components/HowWeWork.jsx`

JSX

```

import React from 'react'

export default function HowWeWork() {
  const steps = [
    {
      number: '01',
      title: 'Diagnostic',
      description: 'You tell us about your business. Revenue. Growth. What you
    },
    {
      number: '02',
      title: 'Structure',
      description: 'We build your application. Not a generic form. A customized
    },
    {
      number: '03',
      title: 'Deploy',
      description: 'Capital hits your account. You keep 100% ownership. No equi
    }
  ]

  return (
    <section id="how-we-work" className="bg-luxury-black py-32 px-6">
      <div className="max-w-7xl mx-auto">
        <h2 className="text-5xl font-playfair font-black mb-4 text-center">
          How We <span className="text-luxury-gold">Work</span>
        </h2>
        <p className="text-center text-gray-400 mb-20 max-w-2xl mx-auto">
          Three simple steps to access the capital you qualify for.
        </p>

        <div className="grid md:grid-cols-3 gap-8 relative">
          { /* Connecting line */ }
          <div className="hidden md:block absolute top-24 left-0 right-0 h-1 bg

```

```

    {steps.map((step, idx) => (
      <div key={idx} className="relative">
        <div className="mb-8">
          <div className="w-20 h-20 bg-luxury-gold text-luxury-black rounded-full flex items-center justify-center">
            {step.number}
          </div>
        </div>

        <div className="card-luxury text-center">
          <h3 className="text-2xl font-playfair font-bold mb-4">{step.title}</h3>
          <p className="text-gray-300">{step.description}</p>
        </div>
      </div>
    ))}
  </div>
</div>
</section>
)
}

```

Step 2.8: Create `src/components/FAQ.jsx`

JSX

```

import React, { useState } from 'react'

export default function FAQ() {
  const [openIdx, setOpenIdx] = useState(null)

  const faqs = [
    {
      question: "How quickly can I get capital?",
      answer: "Depends on the funding product. Cash flow financing closes in 24 hours."
    },
    {
      question: "What if my credit isn't perfect?",
      answer: "Credit is one factor. It's not the deciding factor. We have access to alternative data."
    },
    {
      question: "Will I give up equity?",
      answer: "No. We only structure debt-based solutions. You keep 100% ownership."
    },
    {
      question: "How much can I qualify for?",
      answer: "That depends on your revenue, cash flow, and what you're trying to achieve."
    }
  ]
}

```

```

    {
      question: "What's the cost?",
      answer: "Our fee is built into your funding terms. You don't pay upfront."
    }
  ]

  return (
    <section id="faq" className="bg-luxury-dark-gray py-32 px-6">
      <div className="max-w-3xl mx-auto">
        <h2 className="text-5xl font-playfair font-black mb-4 text-center">
          Common <span className="text-luxury-gold">Questions</span>
        </h2>
        <p className="text-center text-gray-400 mb-16">Everything you need to k

        <div className="space-y-4">
          {faqs.map((faq, idx) => (
            <div
              key={idx}
              className="card-luxury cursor-pointer"
              onClick={() => setOpenIdx(openIdx === idx ? null : idx)}
            >
              <div className="flex justify-between items-start gap-4">
                <h3 className="text-lg font-playfair font-bold">{faq.question}<
                <span className="text-luxury-gold text-2xl font-bold flex-shrin
                  {openIdx === idx ? '-' : '+'}
                </span>
              </div>

              {openIdx === idx && (
                <p className="text-gray-300 mt-4 pt-4 border-t border-luxury-go
                  {faq.answer}
                </p>
              )}
            </div>
          ))}
        </div>
      </div>
    </section>
  )
}

```

Step 2.9: Create `src/components/LeadForm.jsx`

JSX

```
import React, { useState } from 'react'
```

```

export default function LeadForm() {
  const [formData, setFormData] = useState({
    name: '',
    email: '',
    phone: '',
    revenue: '',
    message: ''
  })

  const handleChange = (e) => {
    const { name, value } = e.target
    setFormData(prev => ({
      ...prev,
      [name]: value
    })))
  }

  const handleSubmit = (e) => {
    e.preventDefault()
    // TODO: Connect to your backend/email service
    console.log('Form submitted:', formData)
    alert('Thank you! We\'ll be in touch shortly.')
    setFormData({ name: '', email: '', phone: '', revenue: '', message: '' })
  }

  return (
    <section className="bg-luxury-black py-32 px-6">
      <div className="max-w-2xl mx-auto">
        <h2 className="text-5xl font-playfair font-black mb-4 text-center">
          Get Your <span className="text-luxury-gold">Capital Strategy</span>
        </h2>
        <p className="text-center text-gray-400 mb-12">
          15-minute diagnostic call. No pitch. Just clarity on what you qualify
        </p>

        <form onSubmit={handleSubmit} className="card-luxury space-y-6">
          <div className="grid md:grid-cols-2 gap-6">
            <input
              type="text"
              name="name"
              placeholder="Your Name"
              value={formData.name}
              onChange={handleChange}
              required
              className="w-full bg-luxury-black border border-luxury-gold borde
            />
            <input
              type="email"

```



```

        name="email"
        placeholder="Your Email"
        value={formData.email}
        onChange={handleChange}
        required
        className="w-full bg-luxury-black border border-luxury-gold borde
    />
</div>

<div className="grid md:grid-cols-2 gap-6">
    <input
        type="tel"
        name="phone"
        placeholder="Phone Number"
        value={formData.phone}
        onChange={handleChange}
        required
        className="w-full bg-luxury-black border border-luxury-gold borde
    />
    <select
        name="revenue"
        value={formData.revenue}
        onChange={handleChange}
        required
        className="w-full bg-luxury-black border border-luxury-gold borde
    >
        <option value="">Annual Revenue</option>
        <option value="50k-100k">$50K - $100K</option>
        <option value="100k-250k">$100K - $250K</option>
        <option value="250k-500k">$250K - $500K</option>
        <option value="500k-1m">$500K - $1M</option>
        <option value="1m+">$1M+</option>
    </select>
</div>

<textarea
    name="message"
    placeholder="Tell us about your business and what you need capital
    value={formData.message}
    onChange={handleChange}
    rows="4"
    className="w-full bg-luxury-black border border-luxury-gold border-
></textarea>

<button type="submit" className="btn-luxury w-full">
    Schedule Your 15-Minute Call
</button>
</form>

```

```

    </div>
  </section>
)
}

```

Step 2.10: Create `src/components/CTA.jsx`

JSX

```

import React from 'react'

export default function CTA() {
  return (
    <section className="bg-gradient-to-r from-luxury-gold to-yellow-600 py-24 p-8">
      <div className="absolute inset-0 opacity-10">
        <div className="absolute top-0 left-0 w-96 h-96 bg-luxury-black rounded">
        </div>

        <div className="max-w-4xl mx-auto relative z-10 text-center">
          <h2 className="text-5xl font-playfair font-black text-luxury-black mb-6">
            Ready to Access the Capital You Qualify For?
          </h2>
          <p className="text-xl text-luxury-black mb-8 opacity-90">
            The fastest way to know what's available to you is to talk to us. One
          </p>
          <button className="bg-luxury-black text-luxury-gold px-12 py-4 rounded">
            Schedule Your Call Now
          </button>
        </div>
      </section>
    )
  }
}

```

Step 2.11: Create `src/components/Footer.jsx`

JSX

```

import React from 'react'

export default function Footer() {
  return (
    <footer className="bg-luxury-dark-gray border-t-4 border-luxury-gold py-16">
      <div className="max-w-7xl mx-auto">
        <div className="grid md:grid-cols-4 gap-12 mb-12">
          <div>
            <h3 className="text-luxury-gold font-playfair font-bold text-lg mb-4">

```

```

        <p className="text-gray-400 text-sm">Premium capital for businesses
    </div>

    <div>
        <h4 className="text-white font-bold mb-4">Quick Links</h4>
        <ul className="space-y-2 text-sm text-gray-400">
            <li><a href="#how-we-work" className="hover:text-luxury-gold tran
            <li><a href="#faq" className="hover:text-luxury-gold transition">
            <li><a href="#" className="hover:text-luxury-gold transition">Suc
        </ul>
    </div>

    <div>
        <h4 className="text-white font-bold mb-4">Contact</h4>
        <ul className="space-y-2 text-sm text-gray-400">
            <li>Phone: (555) 123-4567</li>
            <li>Email: hello@capitalvault.com</li>
        </ul>
    </div>

    <div>
        <h4 className="text-white font-bold mb-4">Legal</h4>
        <ul className="space-y-2 text-sm text-gray-400">
            <li><a href="#" className="hover:text-luxury-gold transition">Pri
            <li><a href="#" className="hover:text-luxury-gold transition">Ter
        </ul>
    </div>
</div>

<div className="border-t border-luxury-gold border-opacity-20 pt-8 text
    <p>&copy; 2024 The Capital Vault. All rights reserved.</p>
</div>
</div>
</footer>
)
}

```

Phase 3: Development & Testing

Step 3.1: Run Development Server

Bash

```
npm run dev
```

This will start your Vite dev server at `http://localhost:3000` with hot module reloading.

Step 3.2: Testing Checklist

- ☐ All sections render correctly on desktop, tablet, and mobile
- ☐ Buttons have hover states and are clickable
- ☐ Form validation works
- ☐ Animations are smooth (no jank)
- ☐ Gold accents are visible and consistent
- ☐ Typography hierarchy is clear
- ☐ Lead form captures data correctly
- ☐ All links work

Step 3.3: Performance Optimization

Bash

```
# Build for production
npm run build

# Preview production build locally
npm run preview
```

Phase 4: Deployment to Vercel

Step 4.1: Prepare for Deployment

1. **Initialize Git Repository** (if not already done):

Bash

```
git init
git add .
git commit -m "Initial commit: Capital Vault luxury landing page"
```

1. **Push to GitHub:**

Bash

```
git remote add origin https://github.com/YOUR_USERNAME/capital-vault-luxury.git
git branch -M main
git push -u origin main
```

Step 4.2: Deploy to Vercel

Option A: Via Vercel CLI

Bash

```
npm install -g vercel
vercel
```

Follow the prompts to connect your GitHub account and deploy.

Option B: Via Vercel Dashboard

1. Go to vercel.com
2. Click "New Project"
3. Import your GitHub repository
4. Configure build settings:
 - Framework: Vite
 - Build Command: `npm run build`
 - Output Directory: `dist`
5. Click "Deploy"

Step 4.3: Configure Custom Domain

1. In Vercel dashboard, go to your project settings
2. Navigate to "Domains"
3. Add your custom domain (e.g., `thecapitalvault.com`)
4. Follow DNS configuration instructions

Step 4.4: Environment Variables (if needed)

In Vercel dashboard → Settings → Environment Variables, add:

Plain Text

```
VITE_API_ENDPOINT=https://your-api.com
```

```
VITE_FORM_ENDPOINT=https://your-form-handler.com
```

Update your form component to use these:

JSX

```
const handleSubmit = async (e) => {
  e.preventDefault()
  const response = await fetch(import.meta.env.VITE_FORM_ENDPOINT, {
    method: 'POST',
    headers: { 'Content-Type': 'application/json' },
    body: JSON.stringify(formData)
  })
  // Handle response
}
```

Phase 5: Conversion Optimization

Step 5.1: Add Analytics

Install Vercel Analytics:

Bash

```
npm install @vercel/analytics @vercel/web-vitals
```

Add to `src/main.jsx` :

JSX

```
import { Analytics } from '@vercel/analytics/react'
import { SpeedInsights } from '@vercel/speed-insights/react'

ReactDOM.createRoot(document.getElementById('root')).render(
  <React.StrictMode>
    <App />
    <Analytics />
    <SpeedInsights />
  </React.StrictMode>,
)
```

Step 5.2: Add Form Integration

Connect your lead form to a backend service (Zapier, Make, custom API):

JSX

```
const handleSubmit = async (e) => {
  e.preventDefault()

  try {
    const response = await fetch('YOUR_WEBHOOK_URL', {
      method: 'POST',
      headers: { 'Content-Type': 'application/json' },
      body: JSON.stringify(formData)
    })

    if (response.ok) {
      alert('Success! We\'ll contact you shortly.')
      setFormData({ name: '', email: '', phone: '', revenue: '', message: '' })
    }
  } catch (error) {
    console.error('Form submission error:', error)
    alert('Error submitting form. Please try again.')
  }
}
```

Step 5.3: A/B Testing

Use Vercel's built-in A/B testing or integrate with tools like:

- Google Optimize
- Convert
- Optimizely

Phase 6: Advanced Enhancements

Step 6.1: Add Scroll Animations

Install AOS (Animate On Scroll):

Bash

```
npm install aos
```

Update `src/main.jsx` :

JSX

```
import AOS from 'aos'
import 'aos/dist/aos.css'

AOS.init({
  duration: 1000,
  once: true
})
```

Use in components:

JSX

```
<div data-aos="fade-up" data-aos-delay="200">
  Your content
</div>
```

Step 6.2: Add Video Background

In Hero component:

JSX

```
<video
  autoPlay
  muted
  loop
  className="absolute inset-0 w-full h-full object-cover opacity-10"
>
  <source src="/path/to/video.mp4" type="video/mp4" />
</video>
```

Step 6.3: Add Testimonials Section

Create `src/components/Testimonials.jsx` :

JSX

```
export default function Testimonials() {
  const testimonials = [
    {
      quote: "Capital Vault got us funded in 23 days when everyone else said no",
      author: "John Smith",
      company: "Smith HVAC",
      image: "/testimonial-1.jpg"
    }
  ]
}
```



```

    },
    // Add more testimonials
  ]

  return (
    <section className="bg-luxury-dark-gray py-32 px-6">
      <div className="max-w-7xl mx-auto">
        <h2 className="text-5xl font-playfair font-black mb-16 text-center">
          What Our Clients <span className="text-luxury-gold">Say</span>
        </h2>

        <div className="grid md:grid-cols-3 gap-8">
          {testimonials.map((testimonial, idx) => (
            <div key={idx} className="card-luxury">
              <p className="text-lg mb-6 italic">{testimonial.quote}</p>
              <div className="flex items-center gap-4">
                <img src={testimonial.image} alt={testimonial.author} className="w-12 h-12 rounded-full object-cover"/>
                <div>
                  <p className="font-bold">{testimonial.author}</p>
                  <p className="text-sm text-luxury-gold">{testimonial.company}</p>
                </div>
              </div>
            </div>
          ))}
        </div>
      </div>
    </section>
  )
}

```

Phase 7: SEO & Meta Tags

Step 7.1: Update Meta Tags in `index.html`

HTML

```

<meta name="description" content="Premium capital for businesses banks reject. ...>
<meta name="keywords" content="business funding, business loans, capital, HVAC ...>
<meta name="author" content="The Capital Vault">

<!-- Open Graph -->
<meta property="og:title" content="The Capital Vault | Premium Business Funding ...>
<meta property="og:description" content="Premium capital for businesses banks r ...>
<meta property="og:image" content="/og-image.jpg">
<meta property="og:url" content="https://thecapitalvault.com">

```

```
<!-- Twitter -->
<meta name="twitter:card" content="summary_large_image">
<meta name="twitter:title" content="The Capital Vault | Premium Business Fundin
<meta name="twitter:description" content="Premium capital for businesses banks
<meta name="twitter:image" content="/og-image.jpg">
```

Step 7.2: Add Structured Data (JSON-LD)

In `src/components/Header.jsx` , add:

JSX

```
<script type="application/ld+json">
{JSON.stringify({
  "@context": "https://schema.org",
  "@type": "Organization",
  "name": "The Capital Vault",
  "url": "https://thecapitalvault.com",
  "logo": "https://thecapitalvault.com/logo.png",
  "description": "Premium capital for businesses banks reject",
  "contactPoint": {
    "@type": "ContactPoint",
    "telephone": "+1-555-123-4567",
    "contactType": "Customer Service"
  }
} )}
</script>
```

Final Checklist

- ☐ All components built and tested
- ☐ Responsive design verified on all devices
- ☐ Performance optimized (Lighthouse score 90+)
- ☐ SEO meta tags configured
- ☐ Form integration connected
- ☐ Analytics installed
- ☐ Git repository initialized and pushed
- ☐ Deployed to Vercel with custom domain

- ☐ SSL certificate active
 - ☐ Mobile menu working
 - ☐ All animations smooth
 - ☐ Conversion tracking enabled
 - ☐ CTA buttons prominent and clickable
 - ☐ Lead capture form optimized
 - ☐ FAQ section interactive
 - ☐ Case study compelling
 - ☐ Trust signals visible
 - ☐ Typography hierarchy clear
 - ☐ Color scheme consistent (black + gold)
 - ☐ Production build tested
-

Troubleshooting

Issue: Tailwind CSS not applying

- Ensure `tailwind.config.js` content paths are correct
- Run `npm run dev` and check browser console for errors
- Clear browser cache

Issue: Fonts not loading

- Verify Google Fonts link in `index.html`
- Check network tab in DevTools
- Ensure font names match in CSS

Issue: Animations not smooth

- Check for layout thrashing in DevTools Performance tab
- Use `transform` and `opacity` for animations (GPU-accelerated)
- Reduce animation duration if needed

Issue: Form not submitting

- Verify webhook URL is correct
- Check browser console for CORS errors

- Test with a tool like Postman first
-

Next Steps for \$100M Goal

1. **Launch this site** as your primary lead capture engine
2. **Integrate with CRM** (HubSpot, Pipedrive, etc.) to track all leads
3. **Set up email sequences** for lead nurturing
4. **Create landing page variants** for A/B testing different offers
5. **Build out secondary pages** (success stories, about, resources)
6. **Implement retargeting** via Facebook/Google Ads
7. **Track conversion metrics** religiously (cost per lead, conversion rate, customer lifetime value)
8. **Optimize continuously** based on data

This website is your sales machine. Treat it as such. Every element should drive conversions. Test everything. Measure everything. Optimize relentlessly.

Your \$100M depends on it.