# Data for Machine Learning

Using Large Data Sets
Advice for Applying Machine Learning:

#### Designing a high accuracy learning system

E.g. Classify between confusable words. {to, two, too}, {then, than}
For breakfast I ate \_\_\_\_\_ eggs.
Algorithms

- Perceptron (Logistic regression)
- Winnow
- Memory-based
- Naïve Bayes




#### Designing a high accuracy learning system

- E.g. Classify between confusable words.
  - {to, two, too} {then, than}
- -> For breakfast late two eggs.

#### Algorithms

- -> Perceptron (Logistic regression)
- Winnow
- -> Memory-based
- → Naïve Bayes






#### Designing a high accuracy learning system

E.g. Classify between confusable words. {to, two, too} {then, than}

For breakfast I ate two eggs.

Algorithms

- -> Perceptron (Logistic regression)
- -> Winnow
- -> Memory-based
- → Naïve Bayes



"It's not who has the best algorithm that wins.

It's who has the most data."



Assume feature  $x \in \mathbb{R}^{n+1}$  has sufficient information to predict y accurately.

Example: For breakfast I ate \_\_\_\_\_ eggs.
Counterexample: Predict housing price from only size (feet<sup>2</sup>) and no other features.

Assume feature  $x \in \mathbb{R}^{n+1}$  has sufficient information to predict y accurately.

Example: For breakfast I ate \_\_\_\_\_ eggs.
Counterexample: Predict housing price from only size (feet<sup>2</sup>) and no other features.

Assume feature  $x \in \mathbb{R}^{n+1}$  has sufficient information to predict y accurately.

Example: For breakfast I ate \_\_\_\_ eggs.

Counterexample: Predict housing price from only size (feet<sup>2</sup>) and no other features.

Useful test: Given the input x, can a human expert confidently predict y?

Assume feature  $x \in \mathbb{R}^{n+1}$  has sufficient information to predict y accurately.

Example: For breakfast I ate eggs. Counterexample: Predict housing price from only size (feet²) and no other features.

Useful test: Given the input x, can a human expert confidently predict y?

Use a learning algorithm with many parameters (e.g. logistic regression/linear regression with many features; neural network with many hidden units).

Use a learning algorithm with many parameters (e.g. logistic regression/linear regression with many features; neural network with many hidden units).

Use a learning algorithm with many parameters (e.g. logistic regression/linear regression with many features; neural network with many hidden units).

Use a learning algorithm with many parameters (e.g. logistic regression/linear regression with many features; neural network with many hidden units).

Use a learning algorithm with many parameters (e.g. logistic regression/linear regression with many features; neural network with many hidden units).

Use a learning algorithm with many parameters (e.g. logistic regression/linear regression with many features; neural network with many hidden units).