No evidence is not weak evidence

Making "not assessed" an honest, first-class state in the AI interview platform, from the database to the recruiter's screen.

Fullstack Product Engineer case study · Branch `feat/honest-skill-assessment` · PR #178

Pull request	github.com/rakamindev/ai-interview-platform/pull/178. Option A: one PR containing the full change across `api/` and `web/`. Seeded fault history is on branch `scratch/seeded-fault` and merged into the PR.
Video walkthrough	drive.google.com/file/d/1Ptd_P6mKq94j2U8jNOzbM2lHgl8FKYKc. About 4 minutes, in Bahasa Indonesia: end-to-end flow before and after.
Claimed depth	**Backend-heavy**: generator rewrite, migration, idempotent jobs, tenant isolation, response validation. Plus a full frontend slice: new states, the API seam fix, and responsive layout.
Tests	49 RSpec examples (from zero) and 18 Vitest tests (no runner before), all green. CI runs both on every PR.

1. Summary
2. Execution narrative, step by step
3. Product context: users, candidates, UU PDP
4. Problem and gap analysis (P0–P3) and constraint signals
5. Options and trade-off matrix
6. Acceptance criteria and edge cases
7. What shipped
8. Screenshots: before and after, states, responsive
9. Test evidence, seeded fault test, AI verification moments
10. Known limitations and follow-ups

1. Summary

> **The core problem.** When an interview ends before every skill is discussed (time limit, connection error, candidate leaves), the platform still gives each undiscussed skill a level. Any missing or invalid model level is silently coerced to **L1** by `.to_i.clamp(1, 5)`. The fit/gap report then shows that fabricated L1 as **"Gap –2"**, the AI writes a hiring recommendation from it, and the screen presents it with the same authority as a well-evidenced rating.
>
> A candidate who was never asked about a skill is reported as weak at it. They did not choose this tool and cannot see or contest the result.

What I changed. Whether a skill was assessed is now decided from data the system already has (the coverage map), not guessed by the model. Each skill is `assessed`, `insufficient_evidence`, or `not_assessed`. Only assessed skills carry a level, and

confidence is computed rather than self-reported. That one rule flows through storage, fit/gap, the narrative prompt, the PDF export, and the UI.

Along the way I found and fixed a **cross-tenant data leak (P0)**, verified against the running API, plus a broken API/UI field contract that left the "Required" column blank in every report.

---

2. Execution narrative

Step 1 — Setup and local exploration

- Cloned the repo and the wiki (PRD-01, PRD-02). Installed Ruby 3.3.2 and ran PostgreSQL 14, Redis, Rails, Sidekiq, and Vite locally.
- Hit two environment issues worth knowing about. Puma's cluster mode crashes on macOS without `OBJC_DISABLE_INITIALIZE_FORK_SAFETY=YES`. CORS only allows origins listed in `ALLOWED_ORIGINS`.
- No Gemini key was available, so the live voice interview was not exercised. Everything after the interview (portfolio, overrides, fit/gap, export) was exercised with synthetic data and a stubbed model (`rails demo:seed`), and also with the real Sidekiq job hitting a deliberately invalid key, which exercised the real failure path.

Step 2 — Context and domain immersion

Read the product spec before the code, then traced the post-interview pipeline: `Sessions::EndHandler` → `PortfolioGeneratorWorker` → `Portfolios::Generator` → `FitGap::Engine` → API → React pages. Key observation: PRD-02 only simulates the happy path ("all covered before ceiling"). Behaviour for early endings is never specified, so `clamp(1, 5)` decides it implicitly.

Step 3 — Problem definition

Static review, then runtime confirmation where possible. Findings are separated into *missing specification* and *defective implementation*, ranked P0–P3 (section 4). Escalation items are listed as constraint signals.

Step 4 — Strategy, acceptance criteria, trade-offs

Wrote and committed the option comparison and acceptance criteria *before* implementation (`assessment/02-options-and-acceptance-criteria.md`, commit `6c700d9`).

Step 5 — Implementation

Test-first where it mattered: the tenant-isolation specs were committed failing (`02641c0`), then the fix (`259d132`). Small commits: harness → security fix → docs → migration and generator → fit/gap → web harness → web → CI → seeded fault → screenshots.

Step 6 — Verification

Ran the new specs against the original code, the seeded fault test with visible history, a migration up/down/up on a database with existing rows, browser checks at 1280 px and 375 px, and a CI simulation on a freshly created test database.

3. Product context

What the product is for

It replaces a first-round human technical interview with an AI voice interviewer that probes skills, then produces an evidence-backed L1–L5 portfolio that a recruiter compares against a vacancy. The outcome it exists to produce is a **trustworthy hiring signal at scale**. Everything rests on that signal being trustworthy: if recruiters learn that a level can be invented, they stop relying on any level, and the product loses its reason to exist.

The industry

In Indonesian tech hiring, the scarce resource is senior interviewer time, not candidate volume. Screening tools such as CV parsing and generic aptitude tests are commoditised. The leverage is in *depth*: evidence of how someone thinks, at a level a hiring manager will act on. That only works if the system is honest about where its evidence stops.

The users

User	What they are trying to get done	What hurt them
Recruiter / assessor	Shortlist quickly and defend the shortlist to a hiring manager.	Couldn't tell "weak" from "never asked". The Required column was blank, so gaps had no reference point. Overrides were invisible in the report.
Hiring manager	Decide from a one-page fit/gap summary.	The AI recommendation was built on fabricated gaps, and the overall recommendation paragraph was effectively never shown.
Candidate (did not choose this tool)	Be judged on what they actually said.	Marked L1 / "Gap" for topics never raised. Personal data could be read by another tenant's assessors. Not told the session was recorded until afterwards.

UU PDP implications (Law No. 27 of 2022 on Personal Data Protection)

- **Accuracy.** Storing and sharing an invented assessment about a person conflicts with the controller's duty to keep personal data accurate. The fix stores "unknown" instead of a false value.
- **Confidentiality and access control.** The cross-tenant leak exposed candidate transcripts, quotes, and ratings to other organisations. Fixed in this PR.
- **Automated decision-making.** The law gives data subjects rights regarding decisions based solely on automated processing, including profiling. Keeping a human override, making it visible, and never presenting missing evidence as a judgement all reduce that risk. Whether this product needs an explicit objection channel for candidates is a legal question I'm escalating (constraint signal 2).
- **Lawful basis and transparency.** Candidates are told "The interview has been recorded" only after the session. This is *Pending legal/product decision*; I did not change the consent flow because the lawful

basis is not an engineering call.

- **Logs.** Error messages could carry raw model output, which can include candidate quotes, into logs, the database, and API responses. These are now generic.

---

4. Problem and gap analysis

`SPEC` missing specification (never defined) · `DEFECT` defined but broken · ✔ fixed in this PR

#	Type	Where	Finding	Impact (one line)	
P0-1	SPEC + DEFECT	api → web	Unassessed or invalid levels coerced to L1 (`generator.rb` `clamp(1,5)` , NOT NULL `ai_level` , web `parseLevel` fallback to 1).	A candidate never asked about a skill is reported as L1 and a hiring "Gap".	✔
P0-2	DEFECT	api	`Portfolio` / `PortfolioSkill` / `FitGapReport` not tenant-scoped; `Portfolio.find(id)` in 4 actions + override lookup. **Verified at runtime**: tenant A token exported tenant B portfolio (200) and overwrote its rating (201).	Cross-organisation personal data breach and tampering.	✔
P0-3	DEFECT	api	`audio_complete` (invite token, no JWT) ends a session as `all_covered` with no coverage check.	Anyone with the link can end an interview early. After this PR, that no longer fabricates scores.	Harm removed; hardening is a follow-up
P1-1	DEFECT	seam	API sends `expected_level` , web reads `required_level` .	"Required" column blank in every fit/gap report.	✔
P1-2	DEFECT	seam	Engine never emits `is_override` .	Human adjustments invisible in reports.	✔
P1-3	DEFECT	api	Portfolio save: `destroy_all` then per-row `create!` , no transaction; one bad model field aborts mid-way.	Partial writes; each retry repeats a 180 s model call.	✔
P1-4	DEFECT	web + api	Fit/gap page re-triggers generation on every 5 s poll; no dedupe.	N parallel paid LLM calls and `RecordNotUnique` races.	✔
P1-5	DEFECT	api	No guard against duplicate portfolio jobs.	Racing `destroy_all` , duplicate rows.	✔ (atomic claim)
P1-6	DEFECT	web	Overall recommendation shown only when the culture narrative is empty.	Hiring summary effectively never visible.	✔

P1-7	DEFECT	api	Fallback narrative ignores unassessed skills.	LLM outage silently hides unknowns.	✔
P1-8	SPEC	web	No consent or notice before recording.	Lawful-basis risk under UU PDP.	Escalated
P2-1	DEFECT	api	Raw model output (may contain candidate quotes) stored in `generation_error`, logged, returned by the API.	Personal data in logs and error payloads.	✔
P2-2	DEFECT	web	Blank screens on load failure or when the portfolio isn't ready; errors swallowed.	Dead ends with no next step.	✔
P2-3	DEFECT	web	Discovered skills print a raw number and call medium confidence "confirmed".	Overstates certainty.	✔
P2-4	DEFECT	web	Summary omits the not-assessed count.	Unknowns vanish from the at-a-glance view.	✔
P2-5	DEFECT	web	Assessor header overflows to 550 px at a 375 px viewport.	Horizontal scroll on phones.	✔
P2-6	DEFECT	api	`regenerate_fitgap` deletes the old report before the new one succeeds.	A failed regeneration loses the last good report.	Follow-up
P2-7	SPEC	api	Confidence self-reported by the LLM although the rule is deterministic from coverage.	Confidence can contradict coverage data.	✔
P3	DEFECT	web	Copy ("You Overridden ✓"), all-caps labels, long quotes never collapse.	Polish.	✔

Constraint signals (what I would escalate to a Tech Lead)

1. **Tenant isolation is a live breach.** I'd ship that commit on its own first, ahead of the larger revamp, and audit access logs for cross-tenant portfolio IDs.
2. **Consent, retention, and automated-decision rights** need a legal/product owner. Engineering can only make the gap visible.
3. **Shared database.** The README says `rakamin-api` shares this PostgreSQL. Making `portfolio_skills.ai_level` nullable needs confirmation that no other consumer assumes NOT NULL.
4. **Historical reports** computed with the old logic still contain fabricated gaps. Re-generating them is an ops decision, and so is whether to tell affected tenants.
5. **Production boot.** `RAILS_ENV=production rails runner` fails locally with `undefined method 'active_job'`, and eager loading fails on a Zeitwerk name mismatch (`audio_websocket_middleware.rb` vs `AudioWebSocketMiddleware`). Both predate this work and were left untouched to keep scope tight. CI therefore runs without eager loading.
6. **Auth trusts JWT claims without a user lookup**, with a 3-day TTL in the sample config. A revoked assessor keeps access for days.

5. Options and trade-off matrix

	A. Hide it in the UI	B. Ask the model to return null	C. Decide from coverage; model only judges evidence (chosen)
Product impact	Low. Exports, fit/gap, and the narrative still say "Gap".	Medium. Fixes common cases.	High. One rule, correct in DB, API, fit/gap, narrative, PDF, and UI.
Cost	~0.5 day	~1 day	~2–3 days
Maintainability	Two sources of truth; every consumer re-implements the rule.	Correctness depends on prompt obedience.	The rule lives in the generator plus `Portfolios::Confidence`. Additive migration with a guarded `down`.
Failure modes	Any non-UI consumer shows the fake L1.	The model still invents levels for skills never discussed, and output varies by run.	The coverage analyzer can lag (`retry: 0`), so a briefly discussed skill may read as `not_yet`. It then shows as "Not assessed": the safe direction, and visible in the transcript.
Walk-back	Trivial	Prompt revert	Revert commits plus one migration rollback. The rollback refuses to run while unrated rows exist, rather than inventing levels.
Contextual fit	Hides the defect.	Kept as a secondary input (null = insufficient evidence).	Uses data that already exists. No new infrastructure. Fits the deadline.

Smaller decisions and rejected options.

- `string` + CHECK constraint instead of a PG enum for the status, because enum values can't be removed cleanly in a rollback.
- No unique index on `(portfolio_id, skill_label)` yet. Existing rows may hold duplicates, so the deploy could fail. Duplicates are prevented at the job level instead.
- Overrides are disallowed on unrated skills. Inventing a level without evidence recreates the bug; the UI suggests a follow-up session instead.
- A Redis `SET NX` lock for fit/gap enqueue plus an upsert in the engine. Either alone leaves a gap: the lock prevents wasted LLM calls, and the upsert makes a duplicate harmless.

6. Acceptance criteria and edge cases

Full list in `assessment/02-options-and-acceptance-criteria.md`. Each row below is covered by an automated test.

Input / edge case	Correct behaviour

Skill with coverage `not_yet`, or no coverage row at all	`not_assessed`, level null, *not sent to the model*, even if the model returns a level for it.
Model level `null`, `0`, `6`, `"N/A"`, `3.5`, `""`, `"three"`, or skill omitted	`insufficient_evidence`, level null. Never L1.
Model level `"3"` / `"L3"`	Accepted as 3.
Model confidence `"very high"`	Ignored. Computed from coverage: covered and ≥ 3 probes → high; initiated or ≤ 1 probe → low; otherwise medium. On overlap, the lower wins.
Skill label the model invents	Ignored.
Evidence: non-strings, blanks, > 3 quotes, 900-char quote	Strings only, trimmed, max 3, max 500 chars each. The UI collapses long quotes.
Nothing discussed at all	Model not called; every skill `not_assessed`; status complete.
Model output not JSON / wrong shape	Status failed with a generic message (no transcript text); job retries.
Model timeout	Status failed: "The AI model timed out"; job retries.
Save fails half-way	Transaction rollback; previous skills intact.
Duplicate job / job for a complete portfolio	No-op; model not called; no duplicate rows.
Portfolio stuck in `generating` > 15 min	A new job may reclaim it.
Retries exhausted	Stored message "Failed after N retries" without the raw error text.
Vacancy skill unassessed / insufficient / not in interview	`not_assessed` with reason `not_covered` / `insufficient_evidence` / `not_in_assessment`; never a gap.
Concurrent fit/gap jobs; repeated POSTs	Upsert, no unique-index error; one job enqueued.
Override on an unrated skill; level 9; student token	422; 422; 403.
Cross-tenant export / override / fit/gap read, trigger, regenerate	404 and no side effects.
DB write bypassing validations (`update_columns(ai_level: nil)`)	Rejected by the CHECK constraint.
Web: report never arrives	Stops after 24 polls (2 min) with "Check again". Polling never re-triggers generation.
Web: portfolio not ready; load failure	Explanatory state with a link back; error state with retry.
Web: 375 px viewport	No horizontal scroll; comparison table becomes stacked rows.

7. What shipped

Backend (api/)


- **Migration** `20261019000000`: adds `assessment_status` (default `assessed`, so existing rows stay valid), makes level, confidence, and summary nullable, and replaces the level CHECK with a NULL-safe status/level constraint. The `down` refuses while unrated rows exist. `20261019000001` adds `generation_started_at` for stale-claim recovery.
- **`Portfolios::Generator`**: builds rows from coverage maps; only discussed skills are rated by the model; atomic claim (`update_all` on `pending|failed|stale generating`); one transaction; safe error messages; the model client is built lazily (not needed when nothing was discussed).
- **`Portfolios::ResponseParser`** validates the model JSON. **`Portfolios::Confidence`** encodes the PRD rule.
- **`FitGap::Engine`**: `not_assessed` with a reason, `is_override`, upsert, a narrative prompt that forbids treating unknowns as weakness, and an honest fallback.
- **Tenant scoping** via `for_current_tenant` scopes that go through the tenant-scoped `Session`.
- **`FitGapGeneratorWorker.enqueue_once`** (Redis `SET NX EX`, released in `ensure`). Override guard. PDF export prints unrated skills as such.
- `rails demo:seed`: synthetic early-ended interview through the real generator with a stubbed model.

Frontend (web/)

- Types now match the API contract (`expected_level`, nullable level, `assessment_status`, `is_override`, `not_assessed_reason`). `parseLevel` and its fallback to 1 are removed.
- **Unrated skill card**: a dashed "No rating" slot in place of a level, an explanation of why, and the next step. No override button.
- **Portfolio summary**: "2 of 5 configured skills rated" with a segmented bar and why the interview ended early.
- **Fit/gap**: the Required column fixed, reason under each unrated row, override marker, not-assessed count, a warning banner, the overall assessment shown, and a stacked layout on mobile.
- Explicit page states (loading, generating, failed with retry, load error, not ready, timed out). Long text wraps or collapses. The header fits at 375 px.
- Everything built from the existing tokens and Radix/shadcn primitives; no new visual language.

8. Screenshots

Before (original `main` web against the same API)




Skills never discussed show L1 "Foundational" with a generic low-confidence note.




Required column blank (seam bug); never-asked skills reported as "Gap –2". The narrative text in this capture came from the new engine's fallback when the demo data was seeded; the table is what demonstrates the old behaviour.


After



Summary states how many skills were rated and why the interview ended early. The assessor's adjustment (L2 → L3) is explicit. Long quotes collapse.




"Not enough evidence" and "Not assessed" are distinct, explain themselves, give a next step, and offer no override.




Required column populated. Each unrated row says why. The overall assessment is visible. Produced by the real Sidekiq job; the narrative is the fallback because the Gemini key was intentionally invalid.

Responsive (375 px)




Portfolio, no horizontal scroll.




Fit/gap as stacked rows.


States




Generating (fit/gap).




Generating (portfolio).



Failed, with a safe reason and retry.



Fit/gap requested before the portfolio is ready.



Load error with retry.

9. Test evidence

Suite	Files	Result
RSpec (api)	`services/portfolios/generator_spec`, `services/fit_gap/engine_spec`, `requests/portfolio_tenant_isolation_spec`, `requests/fit_gap_spec`, `requests/portfolio_skills_spec`, `requests/portfolios_spec`, `models/portfolio_skill_spec`, `workers/portfolio_generator_worker_spec`	49 examples, 0 failures
Vitest (web)	`utils/skills.test`, `SkillPortfolioCard.test`, `ComparisonTable.test`, `FitGapReportPage.test`	18 tests, 0 failures
CI	`.github/workflows/ci.yml`: Postgres + Redis services → migrate → RSpec; `npm ci` → `tsc` → Vitest → build	Simulated locally on a freshly created test DB

Coverage percentage is not measured (no SimpleCov / c8 configured). The claim is behavioural: every acceptance criterion in section 6 maps to a test.

Watched them fail

- **Tenant isolation**: committed red first (`02641c0`): 5 of 7 failing with 200/201/202 instead of 404. Green after `259d132`. Logs: `evidence/01-…-red.txt`, `02-…-green.txt`.
- **Generator spec against the original generator**: 22 of 23 fail (`evidence/04-…`). To be precise: part of that count comes from the intentional change in the model's output schema, not only from the L1 bug.
- **Fit/gap polling**: temporarily re-introducing "trigger on every poll" made the test fail with *expected 1 call, got 6*.

Seeded fault test (branch `scratch/seeded-fault`, merged with history)

```
*   b700dc2 Merge seeded fault test history
|\
| * 8b1bb34 Revert "SEEDED FAULT: fall back to L1 when the model gives no level"
| * 7994a3f Revert "SEEDED FAULT: read required_level in the comparison table"
| * 5c9498a SEEDED FAULT: read required_level in the comparison table
| * f92944f SEEDED FAULT: fall back to L1 when the model gives no level
|/
* dabbe91 Add CI for API specs and web type-check, tests and build
```

- **API fault** (`f92944f`): treat any discussed skill as assessed with `level || 1`. RSpec: **49 examples, 8 failures**, e.g. *expected assessment_status "insufficient_evidence", ai_level nil, but had "assessed", 1*.
- **Web fault** (`5c9498a`): read `required_level` again. Vitest: **1 failed**, "shows the required level sent by the API".
- Both reverted; suites green again; the tree is byte-identical to `dabbe91`. Logs in `evidence/05-08`.

AI verification moments

I used an AI coding assistant throughout. These are the cases where its output was wrong or risky, and how I caught them.

1. **A CHECK constraint that let NULL through.** The generated constraint was `(status = 'assessed' AND ai_level BETWEEN 1 AND 5) OR (status <> 'assessed' AND ai_level IS NULL)`. It reads correctly, but in SQL's three-valued logic an assessed row with a NULL level evaluates to `NULL OR FALSE = NULL`, and PostgreSQL treats a NULL CHECK as passing. I caught it by inserting that exact row with raw SQL: it was accepted. Fixed with `ai_level IS NOT NULL`, re-verified (now `PG::CheckViolation`), and pinned with a model spec that bypasses validations. Evidence: `evidence/03a-…` (bug) and `03-…` (fixed).
2. **Status stuck in "generating".** The generated atomic claim used `update_all`, which bypasses the in-memory object. On failure, `portfolio.update!(generation_status: 'failed')` saw no change from the stale in-memory value and wrote nothing, so the portfolio would spin forever. The "save fails half-way" spec caught it (*expected "failed", got "generating"*). Fixed by reloading after a successful claim.
3. **A wrong assumption about Rails scopes.** The assistant's plan avoided `joins(:session)` on the belief that it ignores `Session`'s tenant `default_scope`. Checking the generated SQL showed it *does* apply it. I kept the explicit subquery anyway because it doesn't depend on that subtle behaviour, but the stated reason was wrong.
4. **Invalid evidence, caught before it was used.** The first migration-safety log "proved" rollback worked, but the probe row had silently failed to insert because model validations weren't updated yet, so the rollback ran against nothing. I re-ran the check with raw SQL inserts.

10. Known limitations and follow-ups

- The live voice interview was not exercised (no Gemini key). The generator change is covered by specs and the stubbed demo, not by a real model run.
- `audio_complete` hardening (P0-3): verify coverage or session state server-side. Not done, because its timing with the WebSocket flow can't be tested here.
- `regenerate_fitgap` should keep the old report until the new one succeeds (P2-6).
- Unique index on `(portfolio_id, skill_label)` after a duplicate audit.
- Candidate notice and consent before recording, and a retention policy: legal decision first.
- Re-generate historical fit/gap reports affected by fabricated L1s.
- Production boot and eager-load issues (constraint signal 5).