
## Transforming ERD into Relations

#### Mapping a regular entity


**CUSTOMER** entity type with simple attributes




#### **CUSTOMER** relation




#### Mapping a composite attribute



#### Mapping a multivalued attribute




#### Multivalued attribute becomes a separate relation with foreign key




1 – to – many relationship between original entity and new relation

#### Example of mapping a weak entity

#### Weak entity DEPENDENT




#### Relations resulting from weak entity




#### Example of mapping a 1:M relationship


#### Relationship between customers and orders



#### Mapping the relationship




# Example of mapping an M:N relationship ER diagram (M:N)





The Supplies relationship will need to become a separate relation


#### Three resulting relations



#### Mapping a unary 1:N relationship









#### Minimum 3 tables will be required-

- MR1 (M1, M2, M3, P1)
- 2. P (P1, P2)
- 3. NR2 (P1, N1, N2)




#### Minimum 4 tables will be required:

- AR1R2 (a1, a2, b1, c1)
- 2. B (<u>b1</u>, b2)
- 3.  $C(\underline{c1}, c2)$
- 4. R3 (<u>b1</u>, <u>c1</u>)




#### Three tables will be formed

- 1. **E1**(<u>a1</u>)
- 2. E2R1 (b1, a1)
- 3. R2 (<u>a1</u>, <u>b1</u>)



#### Minimum 5 tables will be required:

- BR1R4R5 (<u>b1</u>, b2, a1, c1, d1)
- 2. A (a1, a2)
- 3. R2 (<u>a1</u>, <u>c1</u>)
- 4. CR3 (c1, c2, d1)
- 5. D (<u>d1</u>, d2)




#### Minimum 3 tables will be required:

- 1. E1 (<u>a1</u>, a2)
- 2. E2R1R2 (b1, b2, b3, a1, c1)
- 3. E3 (<u>c1</u>, c2)

Find the minimum number of tables required for the following ER diagram in

relational model




Minimum 4 tables will be required:

- 2.  $C(c_1, c_2)$
- 3. R3(b1, c1)
- 4. AR1R2 (<u>a1</u>, a2, b1, c1)

## **Mapping of Binary 1:1 Relationship Types**


- For each binary 1:1 relationship type R in the ER schema, identify the relations S and T that correspond to the entity types participating in R.
- There are three possible approaches:
  - 1. Foreign Key approach: Choose one of the relations-say S-and include a foreign key in S the primary key of T. It is better to choose an entity type with total participation in R in the role of S.
    - Example: 1:1 relation MANAGES is mapped by choosing the participating entity type DEPARTMENT to serve in the role of S, because its participation in the MANAGES relationship type is total.
  - 2. Merged relation option: An alternate mapping of a 1:1 relationship type is possible by merging the two entity types and the relationship into a single relation. This may be appropriate when both participations are total.
  - **3.** Cross-reference or relationship relation option: The third alternative is to set up a third relation R for the purpose of cross-referencing the primary keys of the two relations S and T representing the entity types.

# Quiz Transform ERD into Relations




## Solution

#### **EMPLOYEE**



### **TERNARY RELATIONSHIP: SUPPLY**



### Mapping the *Ternary* relationship type SUPPLY

