

Advik Session 6

Saturday, July 18, 2026 10:38 PM

Homework :

1. Full website using bootstrap ✓
2. Go through the bootstrap ✓

Block Element :

A block-level element always starts on a new line, and the browsers automatically add some space (a margin) before and after the element.

A block-level element always takes up the full width available (stretches out to the left and right as far as it can).

Two commonly used block elements are: `<p>` and `<div>`.

The `<p>` element defines a paragraph in an HTML document.

The `<div>` element defines a division or a section in an HTML document.


Here are the block-level elements in HTML:

<code><address></code>	<code><article></code>	<code><aside></code>	<code><blockquote></code>	<code><canvas></code>	<code><dd></code>
<code><div></code>	<code><dl></code>	<code><dt></code>	<code><fieldset></code>	<code><figcaption></code>	<code><figure></code>
<code><footer></code>	<code><form></code>	<code><h1>-<h6></code>	<code><header></code>	<code><hr></code>	<code></code>
<code><main></code>	<code><nav></code>	<code><noscript></code>	<code></code>	<code><p></code>	<code><pre></code>
<code><section></code>	<code><table></code>	<code><tfoot></code>	<code></code>	<code><video></code>	

Inline Element :

Which do not cover the entire width of the screen.

ColSpan & RowSpan :



Mini Project

