

उत्तर रेलवे

पत्र सं० 433-सिग/टी/22/18-19
दिनांक - 16-07-2020


मण्डल कार्यालय
फिरोजपुर

M/s Cyrus Electronics Pvt Ltd
Cyrus House
B-44/69, Sector-Q
Aliganj
LUCKNOW-226024

विषय:- Extension in connection with the work of Supply, Testing and commissioning of Integrated security system comprising of CCTV Surveillance system at Amritsar, Patna, Cantt Jalandhar & Ludhiana of Ferozpur Division

Ref: - Your letter No. -NIL- dated 28-03-2020.

In reference to your letter cited above, the competent authority for and on behalf of President of India has extended the time limit for execution of the above said work up to 30-09-2020 without LD. Necessary arrangement may be made to complete the work within extended period. You are hereby advised that the work should be completed within the extended date of completion strictly

 16/7/20
कृते वरिष्ठ मण्डल सक्तेत एंव दूरसंचार इंजीनियर,
उत्तर रेलवे, फिरोजपुर ।

प्रतिलिपि:-सूचना तथा आवश्यक कारवाई हेतु:-

1. एसएसई/टेली/लुधियाना, जालन्धर, अमृतसर तथा पटानकोट
2. वरिष्ठ मण्डल वित्त प्रबन्धक/फिरोजपुर