Lecture 13: Strings

ASCII

'A' - 65	'a' - 97	'0' - 48
'B' - 66	'b' - 98	'9' - 57
⋮		
'Z' - 90	'z' - 122	

'A' → 65 → $(0\,1\,0\,0\,0\,0\,0\,1)_2$

'a' → 97 → $(0\,1\,1\,0\,0\,0\,0\,1)_2$

flip from lower to upper & vice-versa by add/subtract $2^5 = 32$

ord ('a') = 97

chr (97) = 'a'

(42) Given a string flip the case of chars.

```
def flip(A):
    l = list(A)
    for ix in range(len(l)):
        l[ix] = chr(ord(l[ix])^32)
    return "".join(l)
```

Follow-up

If any character is in uppercase, convert it to lowercase

```
l = list(A)
ans = ""
for c in l:
    if c > 'A' or c < 'Z':
        c = chr(ord(c)^32)
        ans += c
    else:
        ans += c
return ans
```

(43) Given the string in lowercase, sort it.

[a g d c a b]

⇒ [a a b c d g]

Brute Force

str → list

list.sort()

"".join(list)

O(N log N)

Trick

```
freq = [0] * 26
ans = ""
for x in A :
    freq[ ord(x) - ord('a') ] += 1

for i in range(26):
    for j in range ( freq[i] ):
        ans += chr(97+i)

return ans
```

a	b	c	d	e	f	g	h		
0	1	2	3	4	5	6	7	8	9	10

freq [2 1 1 1 0 0 1 0 0 0 ...]

TC: const. time

→ [a a b c d g]

(44) Given a substring, reverse it



① convert to list

② while i < j:

```
l[i], l[j] = l[j], l[i]
i += 1
j -= 1
```

③ return "".join(list)

(45) Reverse the words in a sentence

"I am a slave"

1. sentence.split()
2. Reverse the list
3. join()

OR

```
l = s.split()          i = 0   j = len(l)
while i < j:
    l[i], l[j] = l[j], l[i]
    i += 1
    j -= 1
return "".join(l)
```

(46) Given 2 strings, find the length of longest common prefix string

"professor"
"project"
⇒ 3

```
ans = 0
for i in range(min(len(a), len(b))):
    if a[i] == b[i]
        ans += 1
    else:
        break
return ans
```

(47) Find longest common prefix string in N strings

[professor
project
pronunciation
pronouns]

```
ans = 0
n = len(l)
min-word-len = len(l[0])
for word in l:
    if len(word) < min-word-len:
        min-word-len = len(word)

for i in range(min_word-len):
    for j in range(n-1):
        if l[j][i] == l[j+1][i]:
            ans += 1
        else:
            break
return ans
```

Alternative soln :

```
def longestCommonPrefix(self, A):
    size = len(A)

    # if size is 0, return empty string
    if (size == 0):
        return ""

    if (size == 1):
        return A[0]

    # sort the array of strings
    A.sort()

    # find the minimum length from
    # first and last string
    end = min(len(A[0]), len(A[size - 1]))

    # find the common prefix between
    # the first and last string
    i = 0
    while (i < end and A[0][i] == A[size - 1][i]):
        i += 1

    pre = A[0][0: i]
    return pre
```

(48) Check if a string is palindrome

"nayan" ↔ "nayan"

Brute Force

```
if s == s[::-1]:
    return 1
return 0
```

O(N)

Optimized

```
i = 0 , j = n-1
while i < j:
    if a[i] != a[j]
        return False
    i += 1
    j -= 1
return True
```

(49) Find the length of longest palindrome substring

a a b c c b a d

check if the substring is a palindrome

```
def helper(l, r):
    while (l >= 0 and r < len(A)) and
          (A[l] == A[r]):
        l -= 1
        r += 1
    return (A[l+1 : r])
res = ""
for i in range(len(A)):
    odd-sub = helper(i, i)
    even-sub = helper(i, i+1)
    if len(odd-sub) > res:
        res = odd-sub
    if len(even-sub) > res:
        res = even-sub
return res
```

abba

i = 0 to 3

c = 0

helper(0, 0) → a

res = "a"

helper(0, 1) → a

res = "a"

c = 1

helper(1, 1) → b

res = "b"

helper(1, 2) → l = 0 r = 3 l = -1 r = 4

res = "bb"

[0 : 4]

i = 2

helper(2, 2) → "b"

helper

(50) Given a string, find no. of vowel substrings

"ABEC" ⇒ "A"
"AB"
"ABE"
"ABEC"
"E"
"EC"
cnt = 6

```
vowels = [        ]
cnt = 0
for i in range(len(A)):
    if A[i] in vowels:
        cnt += len(A) - i
return count
```

2, 10003