




## Subject 2 - Layer 0 - CLS Attention to Electrodes (Brain View)



Subject 2 - Layer 0 - Full Attention Matrix (with CLS)



Subject 2 - Layer 0 - Electrode-to-Electrode Attention (no CLS)



- 0.016

- 0.014


- 0.012

- 0.010


- 0.008

- 0.006


# Subject 2 - Layer 0 - CLS Attention to Electrodes (Matrix View)




## Subject 2 - Layer 1 - CLS Attention to Electrodes (Brain View)




Subject 2 - Layer 1 - Full Attention Matrix (with CLS)




Subject 2 - Layer 1 - Electrode-to-Electrode Attention (no CLS)




(Matrix View)




## Subject 2 - Layer 2 - CLS Attention to Electrodes (Brain View)




Subject 2 - Layer 2 - Full Attention Matrix (with CLS)




Subject 2 - Layer 2 - Electrode-to-Electrode Attention (no CLS)




# Matrix View




## Subject 2 - Layer 3 - CLS Attention to Electrodes (Brain View)



Subject 2 - Layer 3 - Full Attention Matrix (with CLS)



Subject 2 - Layer 3 - Electrode-to-Electrode Attention (no CLS)



0.011


0.010

0.009


0.008

0.007


# Subject 2 - Layer 3 - CLS Attention to Electrodes (Matrix View)




## Subject 2 - Layer 4 - CLS Attention to Electrodes (Brain View)



Subject 2 - Layer 4 - Full Attention Matrix (with CLS)



Subject 2 - Layer 4 - Electrode-to-Electrode Attention (no CLS)



(Matrix View)

