



By Staggy & Brownno

So, you want to pass level 3 first go, and produce a RSPS that actually makes you money? You are in the right place.

General Sheet Requirements/Key Concepts:

Q: *Can I change the RSPS template?*

A: You are free to change the template for your submission. After all, it's your system! We encourage you to go above and beyond and make the system yours. If you do decide to customise the template, please ensure that all formatting is carried over. Check that the formulas are all working, otherwise your submission will not pass.

Please refer to the ***“WANT TO ACHIEVE ANYTHING REMARKABLE IN THIS CAMPUS?”*** post at the bottom of this document from the G Celestial Eye!

Q: *What does it mean to have the balances automated?*

A: When you update your TPIs, the balances should update automatically and the rebalance column will indicate any needed changes.


The **ETHBTC** ratio went from 1 to -0.5 or **OTHERS.D** changed its value? The allocation balances of the portfolio on the “Balances Tab” should automatically reflect that change. Luckily for you, it's already automated. You don't need to touch anything apart from the current allocation column.

Q: *How do I perform ratio analysis?*

A: Now, how do we know which altcoin to hold and maximise the opportunity cost? AKA. holding only the strongest tokens from the trash tournament table.

You create a custom ratio in case you can't find it on tradingview.

Example below:




“**CRYPTO**” charts provide data for the **USD** pairs of almost every well known altcoin. And have most of the time the most data available. I prefer to use the **CRYPTO** charts instead of the exchange ones to have as much data as possible. You can use **USDT**, **USDC**, **USD** pairs, it does not matter as long as you have enough price data. All **USD/T/C** pairs have **99.95%** the same value at any moment.

In the image below we can see a ratio analysis between SOLUSD and INJUSD.

SOL is outperforming INJ. We would want to be exposed to SOL based on the ratio analysis and the indicator giving us a positive signal. You can use as many indicators as you want, provided they are coherent, and operate at the same speed. We recommend doing this Post level 5, where you can automate the process of updating it daily for the sake of time efficiency.

Link: [Ratio Analysis Screenshot](#)




Q: *The concept of effective comparison, and how it is needed for the RSPS.*

A: When comparing relative strength metrics of any given token, it's **crucial** to change only **ONE** variable at a time to ensure accurate comparisons. For example, when calculating a token's relative beta, you would keep the calculation period and the benchmark consistent while only changing the token being measured. This isolates the effects of the different tokens on their respective beta values, enabling an effective comparison of their beta relative to the chosen benchmark. This aligns with the scientific principle of controlling variables to accurately attribute differences in outcomes to the variable being tested. This concept is applicable to other components in this system, including ratio analysis.

Q: *How to collect the beta values for my altcoins?*

A: *Use the indicator provided below, open the link, scroll down, add to favourite indicators. The indicator description explains how the indicator works. If you have additional questions, tag a Guide in the RSPS-Questions channel.*



<https://www.tradingview.com/script/iimnd5Gt-Multi-Beta-Coefficient-Table/>

Mini TPI's:

Q: *Is my intended time coherency good? Acceptable? Too noisy?*

A: This is the most frequently asked question in the level 3 chat. By this point, you should have NO issues creating a time coherent, profitable TPI that is suitable for the speed of the system you are deploying. By throwing your screenshots in the chat and asking for “thoughts”, it means you need to review your understanding of TPI’s in the lessons. Alternatively, use the search function, and if all else fails, please ask a ***SPECIFIC*** question in the chat channels, and we would be happy to assist.


That being said, see below some examples of what may be considered “acceptable”, and what would not be considered “acceptable”.

Example of an “acceptable” time coherency summary on TOTAL.



(Notice the example of what you may consider “acceptable” noise at ATH). Some signals are also slower than the template, this is bound to happen and also acceptable in this case.

Example of a **NOT “acceptable” time coherency summary on TOTAL.**



(Here, the blue areas = areas that are not time-coherent. Yellow = slow signals. Red = Excess noise.) These are all examples of what is NOT acceptable in your TPI/summary.

***Disclaimer:** These are not what you should model your TPI's on, it is simply outlining what amounts of noise and speed may be acceptable.

Q: How should I upload my screenshots for submission?

A: You upload them inside a drive folder. 1 for each

Q: How many 'trades' is considered medium term?

A: There is no *specific* answer to this question. The easiest way to figure this out is to take the average *duration* of your MTPI signal, and use this as a guide to how fast/slow your *ETHBTC* and *OTHERS.D* TPI's should be.

Q: Why does the time coherency summary need to have all the signals?

A: Are you going to know in forward testing what is a *false signal* and what isn't? *You won't*. Don't be biased. This is why *ALL* signals must be on the summary. You will also easily be able to tell if your TPI is too *noisy*, or *not* coherent/ready for submission or not.

Q: What does it mean signals are marked correctly?

A: We see so many submissions that do not mark the signals on their indicator screenshots correctly. This is biased. Most will mark the signals on the changing candle, not the candle after, which has the *confirmed* signal. This is especially important when constructing TPI's on higher time frames, as the effect of the unaccounted drawdowns are exacerbated. Refer to the community guides document for a practical demonstration.

Q: *Can I have a TPI with only perpetual indicators?*

A: No. A key concept of the TPI is diversification of inputs. This is why it is suggested you have a balance of perpetual and oscillators. For submission, each TPI must have **AT LEAST** 1 of each category. For example, 3 perpetual & 1 oscillator is fine.

Q: *What is the maximum number of false signals permissible for my TPI?*

A: In level 2, you learned that the maximum number of false signals is 5. While this is a good basic guideline, now that you're at level 3, it's important to understand that this isn't a strict rule. The acceptable number of false signals depends on the speed of the TPI you are using.

Naturally, as you increase the speed of your system, more noise will be introduced. This is only logical.

- Faster TPI = More acceptable noise
- Slower TPI = Less acceptable noise

The key is to find an optimal balance between speed and noise.

Your submission will fail if the amount of noise isn't justified by the speed of your TPI.

To clarify, this doesn't mean you can have, for example, 20 false signals. Stay within reasonable limits.

Trash Table:

Q: *How do I automate my trash table formulas?*

A: This is one of the most asked questions/what people get most wrong in their RSPS. So, how to do it? Simple. Collect your raw data in a separate table outside the trash table. Then, use a google sheets *formula*, which takes the median of your data (for all tokens) and assigns a 1, for the desired behaviour, 0 otherwise. If this does not make sense, you probably need to take the spreadsheet course in *#Resources*, or get *ChatGPT* to explain it to you.

Step 1

	Market Cap	Score(MC-Median)
COIN1	\$542,848,683	=MEDIAN(\$I\$34:\$I\$502,1.0)
COIN2	\$442,789,142	
COIN3	\$487,625,901	
COIN4	\$207,678,261	
COIN5	\$378,955,493	
COIN6	\$359,111,276	
COIN7	\$190,474,512	
COIN8	\$388,098,823	
COIN9	\$271,478,315	
COIN10	\$327,720,773	
COIN11	\$403,305,664	
COIN12	\$406,237,026	
COIN13	\$153,064,932	
COIN14	\$1,569,897	
COIN15	\$1,054,060,840	
COIN16	\$140,079,215	
COIN17	\$157,464,924	
COIN18	\$56,167,694	
COIN19	\$173,989,544	
COIN20	\$148,824,423	

Step 2

	Market Cap	Score(MC-Median)
COIN1	\$542,848,683	0
COIN2	\$442,789,142	
COIN3	\$487,625,901	
COIN4	\$207,678,261	
COIN5	\$378,955,493	
COIN6	\$359,111,276	
COIN7	\$190,474,512	
COIN8	\$388,098,823	
COIN9	\$271,478,315	
COIN10	\$327,720,773	
COIN11	\$403,305,664	
COIN12	\$406,237,026	
COIN13	\$153,064,932	
COIN14	\$1,569,897	
COIN15	\$1,054,060,840	
COIN16	\$140,079,215	
COIN17	\$157,464,924	
COIN18	\$56,167,694	
COIN19	\$173,989,544	
COIN20	\$148,824,423	

Step 3

	Market Cap	Score(MC-Median)
COIN1	\$542,848,683	
COIN2	\$442,789,142	
COIN3	\$487,625,901	
COIN4	\$207,678,261	
COIN5	\$378,955,493	
COIN6	\$359,111,276	
COIN7	\$190,474,512	
COIN8	\$388,098,823	
COIN9	\$271,478,315	
COIN10	\$327,720,773	
COIN11	\$403,305,664	
COIN12	\$406,237,026	
COIN13	\$153,064,932	
COIN14	\$1,569,897	
COIN15	\$1,054,060,840	
COIN16	\$140,079,215	
COIN17	\$157,464,924	
COIN18	\$56,167,694	
COIN19	\$173,989,544	
COIN20	\$148,824,423	

A: We see a lot of submissions using trash tournament filters like “Community” or “Sentiment”, and the issue with these is they are not *QUANTITATIVE*, and do not relate to a token’s *relative* strength. Good filters include relative *beta*, *market cap*, or *ratio analysis* to a benchmark ticker/high beta token etc.. This part is really the crux of the trash table, get creative, it's up to you to decide what filters are good to include, provided they make sense. Another key thing to consider is the order in which the filters are applied; will you use a preliminary filter to mass filter out tokens, and only pass the strongest ones to the tournament? Or will you do it a different way?

A: Simply because you have not enough data to perform a non-biased analysis on the specific assets. The RSPS table **will NOT** find you the next 1000x memecoin gem. That's not what this system is designed for.

A: The beta indicator within the *#RSPS Guidelines* works by using a mathematically correct calculation of a token's relative beta to a benchmark (set by the user in the settings). A score of 1 is telling you that the token has a *relative* beta *equal* to that of the benchmark. So for the beta filter to be effective, select high beta tokens for the system so you have a high beta average. Aim for an average/median beta of about **1.3**. You are still required to use a **MEDIAN** function for scoring a token's beta, not a static number.

A: This is the easiest way to *maximise* the *opportunity cost* in your system. If you have more tokens, you logically have potential exposure to more tokens. Including more tokens also

makes the median functions in your system more robust, statistically speaking. We personally recommend adding about **30 strong tokens** to your tournament.

Q. Where do I find the Market Cap data for the date required?

A : Head to <https://coinmarketcap.com/historical/> and search the desired date.