


LED Grow Light Plan Using: Generic 540 W toplight



Example Hort Lighting - J. Designer - Horticulture Light Design

Project Name : GH Leafy 30x102
Quebec, Canada
Prepared For: Grower A

DISCLAIMER: Calculations follow IES and CIE practice. Measured values may differ from calculated results because of tolerances in calculation methods, testing procedures, component performance, measurement technique and field conditions such as voltage and temperature. Input data such as room dimensions, reflectances, furniture and architectural elements significantly affect the calculations; if real conditions do not match the input data, measured and calculated values will differ.

Filename: GH Leafy 30x102.json

By : J. Designer

Units: Imperial

Date: 2026-06-03

Engine: agiopen 0.1.0

Total Time (Hrs.): 3.20

Generic 540 W toplight

Power: 546W
PPF: 1,824 umols/s
Efficacy: 3.34 umols/J
Warranty: 5 year limited warranty

Example Hort Lighting - J. Designer - Horticulture Light Design Project Name : GH Leafy 30x102 Quebec, Canada Prepared For: Grower A	DISCLAIMER: Calculations follow IES and CIE practice. Measured values may differ from calculated results because of tolerances in calculation methods, testing procedures, component performance, measurement technique and field conditions such as voltage and temperature. Input data such as room dimensions, reflectances, furniture and architectural elements significantly affect the calculations; if real conditions do not match the input data, measured and calculated values will differ.	Filename: GH Leafy 30x102.json By : J. Designer Units: Imperial	Date: 2026-06-03 Engine: agiopen 0.1.0 Total Time (Hrs.): 3.20 Page 2 of 9
--	---	---	--

Information Provided:

- 1 serre de 30 x 102 - 9.5 pieds hauteur - Leafy greens
- PPFD requis = 180-200 µmol/m²/s

Example Hort Lighting - J. Designer - Horticulture Light Design Project Name : GH Leafy 30x102 Quebec, Canada Prepared For: Grower A	DISCLAIMER: Calculations follow IES and CIE practice. Measured values may differ from calculated results because of tolerances in calculation methods, testing procedures, component performance, measurement technique and field conditions such as voltage and temperature. Input data such as room dimensions, reflectances, furniture and architectural elements significantly affect the calculations; if real conditions do not match the input data, measured and calculated values will differ.	Filename: GH Leafy 30x102.json By : J. Designer Units: Imperial	Date: 2026-06-03 Engine: agiopen 0.1.0 Total Time (Hrs.): 3.20 Page 3 of 9
---	--	--	---

Results Summary

Distance Between Calculation Plane and Fixture: 4 ft - See Layout

Calculation Summary

Label	CalcType	Units	Avg	Max	Min	Min/Avg	Min/Max	# Pts
Plant Canopy_Top	PPFD	μmol/s/m²	178.22	210	122	0.68	0.58	2028

Luminaire Schedule

Symbol	Qty	LLF	Description	Lum. Watts	Total Watts	Manufacturer	Luminaire PPF
A	36	1.000	NXS 540W 347-400V FR5R85G5B5 MW WD	546	19656	Generic	1824

LPD Area Summary

Label	Area	Total Watts	LPD	LPD Units
LPDArea_Growing area	3060	19656	6.424	Watts/Sq.Ft.

*Important note regarding uniformity: values cover every calculation point of the growing area, edges included. Uniformity measured between a few fixtures in the middle of the area will be higher. See the point-by-point pages for details.

Light Level Approval

Customer Signature

Date



Example Hort Lighting Rep


Date

Example Hort Lighting - J. Designer - Horticulture Light Design Project Name : GH Leafy 30x102 Quebec, Canada Prepared For: Grower A	DISCLAIMER: Calculations follow IES and CIE practice. Measured values may differ from calculated results because of tolerances in calculation methods, testing procedures, component performance, measurement technique and field conditions such as voltage and temperature. Input data such as room dimensions, reflectances, furniture and architectural elements significantly affect the calculations; if real conditions do not match the input data, measured and calculated values will differ.	Filename: GH Leafy 30x102.json By : J. Designer Units: Imperial	Date: 2026-06-03 Engine: agiopen 0.1.0 Total Time (Hrs.): 3.20
Page 4 of 9			

Lighting Design Legend and Reflectivities Applied

Surface	Reflectivity	Transparency
Plant canopy (calculation plane)	26% (green plants)	0%
Greenhouse floor	29%	0%
Glass / poly walls	0%	80%
Glass / poly roof	0%	80%
Posts and trusses	50%	0%
.IES file / LED fixture	N/A	N/A






Symbol	Qty	LLF	Description	Lum. Watts	Total Watts	Manufacturer	Luminaire PPF
A	36	1.000	NXS 540W 347-400V FR5R85G5B5 MW WD	546	19656	Generic	1824

Label	CalcType	Units	Avg	Max	Min	Min/Avg	Min/Max	# Pts
Plant Canopy_Top	PPFD	$\mu\text{mol/s/m}^2$	178.22	210	122	0.68	0.58	2028

Example Hort Lighting - J. Designer - Horticulture Light Design Project Name : GH Leafy 30x102 Quebec, Canada Prepared For: Grower A	DISCLAIMER: Calculations follow IES and CIE practice. Measured values may differ from calculated results because of tolerances in calculation methods, testing procedures, component performance, measurement technique and field conditions such as voltage and temperature. Input data such as room dimensions, reflectances, furniture and architectural elements significantly affect the calculations; if real conditions do not match the input data, measured and calculated values will differ.	Filename: GH Leafy 30x102.json By : J. Designer Units: Imperial	Date: 2026-06-03 Engine: agiopen 0.1.0 Total Time (Hrs.): 3.20 Page 6 of 9
--	---	---	--

Point by point




Example Hort Lighting - J. Designer - Horticulture Light Design Project Name : GH Leafy 30x102 Quebec, Canada Prepared For: Grower A	DISCLAIMER: Calculations follow IES and CIE practice. Measured values may differ from calculated results because of tolerances in calculation methods, testing procedures, component performance, measurement technique and field conditions such as voltage and temperature. Input data such as room dimensions, reflectances, furniture and architectural elements significantly affect the calculations; if real conditions do not match the input data, measured and calculated values will differ.	Filename: GH Leafy 30x102.json By : J. Designer Units: Imperial	Date: 2026-06-03 Engine: agiopen 0.1.0 Total Time (Hrs.): 3.20
Page 7 of 9			


Point by point - zoom

140	139	139	139	139	139	140	139	139	140	139	139	139	139	139	140
148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148
156	157	156	156	156	157	157	156	156	157	157	156	156	156	157	156
165	166	165	164	164	165	166	165	165	166	165	164	164	165	166	165
174	174	173	173	173	174	174	175	175	174	174	173	173	173	174	174
183	182	181	181	181	182	183	183	183	183	182	181	181	181	182	183
190	190	188	188	188	189	190	190	190	190	189	188	188	188	190	190
195	195	194	194	194	194	195	195	195	195	194	194	194	194	195	195
199	199	198	198	198	199	199	199	199	199	199	198	198	198	199	199
202	203	201	201	201	202	203	202	202	203	202	201	201	201	203	202

Front elevation



Side elevation



Example Hort Lighting - J. Designer - Horticulture Light Design

Project Name : GH Leafy 30x102
Quebec, Canada
Prepared For: Grower A

DISCLAIMER: Calculations follow IES and CIE practice. Measured values may differ from calculated results because of tolerances in calculation methods, testing procedures, component performance, measurement technique and field conditions such as voltage and temperature. Input data such as room dimensions, reflectances, furniture and architectural elements significantly affect the calculations; if real conditions do not match the input data, measured and calculated values will differ.

Filename: GH Leafy 30x102.json

By : J. Designer

Units: Imperial

Date: 2026-06-03

Engine: agiopen 0.1.0

Total Time (Hrs.): 3.20