(I) Types of data structures.

(II) Linked list (Singly, doubly, Circular)

(III) Multi dimentional array.
(Row Major / Colum Major Math).

(IV) sparse matrix.

(V) Linear search

(VI) Prove that linear search is one of the worst algos.

(VII) Binary search

(VIII) Sorting (Bubble, insertion, selection, merge)

(IX) Stack

(X) Stack conversion (Infix, postfix, prefix) ~~Infix → Postfix, Postfix → infix,~~

(x) Tree (Degree, Depth, height)

(xi) Binary tree (Complete, full, perfect)

(xii) AVL Tree

(xiii) B "

(xiv) maximum/minimum node / height

(xv) BST (Binary search tree)

(xvi) Tree traversal (In, pre, post)

(xvii) Tree construction.

(xviii) Graph (Adj Matrix, Adj List)

(xix) Graph traversal (BFS, DFS)

(xx) Dijstra, Bellman for, Prim's, Kruskal

(xxi) Job Sequence Algo

(xxii) 0/1 Knapsack problem

(xiii) Knap Sack algo greedy method

CamScanner

DSA (A)

① Algo → All pseudo code (All algo)
↳ + Example

② Prev. question. (section 1 basic)

* Lints list → Very important
↳ Array memory calculation math [CT]
→ Lints list types → Difference (Double & Circular very important)

* Stack & Queue [Step by Step & pseudo code]

* Sorting Algo → Binary*, Merge, Quick**, bubble

* Comparison between sorting algo. which are & which better

B

* Tree → Height, level calculation
  → In, pre, post - Order

* Graph (2sed) → All algo (BFS, DFS)
  → prim, diastra, ball-man fond,
  * krustal
  → Adjoint Matrix

* Code আসলে psudo code লেখবে

* Hashing (Assignment)
  → 1 // 2 প্রশ্ন

* Recurense and Back tracking