

Exosite  
Boot Camp 2015

# Subdomain and Client Model Labs


## Subdomain and Client Models Labs

**Notes:**

## Lab 0 - Subdomain Home page

<yoursubdomain>.exosite.com/admin

1. When you go to your 'admin' area of your subdomain, the home page has some useful information.



2. Find the Vendor API Token - This is used for Vendor Fleet Management (Provisioning) API calls such as managing client models, posting content, etc.
3. What is your Vendor specific API Address? - This can be used by your devices to access Exosite's APIs (usually are at m2.exosite.com).

## Lab 1 - Create a custom Domain Theme


<yoursubdomain>.exosite.com/admin/theme

1. Go to your admin area of your subdomain, on the left side menu, click 'Domain Setup' and underneath that, click 'Theme'.
2. You will not see anything listed in your Theme table at first. Let's create a new theme using the 'Add Theme' form.
  - a. Theme Name: <whatever you want>
  - b. Theme Description <whatever you want>
  - c. Click Add.


The screenshot shows a web browser window with the URL <https://training.exosite.com/admin/theme>. The page header displays 'ACME CO' and 'ADMINISTRATION SYSTEM MANAGEMENT'. On the left, a sidebar menu includes 'DOMAIN ADMIN', 'Home', 'Domain Setup', 'Admin Controls', 'Group Controls', 'Configuration', 'Domain Dashboards', 'Domain Widgets', 'Plans', 'Theme' (highlighted with a red arrow), 'Client Models', and 'Users'. The main content area features an 'Add Theme' form with fields for 'Theme Name' (containing 'Training Theme') and 'Theme Description' (containing 'my theme'), and an 'Add' button (pointed to by a red arrow). Below the form is a 'Theme List' table with columns: Delete, Edit, Name, Default, and Description.

3. You should now see your theme in the Theme List, you may need to do a page refresh. Click the 'Default' icon which should be red for your theme. It should go to green and now your subdomain is using this theme, which by default is just like the default Portals theme.

This close-up screenshot focuses on the 'Theme List' table. The table has columns: Delete, Edit, Name, Default, and Description. A single row is visible with the name 'Training Theme' and description 'training'. In the 'Default' column, there is a red circular icon, which is pointed to by a red arrow. The 'Add Theme' form is visible above the table.



4. Click the edit icon (Pencil graphic) next to your theme to bring up the Theme Configuration box below.
5. Let's start by updating the **Header**.
6. Find the form item that says 'Logo image(300\*82px)' and hit the 'Choose File' button. In your Labs code, find the 'subdomain\_labs' folder, then the 'theme' folder and then find the image file called **header\_logo\_image\_300x82\_dark\_text.png**. Use this.  
*subdomain\_labs/theme/header\_logo\_image\_300x82\_dark\_text.png*
7. For the form item that says 'Background image(64\*82px)', choose the file called '**header\_background\_image\_64x82\_light.png**'.  
*subdomain\_labs/theme/header\_background\_image\_64x82\_light.png*
8. Under the section called 'Browser Tab', Change the Browser Tab Text to whatever you want to call your subdomain (keep it short).
9. Under that same section, find 'Browser tab icon' and click 'Choose File' to upload the file called '**browser\_tab\_favicon\_image\_50x50.png**'.
10. Scroll down and click 'Submit' to update your theme.
11. Did you see these changes?



12. Change the Header text colors to make them show up more clear on a white background.
13. Change the Widget colors and other colors to match your company's color scheme.
14. Can you upload your own logo image for your company? It needs to be **300x82**. Recommend using a transparent png for the logo so that the header background appears behind it.

**Header**

Logo image(300\*82px):  No file chosen

Background image(64\*82px):  No file chosen

Title color:

Sub title color:

Title and Subtitle vertical position:

Navigation link color:

Navigation link rollover color:

Navigation drop-down text color:

Navigation link vertical position:

Portal menu current item color:

**Footer**

Tagline text:

Tagline text color:

Footer bar color:

Link text color:

Link text rollover color:

## Lab 2 – Custom CSS

With the custom themes, advanced HTML/CSS users can edit their custom CSS. Let's change the widget blocks to not have a border and change the title block.

1. Go to you Admin / Domain Setup / Theme page.
2. On the Theme List table, click the edit button next to your theme you want to edit, making sure it is selected as the default (green icon).
3. Go way to the bottom where you will see a box called 'User-defined CSS rules'. Fill in the following CSS code there and hit the 'Submit' button at the bottom.

```
div.block {  
  background-color: #F0F0F0;  
  border: 0px solid #e5e6e6;  
  padding: .5em;  
}  
  
div.block div.blockcontent div.content {  
  border: 0px solid #e5e6e6;  
  padding: 0 1em;  
}  
  
div.block .blockcontent .title {  
  background-color: #F7F7F7;  
  padding: 5px 5px;  
  text-align: left;  
  font-size: larger;  
  color: #888888;  
  font-weight: lighter;  
}
```



4. Notice any differences?

### Lab 3 – Create a Portal to keep dashboard and device clones

To create domain dashboard (custom pages) in Exosite Portals, it is a good idea to create a portal dedicated for this that the admins have access to for this purpose.

1. Click on the 'Portals' item in the Domain Admin Menu (left side) and then click 'Portal List'.
2. Add the top you should have a form called 'Add Portal'. We will use this to create this dedicated portal for domain admins.
3. Fill in the following:
  - a. Portal Name: 'VENDOR CLONES'
  - b. Portal Owner: <Pick yourself>
  - c. Portal Plan: <You should have a plan call **Domain Developer Plan** with a balance of 1... these are included with a new subdomain>
  - d. Portal Description: 'This portal is for domain admins to keep clone dashboards and clone devices'
  - e. Click 'Add and Charge Domain'. (If you have a balance, this will subtract from that)

TRAINING CO. portal ADMINISTRATION SYSTEM MANAGEMENT M. Aanenson | Support

**DOMAIN ADMIN**

- Home
- Domain Setup
- Client Models
- Users
- Portals
  - Portal Limits
  - Portal List**
  - Devices
  - Billing
  - Activity
  - Terms

**Add Portal**

Portal Name: VENDOR CLONES

Portal Owner: mikeaanenson@exosite.com

Portal Plan: Domain Developer Plan - \$25.00 - (Balance Available: \$1456)

Portal Description: This portal is for domain admins to keep clone dashboards and clone devices

Portal Thumbnail (150px by 100px): Choose File No file chosen (optional)

Set As Owner's Default Portal: ☐ (optional)

Add and Charge Domain

WARNING! The Billing Account associated with this domain (mikeaanenson@exosite.com) will be charged when this Portal Plan is added if there is no balance available for the Plan.

**Portal List**

ID	Name	Owner	Description
----	------	-------	-------------

4. In the Portal List below, you should now have a portal called 'VENDOR CLONES'. Click this, which will take you to that Portal.

#### TIP:

If you need to invite others to help contribute to your subdomain (other admins), this is a good portal to invite them to as managers. Then on the Admin / Domain Setup / Admin Controls page you can add them as an admin to your subdomain.

#### TIP:

If you need to create other portals for development and testing, you can follow a similar approach, picking a plan (probably community for example).



#### Lab 4 – Create a default home page for your subdomain


By default, any portal created in your subdomain will use the Exosite generic default custom dashboard. Let's change that.

We will use the 'VENDOR CLONES' portal created in the last step.

1. In your 'VENDOR CLONES' portal, go to the Dashboards page (Menu on the left) and click '**+Add Dashboard**'.
  - a. It's name should be '**HOME**'
  - b. fill in description as 'default home page', keep the type custom.

The screenshot shows the 'Dashboard Setup' modal in the 'VENDOR CLONES PORTAL' interface. The modal has a title bar with a close button. Inside, there's a section titled 'What is a "Dashboard"?' with explanatory text. Below this, there are input fields for 'Dashboard Name' (containing 'HOME'), 'Description' (containing 'default home page'), and 'Location'. There's also a 'Thumbnail' section with a 'Choose File' button and a 'Clear (optional)' button. Below that are dropdown menus for 'Template' (set to 'custom') and 'Layout' (set to '2 columns'). At the bottom are 'QUIT' and 'SUBMIT' buttons. Red arrows point to the 'HOME' name, the 'default home page' description, and the 'SUBMIT' button.

2. Now go to that dashboard called 'HOME'. It should be blank.



3. Add a 'Text Box' widget and call it 'WELCOME'.

The screenshot shows the 'Add widget' modal in the 'VENDOR CLONES PORTAL' interface. The modal has a title bar with a close button. Inside, there's a section titled 'Add widget' with a 'STEP:' label and two tabs: 'TYPE' and 'CONFIG'. Under the 'TYPE' tab, there's a 'Widget Type' dropdown menu set to 'Text Box'. Below that is a 'Widget Description' field containing 'Create message and caption text with different sizes and colors.' At the bottom is a 'Block Title' field containing 'Welcome'. There are 'QUIT' and 'CONTINUE' buttons at the bottom. Red arrows point to the 'Text Box' type and the 'Welcome' title.

4. Use the following widget settings:

- a. Width 2, Height 2
- b. In the Message Settings box, put the following text:

*Welcome to the Training web portal!*

```
<a class="exosite-button js-exosite-button" href="/manage/devices?new" id="add_device" type="button">Add Device</a>
```

- c. Hit the SUBMIT button.

Add widget

STEP: TYPE CONFIG

Block Title: Welcome

Widget Type: Text Box

Widget Size:

Width: 2

Height: 2

Caption Settings: (optional)

Caption:

Font size: 12 pt

Font color:

☒ Black ☐ Blue ☐ Green ☐ Red

☐ Grey ☐ Medium Grey ☐ Light Grey

Message Settings:

Message: Welcome to the Training web portal!

```
<a class="exosite-button js-exosite-button" href="/manage/devices?new" id="add_device" type="button">Add Device</a>
```

Font size: 11 pt

Font color:

☒ Black ☐ Blue ☐ Green ☐ Red

☐ Grey ☐ Medium Grey ☐ Light Grey

QUIT SUBMIT


5. You should now see this widget on your dashboard. This is a placeholder really for now until you can put more time into making this page meet your application requirements. (Maybe a fancy device table with a ADD DEVICE button, etc)
6. Let's add one more widget here, this time add a **'Device List'** widget.
7. Use the following widget settings:
  - a. Width 2, Height 2
  - b. For the **'Click Action'** select **'Launch Portal Dashboard'**
  - c. Set the Refresh Rate to 10.
  - d. Hit the SUBMIT button.

The 'Add widget' window has three tabs: STEP, TYPE, and CONFIG. The CONFIG tab is active. It contains the following fields and options:


- Block Title:** Devices
- Widget Type:** Device List
- Portal:** VENDOR CLONES
- Default Device:** --NONE-- (dropdown menu)
- Selectable:** ☒ Make selectable
- Click Action:**
  - ☐ Use as Caller
  - ☒ Launch Portal Dashboard
  - ☐ Go to URL
- Refresh Rate:** 10 Seconds (0 seconds = no refresh)

At the bottom are 'QUIT' and 'SUBMIT' buttons.

You should now have a dashboard that looks like this:



8. Go back to the admin area now and under the Domain Admin menu on the left, under Domain Setup, you'll find a page call 'Domain Dashboards.'



9. In the box at the top called 'Add Domain Dashboard', select your 'HOME' dashboard you just created, which should show up under your VENDOR CLONES portal.
10. Leave the type as 'Client Model' and click the 'Add' button.

11. You should now see your dashboard listed under the Domain Dashboard Listing table.
12. To apply this to new portals (new user sign-ups), go to your Domain Admin menu on the left, click 'Users' and then click the 'New Users' page.
13. Here, you can now select your domain dashboard as the default home page.
  - a. Default Dashboard template: <Select your HOME dashboard under Domain Dashboards>
  - b. Uncheck 'Create Default Device'
  - c. Click 'Submit' button.

← → ↻ 🏠 <https://training.exosite.com/admin/newusers>

TRAINING CO. portal ADMINISTRATION SYSTEM MANAGEMENT

**DOMAIN ADMIN**  
Home  
Domain Setup  
Client Models  
Users  
User List  
Moderate  
New Users  
Portals

**Default Settings for New User Portals**

Current Default Dashboard: ---- please select Dashboard ----  
Domain Dashboards  
HOME(2665808462)  
User Dashboards  
HOME(2141402642)

Default Dashboard Template: ✓  
Create Default Device: ☐  
Default Device Name: Emulated Device

Submit

NOTE: Setting the 'Default Dashboard Template' will copy the dashboard configuration entry in the database for the user. You should expect that changes made to the 'Current Default Dashboard' will be reflected in new user dashboards. The 'Create Default Device' process will create a dashboard for the user. Setting a Domain Dashboard as the OOB dashboard will provide a read-only dashboard.

**Default Settings for New User Portals**

Current Default Dashboard: HOME

Default Dashboard Template: HOME(2665808462)

Create Default Device: ☐

Default Device Name: Emulated Device

Submit

NOTE: Setting the 'Default Dashboard Template' will copy the dashboard configuration entry in the database for the user. You should expect that changes made to the 'Current Default Dashboard' will be reflected in new user dashboards. The 'Create Default Device' process will create a dashboard for the user. Setting a Domain Dashboard as the OOB dashboard will provide a read-only dashboard.

Now when a new portal is created, that portal's default home page will be this domain dashboard which you can update (that clone dashboard) and your changes will apply to all users. You will note that users won't be given the option to add widgets or change anything on that dashboard, as domain dashboards are not editable by users.

**TIP:**


Do not change which domain dashboard is used for this new user default dashboard setting or any updates you make won't be applied to older users.

### Lab 5 - Create another domain dashboard for use by your Client Model

Widgets can call domain dashboards with an RID of a client and the dashboard will use resources from that specific client in it's widgets. In this way, you can create one dashboard for you product's client model and when you go to it, depending on whatever device you called it for, it will that specific device's information.

This domain dashboard will then be used when we create the Client Model in the next Lab.

1. Go to your 'VENDOR CLONES' Portal and get the portal CIK.
  - a. This can be found if you go under your username drop-down menu in upper-right, click on Account, then click the 'Portals' Menu item on the left.



2. To save time, here is a pre-created client CIK you can copy into your VENDOR CLONES Portal. Use your Exoline tool to make a copy in your own portal.
  - a. `$ exo copy b37bb52fe3f85ddb1166096a5198c394df181e25 <PORTAL CIK>`
  - b. `$ exo portals clearcache <PORATL CIK>`
  - c. Note: the portals clearcache command will make portals clear it's cache so if you go to your devices page, the device will be there right away.
3. You now have a device (generic type) in your VENDOR CLONES portal. We are going to use this as the CLONE for your new client model. You can verify this by going to this portals 'Devices' page, it should look something like this:
4. In your 'VENDOR CLONES' portal, go to the Dashboards page (Menu on the left) and click '+Add Dashboard'.

- a. Give it a name of 'MODEL ONE INTERFACE'
- b. Fill in the description ("Client Model One's domain dashboard" for example and keep the 'type' custom.
- c. Save this.

**Dashboard Setup**

**What is a "Dashboard"?**  
A "Dashboard" is a different way to visualize data from the same Portal.  
Some applications may require a "Dashboard" for users and a different "Dashboard" for the maintenance team.  
It gives you a way to create different dashboards for the different ways you need to view your data.

**Dashboard Name**  
MODEL ONE INTERFAC

**Description**  
MODEL ONE domain dashboard

**Location**

**Thumbnail (150px by 100px)**  
Choose File No file chosen Clear (optional)

**Template**  
custom

**Layout**  
2 columns

QUIT SUBMIT

5. Now go to that dashboard called 'MODEL ONE INTERFACE'. It should be blank.
6. Add a 'Text Box' widget and give it a name of just a 'space'. " ".
  - a. Width = 4, Height = 1
  - b. In the 'Message' box, use the following text, as you can see is HTML code:

```
<div style="text-align: center;">  
<h1>DEVICE ONE DASHBOARD</h1>  
</div>
```

Block Title:

Widget Type: Text Box

Widget Size:

Width:

Height:

Caption Settings:

Caption:

Font size:  pt

Font color:

☒ Black ☐ Blue ☐ Green ☐ Red

☐ Grey ☐ Medium Grey ☐ Light Grey

Message Settings:

Message:

```
<div style="text-align: center;">  
<h1>DEVICE ONE DASHBOARD</h1>  
</div>
```


Font size:  pt

Font color:

☒ Black ☐ Blue ☐ Green ☐ Red

☐ Grey ☐ Medium Grey ☐ Light Grey

c. Submit this, you should see this on your dashboard



7. Add a 'line graph' widget and call it 'DATA 1 GRAPH'.
8. Use the following widget settings:
  - a. Insert the custom code from the Portals Lab, the code can be found in the 'portals\_labs' folder, called 'device\_table\_using\_portal\_api\_2.js'.
  - b. Keep refresh rate at 0 and leave all the other widget settings as is.
  - c. Hit the Submit button.
9. You should now see this widget on your dashboard. You likely will not see anything listed since you probably do not have any devices in this portal yet.
10. We will add one more widget, a 'Custom Widget' widget and call it 'CONFIGURATION'
  - a. Width = 2, Height = 2

- b. Select two data sources from the data source list, being 'Command' and 'Configuration'
- c. Pick a script template, using the template called 'Form'.
- d. Leave Refresh Rate to 0.
- e. Hit Submit.

Add widget

STEP:

TYPE

CONFIG

Block Title: CONFIGURATION

Widget Type: Custom Widget

Widget Size:

Width: 2

Height: 2

Data Source:

Select	Name
	DeviceOne CLONE
<input type="checkbox"/>	Alive
<input type="checkbox"/>	Cellular Status
<input checked="" type="checkbox"/>	Command
<input checked="" type="checkbox"/>	Configuration
<input type="checkbox"/>	Data1

View Data By:

☐ Duration: 1

Minute

☒ Count: 1

Script Template: Form

Script:

```
1  /**
2  * Form
3  * @version 1.0.0
4  */
5  function(container, portal)
6  {
7      var dataports = getDataports("", portal),
8          cx,
9          buttons,
10         styles,
11         colors,
12         messages;
13
14     styles =
15     {
16         dl:
17         {
18             "margin-left: 1em;"
19         },
20         div:
21         {
22             "position: absolute:"
```

Note: Press F11 to toggle full screen mode or press Ctrl+Enter to update your script while your cursor is focused on the editor.


Refresh Rate: 0 Seconds ( 0 seconds = no refresh )

QUIT


SUBMIT

- f. Your dashboard should now look like this:





11. Go back to the admin area now and under the Domain Admin menu on the left, under Domain Setup, you'll find a page called 'Domain Dashboards'.
12. In the box at the top called 'Add Domain Dashboard', select your 'MODEL ONE INTERFACE' dashboard you just created, which should show up under your VENDOR CLONES portal.
13. Leave the type as 'Client Model' and click the 'Add' button.



14. You should now see your dashboard listed under the Domain Dashboard Listing table.

## Lab 6 – Create a Client Model

To create a client model, we first must have a ‘Clone’ device client to point it at. These steps will walk through that process and then creating the client model.

1. Go to your subdomain’s ‘admin’ area and go to ‘Client Models’ menu item on the left and then ‘Manage Models’.
2. At the top of the Manage Models page is a form to add a new client model. Fill in the following information, anything else just leave blank for now. You can edit client models after they are created.
  - a. Model Name: Product One (you can pick whatever you want)
  - b. Model ID: product1 (*this can not be changed, don’t use spaces to make life easier*)
  - c. Clone from Device: Select your device underneath your VENDOR CLONES portal that we copied earlier.
  - d. Domain Dashboard: Select the Domain Dashboard we created in the previous step called ‘MODEL ONE INTERFACE’
  - e. Example SN: 000001
  - f. Company Name: Your company name
  - g. Company Contact Email: Use your Email for now
  - h. Published: Check this box
  - i. Click ‘Add’ to add the client model
  - j. These images show these configuration options

The screenshot displays the 'Model' configuration page in the Exosite Admin interface. The left sidebar shows the navigation menu with 'Client Models' selected. The main content area contains the following fields and options:

- Vendor:** application01
- Model Name:** Product One
- Unique Model ID:** product1
- Clone from Device:** DeviceOne CLONE (RID:f08b632fad6df73e0eeb777149bf4ccf7434ceb) [Dropdown menu showing the selected device and its RID]
- Domain Dashboard:** MODEL ONE INTERFACE [Dropdown menu]
- Example Serial Number (SN):** 000001
- Shared SN Value:** When the user clicks on the Serial Number input box, this value will remain.
- Remove Non-alphanumeric SN:** ☐ No ☒ Yes
- Alternate 'Serial Number' Text:** Replaces all 'Serial Number' text when users add or interact with this device
- 'NOTE' for SN:** Adds a note about how to input SN (e.g. do not include colons in MAC addr)
- 'NOTE' for Device:** Specifies additional information about Device Name (e.g. Device 1). This text

DOMAIN ADMIN

Home

Domain Setup

Client Models

Manage Models

Serial Numbers

Model Sharing

Content

Groups

Marketplace

Users

Portals

Devices

Billing

Terms

Picture of Serial Number

Choose File No file chosen

Location:

Confirm Page:

Your [client model name] [device] was successfully enabled with the CiK<br/>[device cik]<br/><br/>Your [device] will need to connect to the Exosite platform within 24 hours or your provision request will expire and you will need to re-enable your [device] from the Re-Enable block in your [device] pop-up. If you have any problems connecting, please contact your [device] provider at:<br/><br/><b>Company name:</b> [company name]<br/><b>Company email contact information:</b> [company email]<br/>

Company Name:

Application 01

Company Contact Email:

myemail@myco.com

Published:

☒

When a client model is published, it will be available for users to select in the 'Add Device' process on their portals. Client models that are not published can still work normally after they have been added to the dashboard. Click on the icon below to publish or unpublish the client model

Add

k. You should then see your client model listed in the Model Listing at the bottom, like so. You can publish/unpublish by clicking the green (or red) icon in this table.

DOMAIN ADMIN

Home

Domain Setup

Client Models

Manage Models

Serial Numbers

Model Sharing

Content

Groups

Marketplace

Users

Portals

Devices

Billing

Terms

Company Name:

Application 01

Company Contact Email:

myemail@myco.com

Published:

☒

When a client model is published, it will be available for users to select in the 'Add Device' process on their portals. Client models that are not published can still work normally after they have been added to the dashboard. Click on the icon below to publish or unpublish the client model

Add


Model Listing

Delete	Edit	Published	Model Name	Device Picture	Unique Model ID	Example Serial Number (SN)	Shared SN Value	Clone from Device
			Product One		product1	000001		ff08b632fad6d773e0eeb7f7f49bf4ccf7434

## Lab 8 – Add serial numbers for your client model

Now that you have a client model, it can not be used until it has a ‘whitelist’ or range of available serial numbers. This lab will add some serial numbers and a range.

1. Go to the Admin / Client Models / Serial Numbers page using the admin menu on the left.
2. In the ‘Add Serial Numbers’ form on the top, select your new Client Model called ‘Product One’ (or whatever name you gave it)
3. Next select the option for ‘Add One Serial Number’ and put the following in:
  - a. Use **000001** for your serial number
  - b. For the (extra serial number info) field use: **{"info":"test unit"}**



- c. Click ‘Add Serial Number(s)’
4. You should now see that serial number 000001 in the serial number list for your client model.



Delete	Disable	Re-Enable	Serial Number	Status	RID	Extra
			000001	Not Used		{"info":"test unit"}

5. Next we’ll add a range of serial numbers, go bac to the top and use the Add Serial Numbers form again.
  - a. Select your model
  - b. Select the ‘Auto Add SN’ option and use **base10**.
  - c. Specify your SN Range as **2 ~ 10**
  - d. Specify your SN Length as **6**
  - e. Hit Add Serial Numbers button.

### Add Serial Numbers

Select Model: Product One

☒ Auto Add SN: base10 (e.g. 0000123456)

Auto Add SN Range: 2 ~ 10

SN Length: 6

☐ Import Raw CSV: Choose File No file chosen

[Example CSV](#) (Column A: SN, Column B: Extra info)

☐ Add 1 Serial Number:

(extra serial number info):

Add Serial Number(s)

6. You should now see this range listed at the top for your client model.

### Add Serial Numbers

Select Model: Product One

☒ Auto Add SN: base10 (e.g. 0000123456)

Auto Add SN Range:  ~

SN Length:

Current Ranges:

Delete	Format	Case	Length	First value	Last value
	base10		6	000002	000010

☐ Import Raw CSV: Choose File No file chosen

[Example CSV](#) (Column A: SN, Column B: Extra info)

☐ Add 1 Serial Number:

(extra serial number info):

Add Serial Number(s)

Note: Serial numbers here should match the exact serial number your device will activate with. So if your device will activate with a MAC address with all lower case but with colons, choose the proper base type of mac:48 which understand what a MAC address with colons is. If it doesn't use colons you could then choose base16 and provide a length of 12. Note that the 'Convert SN Casing' will automatically take what a user has entered in the 'Add Device' wizard and convert it to whatever you specify has a helper.

Examples:

### Add Serial Numbers

Select Model: Product One

☒ Auto Add SN: mac:48 (e.g. 00:55:CC:DE:FF:22)

Auto Add SN Range: 00:00:00:00:00:00 ~ 00:ff:00:ff:00:00

Convert SN Casing: lowercase

Select Model:	Product One
<input checked="" type="radio"/> Auto Add SN: ?	base16 (e.g. 00C3F1)
Auto Add SN Range: ?	0000000000 ~ FFFFFFFF
SN Length: ?	12
Convert SN Casing: ?	UPPERCASE

Current Ranges:					
Delete	Format	Case	Length	First value	Last value
	base10		6	000002	000010
	base16	upper	12	000000000000	FFFFFFFFFFFF
	mac:48	lower		00:00:00:00:00:00	00:ff:00:ff:00:00

## Lab 8 – Add some content for your Client Model

Vendors can post content for their client models that can be used for things such as firmware updates, media, or configuration files. We'll post a example file to mimic a firmware content post.

1. Go to the Admin / Client Models / Content page using the admin menu on the left.
2. In the 'Add Content' form on the top, select your Client Model called 'Product One' (or whatever name you gave it)
  - a. Name: firmware\_110
  - b. Meta: firmware version 1.1.0
  - c. MiME Type: application/binary
  - d. Data File: find the 'firmware\_110.py' file in your labs folder
  - e. Click "Add Content"

**DOMAIN ADMIN**

- Home
- Domain Setup
- Client Models
  - Manage Models
  - Serial Numbers
  - Model Sharing
  - Content**
  - Groups

### Add Content

Select Model: Product One

Name: firmware\_110

Meta: firmware version 1.1.0

MiME Type: application/binary

Data File: Choose File firmware\_110.py

Add Content

### Content List

3. You should now see this in the Content List for your model:

**DOMAIN ADMIN**

- Home
- Domain Setup
- Client Models
  - Manage Models
  - Serial Numbers
  - Model Sharing
  - Content**
  - Groups
  - Marketplace
- Users
- Portals
- Devices
- Billing
- Terms

### Add Content

Select Model: Product One

Name:

Meta:

MiME Type:

Data File: Choose File No file chosen

Add Content

### Content List

Select Model: Product One

Show Result(s)

Delete	Edit	Name	Meta	Last Updated	MiME Type	File Size
		firmware_110	firmware version 1.1.0	03:47:58 Oct 21, 14	application/binary	54 Bytes

4. You've successfully posted some content for your client model.

## Lab 9 - Let's add a device using your client model

Now that your client model is created and published, users can add it in their portal using a drop down menu to select it.

First we'll create another portal to use for testing this instead of your 'VENDOR CLONES' portal we have been using. This is similar to Lab 3 to get started.

1. Click on the 'Portals' item in the Domain Admin Menu (left side) and then click 'Portal List'.
2. Add the top you should have a form called 'Add Portal'. We will use this to create this testing portal.
3. Fill in the following:
  - a. Portal Name: 'New User Test'
  - b. Portal Owner: <Pick yourself>
  - c. Portal Plan: <You should have a plan call Community Plan with a balance of 20... these are included with a new subdomain>
  - d. Portal Description: 'This portal is for domain admins to test user portal experience'
  - e. Click 'Add and Charge Domain'. (If you have a balance, this will subtract from that)

The screenshot shows the 'Add Portal' form in the Domain Admin interface. The left sidebar contains a menu with items: DOMAIN ADMIN, Home, Domain Setup, Client Models, Users, Portals, Portal Limits, Portal List (highlighted), Devices, Billing, and Terms. The main form area is titled 'Add Portal' and contains the following fields: Portal Name (text input with 'New User Test'), Portal Owner (dropdown menu with 'mikeaanenson@exosite.com'), Portal Plan (dropdown menu with 'Community - \$7.00 - (Balance Available: 1)'), Portal Description (text area with 'This portal is for domain admins to test user portal experience'), Portal Thumbnail (150px by 100px) (file upload button 'Choose File' and text 'No file chosen (optional)'), and Set As Owner's Default Portal (checkbox and text '(optional)'). Below the form is a red warning message: 'WARNING! The Billing Account associated with this domain (mikeaanenson@exosite.com) will be charged when this Portal Plan is added if there is no balance available for the Plan.' A button 'Add and Charge Domain' is located above the warning.

4. In the Portal List below, you should now have a portal called 'New User Test'. Click this, which will take you to that Portal.
5. This portal should look something like this, since we have set the default home page up now for new users.

The screenshot shows the 'New User Test' portal dashboard. The header includes 'TRAINING CO. portal', 'New User Test PORTAL', and 'DEFAULT HOME DASHBOARD'. The user 'M. Aanenson' is logged in, with options for 'Language' and 'Support'. The left sidebar contains a menu with items: MANAGE, Home (highlighted), Data, Devices, Events, Dashboards, Script, and Admin. The main content area is titled 'WELCOME' and contains the text 'Welcome to the Training web portal!' and a button 'ADD DEVICE'. On the right, there is a 'Devices' section with a table header: 'Name', 'Active', and 'Active Event'.




- Click on the 'ADD DEVICE' button on this page in the welcome widget, which should bring up the add device wizard.

The screenshot shows the 'TRAINING CO. portal' header with 'New User Test PORTAL' and user 'M. Aanenson'. A sidebar on the left lists 'MANAGE' options: Home, Data, Devices (highlighted), Events, Dashboards, Script, and Admin. The main content area is titled 'Device Setup' and shows 'STEP: SETUP TYPE'. It contains two instructions: 'How do I know which device type to choose?' and 'What does the device look like?'. The first instruction has a radio button selected for 'Select a supported device below.' with a dropdown menu showing 'Product One'. The second instruction has a radio button for 'I want to create a generic device.' and a text input field containing 'model'. At the bottom are 'QUIT' and 'CONTINUE' buttons.

- Select your client model from the supported devices below list and click 'Continue'.
- Enter the device's serial number (use 000001) in this case, give it a name like 'Test-000001' and hit 'Continue'

The screenshot shows the 'Device Setup' page at 'STEP: DEVICE SETUP'. The left sidebar now shows 'Where can I find my Serial Number?' with a note that the serial number is found in the position from the image below. The main content area is titled 'Product One' and contains three steps: '1. Enter device Serial Number' with a text input field containing '000001'; '2. Please enter a device name' with a text input field containing 'Test-000001'; and '3. Please enter a device location' (optional - can be a string or GPS decimal degrees) with an empty text input field. At the bottom are 'QUIT' and 'CONTINUE' buttons.

- You can then hit the 'QUIT' button on the last page. This will bring you to the domain dashboard for this device, which should say it is not activated yet.



TRAINING CO. portal New User Test PORTAL MODEL ONE INTERFACE DASHBOARD M. Aanenson | Language | Support


Select the device to show: Test-000001

This device has not yet been activated or does not exist. Please activate your device or confirm the device RID and try again.

DEVICE ONE DASHBOARD

DATA 1 GRAPH No data available. CONFIGURATION Command: none update

10. Click on the 'Home' menu item on the left, you should now see your device in the home page's device list widget. If you click on the device in that widget, it should bring you to the domain dashboard for it that we set up.



TRAINING CO. portal New User Test PORTAL DEFAULT HOME DASHBOARD M. Aanenson | Language | Support

WELCOME Welcome to the Training web portal!

ADD DEVICE

Devices

Name▲	Active	Active Event
Test-000001	Off	No

11. Let's examine the state of the device by clicking on the 'Devices' menu item on the left Manage menu. Then click on your device in the Device table.

The screenshot shows a web browser window with the URL <https://application01.exosite.com/manage/devices>. The page header includes 'TRAINING CO. portal' and 'New User Test PORTAL'. A left sidebar contains a 'MANAGE' menu with options: Home, Data, Devices (highlighted), Events, Dashboards, Script, and Admin. The main content area is titled 'Devices' and shows a table with one entry: 'Test-000001'. A 'Device Information' modal is open, displaying the following details:

Device Information	
Device Update	
Name:	<input type="text" value="Test-000001"/>
Alias:	<input type="text" value="000001"/>
Type:	Product One
Serial Number:	000001
Status:	Not Activated
Timezone:	(GMT-05:00) Central Time US & C...
Location:	<input type="text" value="US"/>
Storage:	243 B
Active Time:	<input type="text" value="5"/> minutes
CIK:	844ca30aa8f8c34dfa0577a6204efef854b6ec8

12. Note that the 'Status' is listed as 'Not Activated'. It's waiting for your device to call in to activate at this point.
  - a. Note there is a 24-hour window once a client has been claimed by an owner for the device to activate, otherwise the CIK will become expired and will need to be re-enabled.
13. On your computer, open the labs file called **'vendor\_model\_device\_emulator.py'** with a code editor or with the Python 'IDLE' IDE (right - click and choose open with IDLE).
14. Edit the line that says `vendor = '<YOUR_VENDOR_ID_HERE>'` to be replaced by your vendor id (same as your subdomain prefix `<vendorid>.exosite.com`)
15. Save the file and run it using the syntax editor, command line (`> python vendor_model_device_emulator.py`) or with the IDLE IDE.
16. You should see that it attempts to activate, be successful, check for content, and start reading and writing data.


```
get stored CIK from non-volatile memory
problem getting stored CIK
try to activate
attempt to activate on Exosite OnePlatform
Activation Response: New CIK:48d636965b69dace1fb055e177e23a158c228464
storing new CIK to non-volatile memory
starting main loop
write data to Exosite OnePlatform
read data from Exosite OnePlatform
Command Value:command=1
read data from Exosite OnePlatform
Command Value:config=%7b
Checking for new firmware
EX0: attempt get content list on Exosite OnePlatform
--Content List:--
firmware_110
-----
get stored firmware version from non-volatile memory
problem getting stored firmware version
storing firmware version to non-volatile memory
current firmware: 100
found new firmware to download: firmware_110
EX0: attempt to download content firmware from Exosite OnePlatform
Got New Download
UPDATING....
storing firmware version to non-volatile memory
updated firmware
get stored firmware version from non-volatile memory
current version: 110
stopping app loop in ~100 seconds
write data to Exosite OnePlatform
read data from Exosite OnePlatform
Command Value:command=1
read data from Exosite OnePlatform
Command Value:config=%7b
```

17.Also, if you look at the status of your device again, it should show up as 'Activated'.

The screenshot shows a web browser window with the URL <https://application01.exosite.com/manage/devices>. The page header includes "TRAINING CO. portal" and "New User Test PORTAL". A left sidebar contains navigation links: MANAGE, Home, Data, Devices (highlighted), Events, Dashboards, Script, and Admin. The main content area is titled "Device Information" and "Device Update". It displays the following details for a device named "Test-00001":

Device Information	
Name:	Test-00001
Alias:	000001
Type:	Product One
Serial Number:	000001
Status:	Activated
Timezone:	(GMT-05:00) Central Time US & C
Location:	US
Storage:	4.37 KB
Active Time:	5 minutes

18. You can go back to the home page now in your portal and click on the device. you should see active data in the widgets on the domain dashboard now for it.



19. You've now tested out your client model and have the foundation to create your own.

### Lab 10 - Create another domain dashboard and add it to the menu

Admins can create their own menu on the left which can call make calls to any of the /manage pages, external links, or domain dashboards.

Let's create a menu item called 'My Devices'. We'll use the device table widget developed in the Portals Labs.

1. In your 'VENDOR CLONES' portal, go to the Dashboards page (Menu on the left) and click '+Add Dashboard'.
  - a. It's name should be 'DEVICE TABLE'
  - b. Fill in the description, keep the type custom.
2. Now go to that dashboard called 'DEVICE TABLE'. It should be blank.
3. Add a 'custom widget' widget and call it 'DEVICES'.
4. Use the following widget settings:
  - a. Width 4, Height 2
  - b. Insert the custom code from the Portals Lab, the code can be found in the 'portals\_labs' folder, called 'device\_table\_using\_portal\_api\_2.js'.
  - c. Keep refresh rate at 0 and leave all the other widget settings as is.
  - d. Hit the SAVE button.
5. You should now see this widget on your dashboard. You likely will not see anything listed since you probably do not have any devices in this portal yet.
6. Go back to the admin area now and under the Domain Admin menu on the left, under Domain Setup, you'll find a page call 'Domain Dashboards'.
7. In the box at the top called 'Add Domain Dashboard', select your 'DEVICE TABLE' dashboard you just created, which should show up under your VENDOR CLONES portal.
8. Leave the type as 'Client Model' and click the 'Add' button.
9. You should now see your dashboard listed under the Domain Dashboard Listing table.
10. To make this page available in the menu, go to the Domain Admin menu and select 'Domain Setup', then 'Configuration'.
11. Scroll down until you see the section 'Secondary Portal Menu'.
12. Click the 'Enable' button for the first item and enter a Display Name of 'My Devices'. In the next column, use the drop-down menu to select your 'DEVICE TABLE' domain dashboard.
13. Scroll down a bit (not all the way to the bottom though) and click the 'Submit' button.
14. Go back to your Portal (you can click the top logo in the header) and you should see your new menu item on the left.

