The University of the West Indies, St. Augustine
COMP 2603 Object Oriented Programming I
Assignment 1 Grade Sheet
2020/2021 Semester 2

Jenelle Kallicharan (816117683)
0.00%
F3

Criteria	Mark
VirtualMeetingSystem	0.0
VirtualRoom	0.0
BreakoutRoom	0.0
Participant	0.0
Total (out of 86.0)	**0.0**

VirtualMeetingSystem Class

Failed 1/1.

VirtualMeetingSystem	0.0 / 32.0

Class not found. Could not find the VirtualMeetingSystem class or your submission did not compile properly.

VirtualRoom Class

Failed 1/1.

VirtualRoom	0.0 / 24.0

Class not found. Could not find the VirtualRoom class or your submission did not compile properly.

BreakoutRoom Class

Failed 16/16.

Attribute	breakoutRoomID	0.0 / 1.0

Is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `private String breakoutRoomID` attribute exists and defined properly   ✗

Attribute	breakoutRoomSize	0.0 / 1.0

Is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `private final int breakoutRoomSize` attribute exists and defined properly   ✗

Attribute	participants	0.0 / 1.0

Is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours

isn't or not defined at all.

Check `private Participant[] participants` attribute exists and defined properly   ✗

Attribute	**numberOfParticipants**	0.0 / 1.0

Is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `private int numberOfParticipants` attribute exists and defined properly   ✗

Attribute	**open**	0.0 / 1.0

Is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `private boolean open` attribute exists and defined properly   ✗

Attribute	**breakoutRoomNumberCounter**	0.0 / 1.0

Is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `private static int breakoutRoomNumberCounter` attribute exists and defined properly   ✗

Constructor	**BreakoutRoom(String)**	0.0 / 3.0

Is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `public BreakoutRoom(String)` constructor exists and defined properly   ✗

Method	**findParticipant(String)**	0.0 / 2.0

Is not testable because testing relies on a constructor that is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `BreakoutRoom(String)` constructor exists and is accessible   ✗

Method	**toString()**	0.0 / 2.0

Is not testable because testing relies on a constructor that is not defined. We expect your attribute, method

or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `BreakoutRoom(String)` constructor exists and is accessible ✗

Method	getBreakoutRoomID()	0.0 / 1.0

Is not testable because testing relies on a constructor that is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `BreakoutRoom(String)` constructor exists and is accessible ✗

Method	getOpen()	0.0 / 1.0

Is not testable because testing relies on a constructor that is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `BreakoutRoom(String)` constructor exists and is accessible ✗

Method	addParticipant(String)	0.0 / 2.0

Is not testable because testing relies on a constructor that is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `BreakoutRoom(String)` constructor exists and is accessible ✗

Method	listParticipants()	0.0 / 2.0

Is not testable because testing relies on a constructor that is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `BreakoutRoom(String)` constructor exists and is accessible ✗

Method	openBreakoutRoom()	0.0 / 1.0

Is not testable because testing relies on a constructor that is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `BreakoutRoom(String)` constructor exists and is accessible ✗

Method	closeBreakoutRoom()	0.0 / 1.0

Is not testable because testing relies on a constructor that is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `BreakoutRoom(String)` constructor exists and is accessible   ✗

Method	getNumberOfParticipants()	0.0 / 1.0

Is not testable because testing relies on a constructor that is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `BreakoutRoom(String)` constructor exists and is accessible   ✗

Participant Class

Failed 5/5.

Attribute	participantID	0.0 / 1.0

Is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `private String participantID` attribute exists and defined properly   ✗

Constructor	Participant(String)	0.0 / 2.0

Is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `public Participant(String)` constructor exists and defined properly   ✗

Method	toString()	0.0 / 2.0

Is not testable because testing relies on a constructor that is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `Participant(String)` constructor exists and is accessible   ✗

Method	verifyID(String)	0.0 / 2.0

Is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `public static boolean verifyID(String)` method exists and defined properly   ✗

Method	getParticipantID()	0.0 / 1.0

Is not testable because testing relies on a constructor that is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `Participant(String)` constructor exists and is accessible ✗

Method	getParticipantID()	0.0 / 1.0