The University of the West Indies, St. Augustine
COMP 2603 Object Oriented Programming I
Assignment 1 Grade Sheet
2020/2021 Semester 2

Kevin Murphy (816003734)

0.00%

F3

Criteria	Mark
VirtualMeetingSystem	0.0
VirtualRoom	6.0
BreakoutRoom	4.5
Participant	3.0
Deductions	-15.9
Total (out of 53.0)	**0.0**

Grade Changes

Observe any deductions or bonuses that you have incurred or earned.

Deductions	
Plagiarism Detected: "Cheater - First Infraction" from cluster with 3 other persons (-30%)	-15.9

VirtualMeetingSystem Class

Failed 11/11.

Class	Should not be printed	0.0 / 1.0
Should not be printed. Should not be printed.		

Class	Should not be printed	0.0 / 1.0
Should not be printed. Should not be printed.		

Class	Should not be printed	0.0 / 1.0
Should not be printed. Should not be printed.		

Class	Should not be printed	0.0 / 1.0
Should not be printed. Should not be printed.		

Class	Should not be printed	0.0 / 1.0
Should not be printed. Should not be printed.		

Class	Should not be printed	0.0 / 1.0
Should not be printed. Should not be printed.		

Class	Should not be printed	0.0 / 1.0
Should not be printed. Should not be printed.		

Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.

VirtualRoom Class

Passed 4/14; Failed 10/14.

Attribute	breakoutRooms	1.0 / 1.0
Attribute	name	1.0 / 1.0
Constructor	VirtualRoom(String, int)	2.0 / 2.0
Constructor	VirtualRoom(String)	2.0 / 2.0

Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.

Attribute	breakoutRoomLimit	0.0 / 1.0

Does not have final modifier. We expect your attribute or method to have the final keyword indicating that it is a constant attribute or an un-overridable method, but yours doesn't.

Check `private final int breakoutRoomLimit` attribute exists and defined properly   ✗

Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.

BreakoutRoom Class

Passed 3/16; Partially passed 1/16; Failed 12/16.

Attribute	breakoutRoomID	1.0 / 1.0

Attribute	participants	1.0 / 1.0

Attribute	open	1.0 / 1.0

Attribute	breakoutRoomSize	0.0 / 1.0

Does not have final modifier. We expect your attribute or method to have the final keyword indicating that it is a constant attribute or an un-overridable method, but yours doesn't.

Check `private final int breakoutRoomSize` attribute exists and defined properly ✗

Attribute	numberOfParticipants	0.0 / 1.0

Is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `private int numberOfParticipants` attribute exists and defined properly ✗

Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.

Attribute	breakoutRoomNumberCounter	0.0 / 1.0

Is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `private static int breakoutRoomNumberCounter` attribute exists and defined properly ✗

Constructor	BreakoutRoom(String)	1.5 / 3.0

Does not initialize the breakoutRoomSize attribute. We expect your constructor to initialize a particular set of instance attributes, but yours doesn't.

Check `public BreakoutRoom(String)` constructor exists and defined properly ✓

Check `BreakoutRoom(String)` constructor creates instances with args `("Room1")` +1.0 ✓

Check `breakoutRoomID` attribute equals `not null` +0.5 ✓

Check `breakoutRoomSize` attribute equals `10` ✗

Method	toString()	0.0 / 2.0

Is not testable because testing relies on the numberOfParticipants attribute that is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `BreakoutRoom(String)` constructor exists and is accessible ✓

Check `breakoutRoomID` attribute exists ✓

Check `numberOfParticipants` attribute exists ✗

Method	getBreakoutRoomID()	0.0 / 1.0

Is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `BreakoutRoom(String)` constructor exists and is accessible ✓

Check `breakoutRoomID` attribute exists ✓

Check `public String getBreakoutRoomID()` method exists and defined properly ✗

Method	getOpen()	0.0 / 1.0

Is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `BreakoutRoom(String)` constructor exists and is accessible ✓

Check `open` attribute exists ✓

Check `public boolean getOpen()` method exists and defined properly ✗

Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.

Method	closeBreakoutRoom()	0.0 / 1.0

Is not testable because testing relies on the numberOfParticipants attribute that is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `BreakoutRoom(String)` constructor exists and is accessible ✓

Check `open` attribute exists	✓
Check `numberOfParticipants` attribute exists	✗

Method	getNumberOfParticipants()	0.0 / 1.0

Is not testable because testing relies on the numberOfParticipants attribute that is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `BreakoutRoom(String)` constructor exists and is accessible	✓
Check `numberOfParticipants` attribute exists	✗

Participant Class

Passed 2/5; Failed 3/5.

Attribute	participantID	1.0 / 1.0

Constructor	Participant(String)	2.0 / 2.0

Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.

Method	verifyID(String)	0.0 / 2.0

Is not a class method. We expect your method to be defined with the static keyword indicating that it is an class method, but yours isn't.

Check `public static boolean verifyID(String)` method exists and defined properly	✗

Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.