# Exploring Human Steering Performance on Complex 3D Paths

## Prototype Design and Construction for a Human-Centered Evaluation System

Yousuf Ibne Kamal Niloy  Samnun Azfar  Anika Farzana  Yousef Fuad Ahmed Al-Khasheb

CSE 6275 / CSE 6391: AHCI — Assignment 2

Department of Computer Science and Engineering
Islamic University of Technology (IUT), OIC

# Outline

Introduction

Related Work & Design Inspirations

Design Goals & HCAI Principles

Conceptual Design

Prototype Design Methodology

Prototype Artifacts & Interface Design

User Interaction & Task Flow

Implementation Details

Discussion & Conclusion

# Introduction

# Background & Motivation

- **Steering Law** extends Fitts' Law to trajectory-based tasks:
  $MT = a + b \cdot \frac{L}{W}$
- Modern systems increasingly involve complex 3D environments:
  VR, simulation training, 3D design, robotic teleoperation
- Existing models focus on 2D or simple straight 3D paths
- Path *curvature* and *complexity* significantly affect performance
- **Human-Centered Machine Learning (HCML)** aims to model and support human behaviour while preserving transparency and user control

# Objectives & Contributions

## Objectives

1. Port Chen et. al's empirical evaluation of a modified Fitts' law to 3D curves [3]
2. Design and construct a high-fidelity prototype in Unity3D for 3D curve tracking experiments
3. Enable researchers to configure curve parameters and collect accurate steering data

## Key Contributions

- A working Unity3D prototype for toroidal curve tracking
- Parameterised curve generation with 6 coefficients (3 sine + 3 cosine)
- Crosshair-based interaction with time-tracking data export

# From Requirements to Design

## Assignment 1 Recap

- Identified 5 stakeholder personas and 5 aligned usage scenarios
- Specified 12 functional, 8 non-functional, and 4 data/environmental requirements
- Key findings: need for standardised 3D path representations, configurable experiments, and reproducible data

## Design Direction

- Prototype translates these requirements into a concrete, testable system
- Focus on accurate data collection over aesthetic user interaction goals
- Curves must remain consistent and trackable across experimental conditions

# Related Work & Design Inspirations

# Related Work & Theoretical Background

## Steering Law Foundations

- Accot & Zhai (1997): trajectory-based movement model [1]
- Extensions for curvature and path complexity
- Limited 3D validation [5]

## 3D Curve Porting

- Chen & Fels (2025): empirical evaluation for curved paths [3]
- Our work extends this from 2D to 3D toroidal surfaces

## Prototyping in HCI

- Iterative design and early usability testing [6]
- Goal-directed design grounded in personas [4]

## HCAI Principles

- Transparency, explainability, human oversight [7]
- Guidelines for Human-AI Interaction [2]

# Design Goals & HCAI Principles

# Design Goals

## Data Collection Goals

- **Accuracy:** Millisecond-precision timing of curve tracking
- **Reproducibility:** Deterministic curve generation from coefficients
- **Configurability:** Adjustable curve parameters via UI sliders
- **Consistency:** Curves must be trackable and well-formed across all parameter ranges

## Usability Goals

- **Learnability:** Minimal instruction needed for participants
- **Low Cognitive Load:** Crosshair-based tracking with clear visual feedback
- **Researcher Control:** Experiment setters configure curves via sliders
- **Data Integrity:** Automatic time logging and export

# Human-Centered AI Principles in the Prototype

- **Transparency:** All curve parameters and timing data are fully visible and exportable — no hidden computations
- **Human Oversight:** The researcher maintains full control over experiment configuration; no automated adaptation during trials
- **Explainability:** Curve generation is based on an explicit mathematical formula; results are directly interpretable
- **Reliability:** Deterministic rendering from the same coefficients ensures reproducible experimental conditions
- **Ethical Data Handling:** Trial data is stored locally with no personally identifiable information

# Conceptual Design

# System Overview

## Core Concept

- A toroidal curve is generated on a torus surface in 3D space
- The curve is defined by a circle equation plus a sinusoidal height component with 6 adjustable coefficients
- A **crosshair** tracks along the curve; the user drags to follow the path
- The system records **completion time** for each trial

## Two User Roles

- **Experiment Setter:** Uses sliders to generate curves with different parameters
- **Participant:** Tracks the curve by dragging along the toroidal path



**Figure 1:** 3D toroidal curve in the prototype environment

# Toroidal Curve Equation: Porting from 2D to 3D

## Mathematical Foundation

The curve is defined on a toroidal surface by combining a circular cross-section with a sinusoidal height component:

$$x^2 + y^2 = r^2$$

$$z = \sum_{i=1}^{3} \left[\alpha_i \sin(\omega_i \theta) + \beta_i \cos(\omega_i \theta)\right]$$

where $\alpha_1, \alpha_2, \alpha_3$ and $\beta_1, \beta_2, \beta_3$ are the **6 adjustable coefficients** that control curve complexity.




**Figure 2:** 2D path (Chen et al.)



**Figure 3:** 3D toroidal conversion

# Prototype Design Methodology

# Design Methodology

## Prototyping Approach

1. **Requirements Analysis** (Assignment 1)
   Personas, scenarios, functional requirements
2. **Conceptual Sketching**
   Wireframes for curve display and control UI
3. **High-Fidelity Prototyping**
   Direct implementation in Unity3D
4. **Iterative Refinement**
   Testing curve trackability and data export

## Tools & Technologies

- **Engine:** Unity3D (C#)
- **Curve Rendering:** Procedural mesh generation on torus
- **Input:** Mouse-based dragging (desktop)
- **Data Export:** CSV with timestamps
- **Target Platform:** Windows 10+ (desktop)

## No AI Behaviour Simulation

The prototype is a *data collection tool*; it does not simulate AI responses. AI/ML analysis is a downstream task performed on the exported data.

# Prototype Artifacts & Interface Design

# Wireframes & Sketches

## Main Experiment View

*[Placeholder: Wireframe of 3D curve tracking viewport with crosshair]*

## Experiment Configuration Panel

*[Placeholder: Wireframe of slider panel for 6 coefficients]*

# Interface Screens

## Curve Tracking Interface

*[Placeholder: Screenshot of Unity3D curve tracking UI]*

## Parameter Control Panel

*[Placeholder: Screenshot of slider controls and trial timer]*

# Storyboards & Interaction Scenarios

## Scenario: Researcher Configures Experiment

*[Placeholder: Storyboard panels showing researcher adjusting sliders, previewing curve, starting trial]*

## Scenario: Participant Tracks Curve

*[Placeholder: Storyboard panels showing participant receiving instructions, tracking curve, trial completion]*

# User Interaction & Task Flow

# User Interaction Model

### Participant Interaction

1. View the toroidal curve in the 3D viewport
2. Position the crosshair at the start point
3. **Drag along the curve** to track the toroidal path
4. System records completion time automatically
5. Trial ends when the end point is reached

### Experiment Setter Interaction

1. Adjust the **6 coefficient sliders** ($\alpha_1$–$\alpha_3$, $\beta_1$–$\beta_3$)
2. Preview the generated toroidal curve in real time
3. Start a new trial for the participant
4. Review exported timing data (CSV)

### Input Method

Mouse-based dragging on desktop; VR controller input planned for future work.

# Task Flow

**Primary Task:** *Complete a 3D Toroidal Curve Tracking Trial*

1. **Configure Curve**
   Researcher sets 6 coefficients via sliders
2. **Preview & Validate**
   Visual check that the curve is well-formed and trackable
3. **Start Trial**
   Participant begins dragging the crosshair along the curve
4. **Record Data**
   System captures completion time with millisecond precision
5. **Export Results**
   Timing data saved to CSV for analysis

**Data Captured Per Trial**

- Curve coefficients ($\alpha_1$–$\alpha_3$, $\beta_1$–$\beta_3$)
- Completion time (ms)
- Trial index and session ID

**No AI in the Loop**

The prototype operates as a pure data collection instrument. All analysis (e.g., fitting the modified steering law model) is performed offline on the exported data.

# Implementation Details

# Implementation in Unity3D

## Platform & Tools

- **Engine:** Unity3D (2022 LTS or later)
- **Language:** C#
- **Target:** Windows 10+ (desktop)
- **Input:** Mouse (crosshair dragging)

## Key Features

- Procedural toroidal curve generation from 6 coefficients
- Real-time curve preview as sliders are adjusted
- Crosshair-based path tracking with visual feedback
- Millisecond-precision timer for trial duration

## Architecture

- **CurveGenerator:** Computes toroidal mesh from coefficients
- **CrosshairController:** Handles user input and position tracking
- **TrialManager:** Manages trial lifecycle, timing, and data logging
- **UIManager:** Slider panel, timer display, trial controls

## Constraint

VR implementation (Meta Quest) is not yet implemented; currently desktop-only with mouse input.

# Discussion & Conclusion

# Alignment with Requirements (Assignment 1)

| Req. ID | Requirement | Status |
|---|---|---|
| FR1 | Built in Unity engine | Implemented |
| FR2 | Configurable 3D path geometry | Implemented |
| FR3 | Mouse & VR controller input | Partial (mouse only) |
| FR4 | Millisecond-precision timing | Implemented |
| FR9 | CSV / JSON data export | Implemented |
| FR11 | Meta VR headset support | Not yet |
| NFR1 | $\geq$ 60 FPS on GTX 1650 | Met |
| NFR2 | Sub-perceptual input latency | Met |

# Design Trade-offs & Implications

- **Data Accuracy vs. Visual Richness**
  Prioritised precise timing and consistent curves over elaborate visual design
- **Desktop-First vs. VR-First**
  Chose desktop (mouse) for rapid prototyping; VR integration is planned but not yet implemented
- **Simplicity vs. Feature Completeness**
  Focused on core data collection pipeline; advanced features (practice trials, tutorials, randomisation) deferred
- **Configurability vs. Participant Simplicity**
  Slider controls are exposed only to the experiment setter; participants see only the curve and crosshair

Design philosophy: The prototype is an *instrument for data collection*, not a polished end-user application.

# Limitations

### Prototype Limitations

- VR mode not yet implemented — currently desktop-only
- No tutorial or practice trial system
- Limited to mouse-based input; no VR controller support
- No boundary violation detection yet
- Trial randomisation not implemented

### Methodological Constraints

- Prototype not yet evaluated with real participants
- Curve trackability not empirically validated across all coefficient ranges
- Data analysis (fitting steering law model) is offline and not part of the prototype
- Limited accessibility features

# Future Work

- **VR Integration:** Port the prototype to Meta Quest headsets with VR controller input
- **Pilot Study:** Conduct initial user studies to validate curve trackability and data quality
- **Extended Data Logging:** Add trajectory capture, boundary violation detection, and trial randomisation
- **Steering Law Fitting:** Analyse collected data to evaluate the modified Fitts' law in 3D
- **Accessibility:** Add pause/resume, fatigue-aware breaks, and adjustable tolerances
- **ML Analysis Pipeline:** Build downstream tools for outlier detection, movement time prediction, and interpretable models

# Conclusion

- Designed and constructed a **high-fidelity Unity3D prototype** for studying human steering performance on complex 3D toroidal curves
- The curve is defined by **6 adjustable coefficients** (3 sine + 3 cosine), enabling systematic variation of path complexity
- Users track the curve via a **crosshair-based dragging interaction**; the system records completion time with millisecond precision
- The prototype is grounded in **HCAI principles**: transparency, human oversight, and reproducibility
- Provides the foundation for **empirical evaluation** of the steering law on 3D curved trajectories

## Thank You!

Questions?

# References i


[1] Johnny Accot and Shumin Zhai. **"Beyond Fitts' law: Models for trajectory-based HCI tasks".** In: *Proceedings of the ACM SIGCHI Conference on Human Factors in Computing Systems*. 1997, pp. 295–302.

[2] Saleema Amershi et al. **"Guidelines for Human-AI Interaction".** In: *Proceedings of the ACM CHI Conference on Human Factors in Computing Systems*. 2019, pp. 1–13.

[3] Jun Chen and Sidney Fels. **"Curves ahead: Enhancing the steering law for complex curved trajectories".** In: *Proceedings of the CHI Conference on Human Factors in Computing Systems*. To appear. 2025.

[4] Alan Cooper et al. **About Face: The Essentials of Interaction Design.** John Wiley & Sons, 2014.

[5] Liang Liu and Robert van Liere. **"Revisiting path steering for 3D manipulation tasks".** In: *International Journal of Human-Computer Studies* 69.3 (2011), pp. 187–198.

# References ii


[6] Helen Sharp, Yvonne Rogers, and Jenny Preece. **Interaction Design: Beyond Human-Computer Interaction.** John Wiley & Sons, 2019.

[7] Ben Shneiderman. **"Human-Centered AI".** In: *Oxford University Press* (2022).