Electronic Medical Record (EMR) Summary

Patient ID: PID69083906

Name: Sara

Age: 2, Sex: Female

Visit ID: VISIT61831716

Date: 2025-05-17 14:36

Clinical Reasoning Summary

Definition & Key Concerns

The clinical features described suggest a neurodevelopmental disorder known as Rett syndrome. This is a

rare genetic disorder that primarily affects girls and leads to severe cognitive and physical impairments. Key

concerns include developmental regression, loss of purposeful hand skills replaced with repetitive

movements (such as hand-wringing), slowed growth, and autistic-like behaviors.

Differential Diagnosis

1. Rett Syndrome: The combination of developmental regression, loss of hand skills, hand-wringing

movements, and autistic-like behaviors is highly characteristic of Rett syndrome.

2. Childhood Disintegrative Disorder: This condition also involves regression of skills, but it typically occurs

later (around age 3-4 years) and does not usually involve the characteristic hand movements seen in Rett

syndrome.

3. Autism Spectrum Disorder: While some symptoms overlap, the loss of purposeful hand movements and

the specific hand-wringing behavior are more characteristic of Rett syndrome.

Can?t-Miss Diagnosis

Rett Syndrome is the can't-miss diagnosis in this case due to the characteristic clinical features described.

Electronic Medical Record (EMR) Summary

Suggested Investigations

1. Genetic testing: A mutation in the MECP2 gene is found in the majority of girls with Rett syndrome.

2. Neuroimaging: To rule out other causes of developmental regression.

3. EEG: Some girls with Rett syndrome may have seizures, so an EEG may be useful.

Management Plan

There is currently no cure for Rett syndrome, so management is supportive and includes:

1. Physical therapy: To maintain mobility and prevent contractures.

2. Speech therapy: To maximize communication skills.

3. Occupational therapy: To promote independence in daily activities.

4. Nutrition management: To ensure adequate growth and development.

5. Regular follow-up with a neurologist: To manage any associated neurological issues such as seizures.

Reference Insight

According to UpToDate (2023), the diagnosis of Rett syndrome is based on clinical criteria, including the loss of purposeful hand skills between ages 5 and 30 months, stereotypic hand movements (such as hand-wringing), and deceleration of head growth. Genetic testing can confirm the diagnosis in the majority of cases.

Rare Disease Alerts

None triggered

Prescription

None provided