



UNIVERSITEIT VAN PRETORIA
UNIVERSITY OF PRETORIA
YUNIBESITHI YA PRETORIA

DEPARTMENT OF COMPUTER SCIENCE

COS 301

MINI PROJECT ASSIGNMENT 1

Software Requirements Specification and Technology Neutral Process Design

TEAM BRAVO

Student:

Student number:

Daniel King

u13307607

Azhar Mohungoo

u12239799

Andreas du Preez

u12207871

Banele Nxumalo

u12201911

Frederic Ehlers

u11061112

Diana Obo

u13134885

Bilal Muhammad

u13080335

Contents

1	Introduction	3
2	Vision	3
3	Background	3
4	Architecture Requirements	4
4.1	Access channel requirements	4
4.1.1	Web Application	4
4.1.2	Mobile Application	4
4.2	Quality requirements	4
4.3	Integration requirements	5
4.3.1	Integration channels	5
4.3.2	Protocols	5
4.3.3	API specification (UML form) and technology specific API specification	5
4.3.4	Integration quality requirements	5
4.4	Architecture constraints	6
5	Functional requirements and application design	7
5.1	Use case prioritization	7
5.1.1	Critical:	7
5.1.2	Important:	8
5.1.3	Nice-To-Have:	8
5.2	Use case/Services contracts	8
5.3	Required functionality	20
5.3.1	User Gateway	20
5.3.2	Research Paper Management	21
5.3.3	User Account Management Services	22
5.3.4	Log Services	23
5.3.5	Notification Services	24
5.3.6	Archival Services	25
5.4	Process specifications	26

5.4.1	Server Connection	26
5.4.2	Database Connection	27
5.4.3	Login	28
5.4.4	Logout	29
5.4.5	add new User	30
5.4.6	New Author	31
5.5	Domain Model	32
6	Open Issues	32
	References	33

BRAVO GITHUB REPOSITORY LINK

For further references, please click on this [link](#).

1 Introduction

This document aims to specify the functional and non-functional requirements of a document archiving system, as specified by Ms Vreda Pieterse of the Computer Science Department.

It will serve as a means of communication between the client and developers as well as providing an elaboration and a clear description of its implementation specifications.

2 Vision

We intend to create a system that will allow authors and their co-authors to work on their research papers in an environment that reassures collaborative work, which in turn diminishes the time spent on papers with multiple authors. The following are what we plan to achieve:

- Keep track of research papers.
- View meta-data of research papers.
- Allow multiple authors to collaborate on the same research paper.
- Different levels of authority, i.e. Admin, (Co)Author, User.
- View and edit the details, of a text based profile, of different researchers.
- Implementation as a website and an android application.

3 Background

We live in a world where time is valuable. We would like to do as much as we possibly can in the shortest amount of time. And if that's not possible, we work in teams to ensure that we achieve that goal.

Researcher papers tend to be fairly lengthy, and if completed by only one author, it could be quite a tedious process. Hence we propose a system which would make the storage and collaboration of research articles and papers effortless by producing an archive system.

4 Architecture Requirements

4.1 Access channel requirements

The different access channels for the system will be as follows:

4.1.1 Web Application

The system can be used via a web application that uses RESTful web services and bootstrap technology. The system will be fully supported on the following web browsers:

- Chrome 7.0.517 and up
- Firefox 3.6 and up
- Safari 4 and up
- Edge

Bootstrap will be used so that the web application will also be accessible by mobile web browsers that support HTML5 and JavaScript technology.

4.1.2 Mobile Application

The system will also be accessible via a mobile application and will be operational on the following mobile operating systems:

- Android 4.0 (Ice Cream Sandwich) and up.

4.2 Quality requirements

- Security - The system shall identify all of its client applications before allowing them access to those entities. Possible measurement methods: Success rate in authentication, percentage of successful attacks, encryption level and probability/time/resources needed to attack the system.
- Usability - The degree of ease of use and training needed for end users. Possible measurement methods: Time it took a user to find a report (search functionality), percentage of deadlines met (notification functionality) and time it took a user to perform certain tasks.
- Auditability - The degree to which transactions can be traced. Possible measurement methods: The number and precision of logs generated in a period of time (metadata accessed/deleted/added).

- Portability - Measure ability of the system to run under different computing environments. Possible measurement methods: Number of targeted software environments (ie different browsers and operating systems) and proportion of platform specific functionality.
- Maintainability - Measures ability to make changes quickly and cost effectively. Possible measurement methods: Degree of complexity to make changes to the format of the metadata and mean time to add or change certain functionalities (ie new report types and new types of users).
- Availability - Percentage of time that the system is up and running correctly. Possible measurement methods: Length of time between failures and length of time needed to resume operation after a failure.
- Performance - Possible measurement methods: How well the system perform under high workload and number of events processed/denied in some interval of time.

4.3 Integration requirements

4.3.1 Integration channels

- System will be integrated on two platforms: a website and an android application.

4.3.2 Protocols

- Protocols needed for the website: HTTPS, Data Query Protocol
- Protocols needed for the application: Session Initiation Protocol (SIP)

4.3.3 API specification (UML form) and technology specific API specification

- UML diagram here

4.3.4 Integration quality requirements

- Reliability - The service must not crash, it must run effectively and efficiently allowing users to make use of the service at all times.
- Auditability - Have logs record all activity that occurs thus all actions and occurrences can be traced.
- Security - Giving the users reassurance that the system will protect their details and content. Allow secure and safe communication between user and the system.
- Maintainability - Provide easy, effective and efficient maintenance to the system allowing minimal or no downtime of the system.

- Usability - Allow users to use the system with ease and minimal need for tutorials. Ensure that the system is self-explanatory, efficient and effective.
- Portability - To provide compatibility with as many systems as possible without integration failure or function failure.
- Availability - Minimise downtime of the system. Quick recoveries from crashes, preventive measures to minimise chances of system crash.
- Performance - The rate of work done when the system has either a high or low workload and minimise amount of denied events.
- Seamless transitions between platforms - Implementation between the integrated platforms must not vary greatly to avoid confusion and allow ease of use.

4.4 Architecture constraints

- The platform must exist in 2 mediums, namely web and android application.
- It is an internal network to be used by the Computer Science department, so it need not to source any information from the web.
- Any form of database can be used, but the team has decided that MySQL would be the best option from the current skillset.
- PHP and JavaScript will be used for the web and Android Studio for the android application.
- The system should cater for and including 100 users as a maximum.
- There should be a log that records all activity on the system

5 Functional requirements and application design

5.1 Use case prioritization

This section specifies the level of importance of different use cases, prioritized in terms of the following 3 categories: Critical, Important and Nice-To-Have. Each of which has a lesser importance than the previous one.

5.1.1 Critical:

- User gateway
 - Register user
 - Login user
- Research paper management
 - View paper
 - Publish paper
 - Terminate paper
 - Assign research paper's conference venue
 - View research paper's venue
- User account management
 - View user account
 - Remove account
 - Create new account
 - Search user
 - Modify account
 - Assign co-author
- Log services
 - View recent activities
 - System events
 - Determine date and time
 - Identify user
- Other
 - System should only allow one primary author for each research paper. The rest should be co-authors
 - Superuser, one to be above all other users to have complete control and access to the entire system
 - Only metadata of the document will be posted, no documents will be posted
 - Research documents are archived rather than deleted

5.1.2 Important:


- Notification Services
 - Create notification
- Archival Services
 - Terminate paper
 - Revive paper
- Units accumulated from work on papers is reflected on the user's profile

5.1.3 Nice-To-Have:

- Users can search for other users attending the same conference
- Data representation via bar charts of the units accumulated by researchers throughout the past years


5.2 Use case/Services contracts

- Login user
 - **Description:** The ability for a user to login to the system
 - **Pre-Condition:** A user name and password must be provided by the user attempting to login. The username must exist in the database and the password needs to be the same as the one found within the database.
 - **Post-Condition:** The user will be notified the login was successful and now has the privileges associated with the account.



- Register User

- **Description:** The ability to create a new account within the system
- **Pre-Condition:** The user must provide a username, password and email address that will be associated with the created account. The username must also not already exist within the database.
- **Post-Condition:** The account needs to be created and exist within the database




- View paper

- **Description:** The ability to view the meta-data related to a research paper
- **Pre-Condition:** The user attempting to view the paper must be an author of the paper or have sufficient privilege.
- **Post-Condition:** The data of the paper in question must be displayed to the user.




- Modify paper

- **Description:** The ability to edit the meta-data related to a research paper.
- **Pre-Condition:** The user attempting to edit the paper must be an author of the paper or have sufficient privilege.
- **Post-Condition:** The paper's meta-data needs to be altered in the desired way.




- Publish paper


- **Description:** The ability to set a paper within the system as published and discontinue work on it.
- **Pre-Condition:** A user with sufficient privilege should be making this action
- **Post-Condition:** The paper is set as published and the group is dissolved.




- Terminate paper
 - **Description:** The paper is discontinued by the current research group
 - **Pre-Condition:** The request has to be made by the primary-author, the admin, the Superuser or the Head of Department
 - **Post-Condition:** The paper is listed as discontinued




- Edit Account
 - **Description:** The ability for users to edit their profiles
 - **Pre-Condition:** The user attempting to edit the profile must either have sufficient privilege or must be the owner of the account
 - **Post-Condition:** The profile has been edited in the desired way



- Remove account
 - **Description:** Delete a user account from the system
 - **Pre-Condition:** The user attempting to delete the profile must either have sufficient privilege or must be the owner of the account
 - **Post-Condition:** The profile no longer exists within the system




- View user account
 - **Description:** The ability for a user to view an account
 - **Pre-Condition:** The user must be logged into their account or the user attempting to view the account must be an admin, super admin, or head of department.
 - **Post-Condition:** The user's account needs to be displayed for the requesting user




- Search user
 - **Description:** The ability to search for users working on paper's for the same conference as well as admins, Superusers and the Head of Department to search for users based on certain criteria
 - **Pre-Condition:** The criteria for the desired group of users must be specified
 - **Post-Condition:** The user/s are presented to the user requesting




- Assign co-author
 - **Description:** A co-author is assigned to a research group
 - **Pre-Condition:** The user assigning the co-author must be a primary-author/admin/Superuser or Head of Department
 - **Post-Condition:** The co-author is linked to the research group



- View recent activities
 - **Description:** The ability to view recent actions taken by the user on the system
 - **Pre-Condition:** User requesting must be of sufficient privilege
 - **Post-Condition:** The activities are presented to the user requesting them




- System events
 - **Description:** The ability to view logs of events that have taken place within the system
 - **Pre-Condition:** User requesting must be an Admin, Superuser or Head of Department
 - **Post-Condition:** The log of system events is presented to the user




- Set notification
 - **Description:** The ability to set who receives a notification as well as when the notification should be issued
 - **Pre-Condition:** The user setting the notification must be a Primary Author, Admin, Superuser or Head of Department
 - **Post-Condition:** The notification is set and will email the specified user at the specified time/s.



- Revoke paper
 - **Description:** Assign a terminated paper to a new research group
 - **Pre-Condition:** The terminated paper must exist within the system
 - **Post-Condition:** A new research group is created with the requesting user as the primary-author




- Units accumulated from work on papers is reflected on ther user's profile
 - **Description:** Units accumulated from work on papers is reflected on ther user's profile
 - **Pre-Condition:** A paper worth a certain number of units must be published and the user needs to be an author of the paper.
 - **Post-Condition:** The units are added to the user's profile and displayed when the profile is viewed




- Data representation of units accumulated
 - **Description:** A bar chart representation of the units a user has accumulated over time

- **Pre-Condition:** The user must exist and the user requesting to view the representation must be the owner of the account, an Admin, Superuser or HoD.
- **Post-Condition:** The bar chart is presented to the requesting user.




5.3 Required functionality


5.3.1 User Gateway




5.3.2 Research Paper Management




5.3.3 User Account Management Services




5.3.4 Log Services



5.3.5 Notification Services




5.3.6 Archival Services




5.4 Process specifications


5.4.1 Server Connection




5.4.2 Database Connection




5.4.3 Login




5.4.4 Logout




5.4.5 add new User



5.4.6 New Author



5.5 Domain Model



6 Open Issues

- Implement a GUI that will make the navigation of the system easier
- Have a chat service that exists within the scope of each research document
- Colour code the status of each document for easier viewing
- Closer to the deadline a pop up should display a message informing the user time is running out
- Give the user the option to display whether they're online or not

References

- [1] Mrs Vreda Pieterse. Cos 301 mini project: Client specification. COS 301 lecture notes and template documents via the Computer Science website, February 2016. Specifications also provided during COS 301 lectures at the University Of Pretoria.