


MultiAgentBench:

: 2025-03-03 00:00:00

: <https://arxiv.org/pdf/2503.01935>

: 60

: 75



LLM-

MARBLE - %

API

API

:

- Š

(• • , , ...)

: €

f : %

” • f

- ‡

œ

† ‡ ^ - ,

%

%

- Š

%

• †

#

1. MultiAgentBench

Figure 1 is a scatter plot showing the relationship between the percentage of the population aged 65 and over (x-axis) and the percentage of the population aged 15 and under (y-axis). The x-axis ranges from 0 to 100, and the y-axis ranges from 0 to 100. A negative correlation is evident, with a regression line and a shaded confidence interval. Data points are labeled with country codes: S (Spain), G (Germany), F (France), I (Italy), U (United Kingdom), N (Netherlands), B (Belgium), L (Luxembourg), P (Portugal), and C (Canada).

MARBLE

...
: %
: 65/100

LLM. €

LLM.

‡ : 1.

2. ‡
...
‡.....

‡ : 1. API
2. ^
...
: 60/100

€ : 1. ^
2. ' "
3. €
LLM. 4. <
5. ^
" ,
: " :
€ ,
LLM. ,
€ : € : 75/100
%
...)
%
‡.....

[illegible]

Prompt:

Figure 1 is a scatter plot showing the distribution of scores for MultiAgentBench and GPT across different models. The x-axis represents the score, and the y-axis represents the number of models. MultiAgentBench scores are clustered at lower values (around 0.5 to 1.5), while GPT scores are clustered at higher values (around 2.5 to 3.5).

$$[=====]$$

§

...

Š

§

— ... ,

•

• , ... , , , , • , ,

• † , :

... , , • , ,

...

• € , 5-7 †.....

• , ‰ 5 , ,

... ‰ , ,

^ ...

,

, † •

, . [=====]

^

” • - • , ...

, † , (• • , ,) • •

, .

• - , • • 3

• , , , ”

•

š ‡ - † •

, , † , ... , ,

• , , ...

^ - • ,

† , • 7, †.....

5-7

... ^ • ^ - ,

, , ... , ,

.

•

”
,

•

•

, ,
.

•

•

•

GPT