CA-3



Web Technologies – CAP757

Name: Aboobacker Siddeeque K

Roll Number: 36

Admission Number: 12300016

Question: College Leave ManagementSystem

- 1. User Authentication System:
 - Complete signup and login functionality
 - Session management using localStorage
 - Protected routes (redirects to home if not logged in)

2. Form Validation:

- o Client-side validation for all forms
- o Real-time feedback for users
- Password matching and strength checks

3. Toast Notifications:

- Visual feedback for user actions
- Success and error messages
- o Auto-dismiss after display

4. Leave Application System:

- o Stores leave applications in user profile
- Date validation (end date can't be before start date)
- o Pre-filled user information

5. Dynamic Attendance Display:

- o Calculates attendance percentage
- Color-coded progress bars based on percentage
- o Responsive card layout

6. Navigation Improvements:

- Disables protected links when not logged in
- Shows user profile when logged in
- Proper logout functionality

7. Data Persistence:

- All user data stored in localStorage
- Sample data initialization
- Data integrity checks

Code:

1.index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Home | College Leave Management</title>
href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600;700&display=swap"
rel="stylesheet">
  <!-- Bootstrap CSS -->
  k href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <!-- Custom CSS -->
  <link rel="stylesheet" href="./src/styles.css">
  <!-- Bootstrap Icons -->
  link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.0/font/bootstrap-
icons.css">
</head>
<body>
  <!-- Toast Notification -->
  <div class="position-fixed bottom-0 end-0 p-3" style="z-index: 11">
    <div id="liveToast" class="toast" role="alert" aria-live="assertive" aria-atomic="true">
       <div class="toast-header">
         <strong class="me-auto" id="toast-title">Notification</strong>
         <button type="button" class="btn-close" data-bs-dismiss="toast" aria-label="Close"></button>
       </div>
       <div class="toast-body" id="toast-message"></div>
    </div>
  </div>
  <!-- Navbar -->
  <nav class="navbar navbar-expand-lg navbar-light fixed-top">
    <div class="container">
       <a class="navbar-brand" href="index.html">
         <i class="bi bi-calendar-check me-2"></i>Leave Management
       </a>
       <br/>
<br/>
<br/>
data-bs-toggle="collapse" data-bs-toggle="collapse" data-bs-
target="#navbarNav">
```

```
</button>
      <div class="collapse navbar-collapse" id="navbarNav">
        class="nav-item">
            <a class="nav-link active" href="index.html">Home</a>
          class="nav-item">
            <a class="nav-link" href="./src/attendance.html">Attendance</a>
          <a class="nav-link" href="./src/apply-leave.html">Apply Leave</a>
          <div class="d-flex" id="authButtons">
          <a href="#" class="btn btn-primary me-2" data-bs-toggle="modal" data-bs-
target="#signupModal">
            Sign Up
          </a>
          <a href="#" class="btn btn-outline-primary" data-bs-toggle="modal" data-bs-
target="#loginModal">
            Login
          </a>
        </div>
        <div class="d-flex align-items-center d-none" id="userProfile">
          <span class="me-3" id="usernameDisplay"></span>
          <button class="btn btn-outline-danger btn-sm" id="logoutBtn">Logout</button>
        </div>
      </div>
    </div>
  </nav>
  <main>
    <!-- Hero Section -->
    <section class="hero">
      <div class="container text-center">
        <h1 class="display-4 fw-bold mb-4">College Leave Management System</h1>
        Efficiently manage and track leave requests with our streamlined
platform
        <div class="d-grid gap-3 d-sm-flex justify-content-sm-center">
          <a href="./src/apply-leave.html" class="btn btn-primary btn-lg px-4" id="applyLeaveBtn">
```

```
Apply for Leave
          </a>
          <a href="./src/attendance.html" class="btn btn-outline-primary btn-lg px-4"</pre>
id="viewAttendanceBtn">
            View Attendance
          </a>
        </div>
      </div>
    </section>
  </main>
  <!-- Footer -->
  <footer class="footer">
    <div class="container">
      <div class="row">
        <div class="col-md-6">
          College Leave Management System
        </div>
        <div class="col-md-3">
          <h5>Quick Links</h5>
          <a href="index.html">Home</a>
            <a href="./src/attendance.html">Attendance</a>
            <a href="./src/apply-leave.html">Apply Leave</a>
          </div>
        <div class="col-md-3">
          <h5>Contact</h5>
          <
href=''mailto:aboobackerasi193@gmail.com?subject=Leave%20Management%20System%20Query''>
                <i class="bi bi-envelope me-2"></i>EMail
              </a>
            <
              <a href="tel:+919656430228">
                <i class="bi bi-telephone me-2"></i>+91 9656430228
              </a>
             <del>(/li></del>
```

```
</div>
       </div>
       <hr class=''mt-4 mb-4'' style=''border-color: rgba(255,255,255,0.1);''>
       <div class="text-center">
         © <script>document.write(new Date().getFullYear())</script>
LeaveTrack. All rights reserved.
       </div>
    </div>
  </footer>
  <!-- Sign Up Modal -->
  <div class=''modal fade'' id=''signupModal'' tabindex=''-1'' aria-labelledby=''signupModalLabel'' aria-</pre>
hidden="true">
    <div class="modal-dialog modal-dialog-centered">
       <div class="modal-content">
         <div class="modal-header">
           <h5 class="modal-title" id="signupModalLabel">Student Registration</h5>
           <button type="button" class="btn-close btn-close-white" data-bs-dismiss="modal" aria-
label="Close"></button>
         </div>
         <div class="modal-body">
           <form id="signupForm">
             <h6 class="mb-3">Personal Information</h6>
             <div class="row g-3">
                <div class="col-md-6">
                  <label for="signupName" class="form-label">Full Name</label>
                  <input type="text" class="form-control" id="signupName" required>
                  <div class="invalid-feedback">Please provide your full name.</div>
                </div>
                <div class="col-md-6">
                  <label for="signupDob" class="form-label">Date of Birth</label>
                  <input type="date" class="form-control" id="signupDob" required>
                  <div class="invalid-feedback">Please provide your date of birth.</div>
                </div>
             </div>
             <h6 class="mt-4 mb-3">Academic Information</h6>
             <div class="row g-3">
                <div class="col-md-6">
```

```
<label for="registrationNumber" class="form-label">Registration Number</label>
  <input type="text" class="form-control" id="registrationNumber" required>
  <div class="invalid-feedback">Please provide your registration number.</div>
</div>
<div class="col-md-6">
  <label for="courseSelect" class="form-label">Course</label>
  <select class="form-select" id="courseSelect" required>
    <option value=''' selected disabled>Select Course</option>
    <option value="btech">B.Tech</option>
    <option value="mtech">M.Tech</option>
    <option value="bca">BCA</option>
    <option value="mca">MCA</option>
    <option value="bba">BBA</option>
    <option value="mba">MBA</option>
  </select>
  <div class="invalid-feedback">Please select your course.</div>
</div>
<div class="col-md-6">
  <label for="departmentSelect" class="form-label">Department</label>
  <select class="form-select" id="departmentSelect" required>
    <option value=''' selected disabled>Select Department</option>
    <option value="cse">Computer Science</option>
    <option value="ece">Electronics</option>
    <option value="mech">Mechanical</option>
    <option value="civil">Civil</option>
    <option value="mba">Business Administration</option>
  </select>
  <div class=''invalid-feedback''>Please select your department.</div>
</div>
<div class="col-md-6">
  <label for="sectionSelect" class="form-label">Section</label>
  <select class="form-select" id="sectionSelect" required>
    <option value=''' selected disabled>Select Section</option>
    <option value="A">Section A</option>
    <option value="B">Section B</option>
    <option value="C">Section C</option>
    <option value="D">Section D</option>
  </select>
  <div class="invalid-feedback">Please select your section.</div>
```

```
</div>
             </div>
             <h6 class="mt-4 mb-3">Account Credentials</h6>
             <div class="row g-3">
                <div class="col-md-6">
                  <label for="signupEmail" class="form-label">Email</label>
                  <input type="email" class="form-control" id="signupEmail" required>
                  <div class="invalid-feedback">Please provide a valid email.</div>
                </div>
                <div class="col-md-6">
                  <label for="signupPassword" class="form-label">Password</label>
                  <input type="password" class="form-control" id="signupPassword" required</pre>
minlength="6">
                  <div class="invalid-feedback">Password must be at least 6 characters.</div>
                </div>
                <div class="col-md-6">
                  <label for="signupConfirmPassword" class="form-label">Confirm Password</label>
                  <input type="password" class="form-control" id="signupConfirmPassword"</pre>
required>
                  <div class="invalid-feedback">Passwords must match.</div>
                </div>
             </div>
             <div class="d-grid gap-2 mt-4">
                <button type="submit" class="btn btn-primary">Complete Registration</button>
             </div>
           </form>
         </div>
         <div class="modal-footer justify-content-center">
           Already registered?
             <a href="#" class="text-primary fw-bold" data-bs-dismiss="modal" data-bs-
toggle="modal" data-bs-target="#loginModal">Login here</a>
           </div>
       </div>
    </div>
  </div>
```

<!-- Login Modal -->

```
<div class="modal fade" id="loginModal" tabindex="-1" aria-labelledby="loginModalLabel" aria-</p>
hidden="true">
     <div class="modal-dialog">
       <div class="modal-content">
         <div class="modal-header">
           <h5 class="modal-title" id="loginModalLabel">Login to Your Account</h5>
           <button type="button" class="btn-close" data-bs-dismiss="modal" aria-</pre>
label="Close"></button>
         </div>
         <div class="modal-body">
           <form id=''loginForm''>
              <div class="mb-3">
                <label for="loginEmail" class="form-label">Email address</label>
                <input type="email" class="form-control" id="loginEmail" required>
                <div class="invalid-feedback">Please provide your email.</div>
              </div>
              <div class="mb-3">
                <label for="loginPassword" class="form-label">Password</label>
                <input type=''password'' class=''form-control'' id=''loginPassword'' required>
                <div class="invalid-feedback">Please provide your password.</div>
              </div>
              <div class="d-grid">
                <button type="submit" class="btn btn-primary">Login</button>
              </div>
           </form>
         </div>
         <div class="modal-footer justify-content-center">
           Don't have an account? <a href=''#'' class=''text-primary fw-bold'' data-bs-</pre>
dismiss="modal" data-bs-toggle="modal" data-bs-target="#signupModal">Sign up here</a>
         </div>
       </div>
     </div>
  </div>
  <!-- Bootstrap JS -->
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
  <!-- Custom JS -->
  <script src="./src/script.js"></script>
</body>
</html>
```

2. attendance.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Attendance | College Leave Management</title>
  k
href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600;700&display=swap"
rel="stylesheet">
  <!-- Bootstrap CSS -->
  k href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <!-- Custom CSS -->
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <!-- Toast Notification -->
  <div class="position-fixed bottom-0 end-0 p-3" style="z-index: 11">
    <div id="liveToast" class="toast" role="alert" aria-live="assertive" aria-atomic="true">
      <div class="toast-header">
        <strong class="me-auto" id="toast-title">Notification</strong>
        <button type="button" class="btn-close" data-bs-dismiss="toast" aria-label="Close"></button>
      </div>
      <div class="toast-body" id="toast-message"></div>
    </div>
  </div>
  <!-- Navbar -->
  <nav class="navbar navbar-expand-lg navbar-light fixed-top">
    <div class="container">
      <a class="navbar-brand" href="../index.html">
        <i class="bi bi-calendar-check me-2"></i>Leave Management
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNav">
```

```
cli class="nav-item">
           <a class="nav-link" href="../index.html">Home</a>
         cli class="nav-item">
           <a class="nav-link active" href="attendance.html">Attendance</a>
         class="nav-item">
           <a class="nav-link" href="apply-leave.html">Apply Leave</a>
         <div class="d-flex align-items-center" id="userProfile">
         <span class="me-3" id="usernameDisplay"></span>
         <button class="btn btn-outline-danger btn-sm" id="logoutBtn">Logout</button>
       </div>
      </div>
    </div>
  </nav>
  <main>
    <!-- Attendance Header -->
    <section class="py-5 bg-light-green">
      <div class="container">
        <div class="d-flex justify-content-between align-items-center">
          <h1 class="mb-0">Your Attendance</h1>
         <div class="dropdown">
           <button class="btn btn-outline-primary dropdown-toggle" type="button"
id="semesterDropdown" data-bs-toggle="dropdown">
             Semester 1
            </button>
           <a class="dropdown-item" href="#">Semester 1</a>
             <a class="dropdown-item" href="#">Semester 2</a>
             <a class="dropdown-item" href="#">Semester 3</a>
           </div>
        </div>
      </div>
    </section>
```


```
<!-- Attendance Cards -->
    <section class="py-5">
      <div class="container">
        <div class="row g-4" id="attendanceCards">
           <!-- Cards will be dynamically inserted here -->
        </div>
      </div>
    </section>
  </main>
  <!-- Footer -->
  <footer class="footer">
    <div class="container">
      <div class="text-center">
        College Leave Management System
        © <script>document.write(new Date().getFullYear())</script>
LeaveTrack. All rights reserved.
      </div>
    </div>
  </footer>
  <!-- Bootstrap JS -->
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
  <!-- Bootstrap Icons -->
  k rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.0/font/bootstrap-
icons.css">
  <!-- Custom JS -->
  <script>
    document.addEventListener('DOMContentLoaded', function() {
      const\ currentUser = JSON.parse(localStorage.getItem('currentUser'));
      const toastLive = document.getElementById('liveToast');
      const toast = new bootstrap.Toast(toastLive);
      if (!currentUser) {
        window.location.href = '../index.html';
        return;
      }
      // Display username
```

```
document.getElementById('usernameDisplay').textContent = currentUser.name;
      // Handle logout
      document.getElementById('logoutBtn').addEventListener('click', function() {
        localStorage.removeItem('currentUser');
        window.location.href = '../index.html';
      });
      // Generate attendance cards
      const attendanceCards = document.getElementById('attendanceCards');
      if (currentUser.attendance) {
        Object.entries(currentUser.attendance).forEach(([subject, data]) => {
           const percentage = Math.round((data.present / data.total) * 100);
           const progressColor = percentage >= 75 ? 'bg-success' : percentage >= 50 ? 'bg-warning' : 'bg-
danger';
           const card = document.createElement('div');
           card.className = 'col-md-6 col-lg-4';
           card.innerHTML = `
             <div class="card h-100">
               <div class="card-header d-flex justify-content-between align-items-center">
                  <h5 class="mb-0">${subject}</h5>
                  <span class="badge bg-secondary">Core</span>
               </div>
               <div class="card-body">
                  <div class="mb-3">
                    <div class="d-flex justify-content-between mb-2">
                      <span>Attendance</span>
                      <span>${percentage}%</span>
                    </div>
                    <div class="progress">
                      <div class="progress-bar ${progressColor}" role="progressbar" style="width:</pre>
${percentage}%''></div>
                    </div>
                 </div>
                  <div class="row text-center">
                    <div class="col-4">
                      <div class="fw-bold">${data.total}</div>
```

```
<div class="text-muted small">Total</div>
                      </div>
                      <div class="col-4">
                         <div class="fw-bold">${data.present}</div>
                         <div class="text-muted small">Present</div>
                      </div>
                      <div class="col-4">
                         <\!\!div\;class=\!\!\!"fw\text{-bold''}\!\!>\!\!\$\{data.total\;\text{-}\;data.present\}\!<\!\!/div\!>
                         <div class="text-muted small">Absent</div>
                      </div>
                    </div>
                 </div>
               </div>
            attendance Cards. append Child (card);\\
          });
       }
     });
  </script>
</body>
</html>
Screenshot:
```

i. Attendence Page

Leave Management Home Attendance Apply Leave



© 2025 LeaveTrack. All rights reserved.

3.apply-leave.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Apply Leave | College Leave Management</title>
href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600;700&display=swap"
  rel="stylesheet">
  <!-- Bootstrap CSS -->
  k href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
  <!-- Custom CSS -->
  k rel="stylesheet" href="styles.css">
</head>
<body>
  <!-- Toast Notification -->
  <div class="position-fixed bottom-0 end-0 p-3" style="z-index: 11">
    <div id="liveToast" class="toast" role="alert" aria-live="assertive" aria-atomic="true">
      <div class="toast-header">
        <strong class="me-auto" id="toast-title">Notification</strong>
        <button type="button" class="btn-close" data-bs-dismiss="toast" aria-
label="Close"></button>
      <div class="toast-body" id="toast-message"></div>
    </div>
  </div>
  <!-- Navbar -->
  <nav class="navbar navbar-expand-lg navbar-light fixed-top">
    <div class="container">
      <a class="navbar-brand" href="../index.html">
        <i class="bi bi-calendar-check me-2"></i>Leave Management
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNav">
        cli class="nav-item">
             <a class="nav-link" href="../index.html">Home</a>
           cli class="nav-item">
             <a class="nav-link" href="attendance.html">Attendance</a>
           cli class="nav-item">
             <a class="nav-link active" href="apply-leave.html">Apply Leave</a>
```

```
<div class="d-flex align-items-center" id="userProfile">
          <span class="me-3" id="usernameDisplay"></span>
          <button class="btn btn-outline-danger btn-sm" id="logoutBtn">Logout</button>
        </div>
      </div>
    </div>
  </nav>
  <main>
    <!-- Application Header -->
    <section class="py-3 pt-3 bg-light-green">
      <div class="container text-center">
        <h1 class="mb-3">Apply for Leave</h1>
        Fill out the form below to submit your leave request
      </div>
    </section>
    <!-- Leave Application Form -->
    <section class="py-5">
      <div class="container">
        <div class="row justify-content-center">
          <div class="col-lg-8">
            <div class="card">
              <div class="card-body p-4">
                 <form id="leaveForm">
                   <div class="row g-3">
                     <div class="col-md-6">
                       <label for="fullName" class="form-label">Full Name</label>
                       <input type="text" class="form-control" id="fullName" required readonly>
                     </div>
                     <div class="col-md-6">
                       <label for="rollNumber" class="form-label">Roll Number</label>
                       <input type="text" class="form-control" id="rollNumber" required
readonly>
                     </div>
                     <div class="col-md-6">
                       <label for="leaveType" class="form-label">Leave Type</label>
                       <select class="form-select" id="leaveType" required>
                         <option value="">Select leave type</option>
                         <option>Medical Leave
                         <option>Personal Leave
                         <option>Academic Leave
                         <option>Emergency Leave
                       </select>
                     </div>
                     <div class="col-md-6">
                       <label for="department" class="form-label">Department</label>
                       <input type="text" class="form-control" id="department" required
```


readonly>

```
</div>
                      <div class="col-md-6">
                        <label for="startDate" class="form-label">Start Date</label>
                        <input type="date" class="form-control" id="startDate" required>
                      </div>
                      <div class="col-md-6">
                        <label for="endDate" class="form-label">End Date</label>
                        <input type="date" class="form-control" id="endDate" required>
                      </div>
                      <div class="col-12">
                        <label for="reason" class="form-label">Reason for Leave</label>
                        <textarea class="form-control" id="reason" rows="4" required></textarea>
                      </div>
                      <div class="col-12">
                        <label for="attachment" class="form-label">Supporting Document (if
any)</label>
                        <input class="form-control" type="file" id="attachment">
                      </div>
                      <div class="col-12 mt-4">
                        <div class="d-grid">
                          <button type="submit" class="btn btn-primary btn-lg">
                            Submit Application
                          </button>
                        </div>
                      </div>
                   </div>
                 </form>
               </div>
             </div>
           </div>
        </div>
      </div>
    </section>
  </main>
  <!-- Footer -->
  <footer class="footer">
    <div class="container">
      <div class="text-center">
        College Leave Management System
        © <script>document.write(new Date().getFullYear())/script>
LeaveTrack. All rights reserved.
      </div>
    </div>
  </footer>
  <!-- Bootstrap JS -->
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
  <!-- Bootstrap Icons -->
  link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.0/font/bootstrap-
```

```
icons.css">
  <!-- Custom JS -->
  <script src="script.js"></script>
  <script>
    // Load user data into form
    document.addEventListener('DOMContentLoaded', function() {
       const currentUser = JSON.parse(localStorage.getItem('currentUser'));
       const toastLive = document.getElementById('liveToast');
       const toast = new bootstrap.Toast(toastLive);
      if (!currentUser) {
         window.location.href = '../index.html';
         return;
       }
      // Fill user data
       document.getElementById('fullName').value = currentUser.name;
       document.getElementById('rollNumber').value = currentUser.regNumber;
       document.getElementById('department').value = currentUser.department.toUpperCase() + ' - '
+ currentUser.course.toUpperCase();
      // Set min date for leave (today)
       const today = new Date().toISOString().split('T')[0];
       document.getElementById('startDate').min = today;
       document.getElementById('endDate').min = today;
       // Handle form submission
       document.getElementById('leaveForm').addEventListener('submit', function(e) {
         e.preventDefault();
         const startDate = new Date(document.getElementById('startDate').value);
         const endDate = new Date(document.getElementById('endDate').value);
         if (startDate > endDate) {
           document.getElementById('toast-title').textContent = 'Error';
           document.getElementById('toast-message').textContent = 'End date must be after start
date';
           document.querySelector('.toast-header').className = 'toast-header text-white bg-danger';
           toast.show();
           return;
         }
         // Create leave application
         const leaveApplication = {
           id: Date.now(),
           type: document.getElementById('leaveType').value,
           startDate: document.getElementById('startDate').value,
           endDate: document.getElementById('endDate').value,
           reason: document.getElementById('reason').value,
           status: 'Pending',
```

```
submittedAt: new Date().toISOString()
          };
          // Update user data
          currentUser.leaves = currentUser.leaves || [];
          currentUser.leaves.push(leaveApplication);
          // Update in users array
          const users = JSON.parse(localStorage.getItem('users'));
          const userIndex = users.findIndex(u => u.id === currentUser.id);
          if (userIndex !== -1) {
            users[userIndex] = currentUser;
            localStorage.setItem('users', JSON.stringify(users));
          }
          localStorage.setItem('currentUser', JSON.stringify(currentUser));
          document.getElementById('toast-title').textContent = 'Success';
          document.getElementById('toast-message').textContent = 'Leave application submitted
 successfully!';
          document.querySelector('.toast-header').className = 'toast-header text-white bg-success';
          toast.show();
          // Reset form
          document.getElementById('leaveForm').reset();
          document.getElementById('fullName').value = currentUser.name;
          document.getElementById('rollNumber').value = currentUser.regNumber;
          ' + currentUser.course.toUpperCase();
        });
        // Update end date min when start date changes
        document.getElementById('startDate').addEventListener('change', function() {
          document.getElementById('endDate').min = this.value;
        });
        // Handle logout
        document.getElementById('logoutBtn').addEventListener('click', function() {
          localStorage.removeItem('currentUser');
          window.location.href = '../index.html';
        });
        // Display username
        document.getElementById('usernameDisplay').textContent = currentUser.name;
      });
    </script>
 </body>
</html>
```

Screenshot:



styles.css

```
/* Phthalo Green Color Theme */
:root {
  --phthalo-green: #123524;
  --light-green: #e8f5e9;
  --accent-green: #4caf50;
  --white: #ffffff;
}
body {
  background-color: var(--white);
  color: var(--phthalo-green);
 font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
  display: flex;
 flex-direction: column;
  min-height: 100vh;
  margin: 0;
  padding: 0;
/* Navbar Styles */
.navbar {
  background-color: var(--white)
  !important; padding: 1rem 0;
  box-shadow: 0 2px 10px rgba(0, 0, 0, 0.1);
  border-bottom: 2px solid var(--light-
  green);
.navbar-brand {
  color: var(--phthalo-green)
  !important; font-weight: 700;
 font-size: 1.5rem;
  margin-right:
  2rem;
.nav-link {
  color: var(	ext{--}phthalo-green)
  !important; font-weight: 500;
```

```
padding: 0.5rem 1rem!important;
  margin: 0 0.5rem;
  transition: all 0.3s ease;
.nav-link:hover {
  color: var(--accent-green) !important;
.navbar-toggler {
  border-color: var(--phthalo-green) !important;
.navbar-toggler-icon {
  background-image: url("data:image/svg+xml,%3csvg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 30
30'%3e%3cpath stroke='rgba%2818, 53, 36, 1%29' stroke-linecap='round' stroke-miterlimit='10' stroke-
width='2' d='M4 7h22M4 15h22M4 23h22'/%3e%3c/svg%3e") !important;
/* Center and space navbar items */
.navbar-collapse {
  justify-content: center;
.navbar-nav {
  align-items: center;
/* Active Page Indicator */
.nav-link.active {
  color: var(--accent-green)
  !important; font-weight: 600;
  position: relative;
.nav-link.active::after
  { content: ";
  position: absolute;
  bottom: -2px;
  left: 1rem;
  right:
  1rem;
  height: 3px;
```

```
backround-color: var(--accent-green);
  border-radius: 3px;
/* Button Styles */
.btn-primary {
  background-color: var(--phthalo-green);
  border: none;
  padding: 0.5rem 1.5rem;
  transition: all 0.3s ease;
.btn-primary:hover {
  background-color: var(--accent-green);
  transform: translateY(-2px);
.btn-outline-primary {
  color: var(--phthalo-green);
  border-color: var(--phthalo-green);
. btn-outline-primary: hover\ \{
  background-color: var(--phthalo-green);
  color: var(--white);
/* Card Styles */
.card {
  border: none;
  border-radius:
  10px;
  box-shadow: 0 4px 12px rgba(0, 0, 0, 0.08);
  transition: all 0.3s ease;
  margin-bottom: 1.5rem;
.card:hover {
  transform: translateY(-5px);
  box-shadow: 0 8px 16px rgba(0, 0, 0, 0.12);
```

```
.card-header {
  background-color: white;
  color: var(--phthalo-
  green); font-weight: 600;
  border-bottom: none;
/* Footer Styles */
.footer {
  background-color: var(--phthalo-green);
  color: var(--white);
  padding: 2rem 0;
  margin-top: auto;
.footer a {
  color: var(--white);
  text-decoration: none;
  transition: color 0.3s ease;
.footer a:hover {
  color: var(--light-green);
/* Main content padding to account for fixed navbar */ main
  padding-top: 80px;
 flex: 1;
  background-image: url("./bg.PNG");
/* Hero Section */
.hero {
 padding: 4rem 0;
  margin-bottom: 3rem;
  margin-top: 5rem;
  align-items: center;
```

```
/* Progress Bar */
.progress {
  height: 10px;
  border-radius: 5px;
  background-color: #d1e8d2;
.progress-bar {
  background-color: var(--accent-green);
/* Form Styles */
.form-control:focus {
  border-color: var(--accent-green);
  box-shadow: 0 0 0 0.25rem rgba(76, 175, 80, 0.25);
/* Utility Classes */
.text-accent {
  color: var(--accent-green);
.bg-light-green {
  background-color: var(--light-green);
/* ======== */
/* MEDIA QUERIES */
/* ======= */
/* Large devices (desktops, 1200px and up) */
@media (min-width: 1200px) {
  .container {
    max-width: 1140px;
  .hero {
    padding: 6rem 0;
/* Medium devices (tablets, 992px to 1199px) */
```

```
@media (max-width: 1199px) {
 .navbar-brand {
   font-size: 1.3rem;
    margin-right: 1.5rem;
 .nav-link {
   padding: 0.5rem 0.8rem!important;
    margin: 0 0.3rem;
 .hero {
    padding: 3.5rem 0;
/* Small devices (landscape phones, 768px to 991px) */
@media (max-width: 991px) {
 .navbar-collapse {
    padding-top: 1rem;
 .navbar-nav {
    margin-bottom: 1rem;
 .nav-link.active::after
    { display: none;
 .hero {
    margin-top: 3rem;
    padding: 3rem 0;
  .footer .col-md-6,
  .footer .col-md-3 {
    margin-bottom: 1.5rem;
    text-align: center;
```

```
/* Extra small devices (portrait phones, 576px to 767px) */
@media (max-width: 767px) {
  body {
    padding-top: 60px;
  main {
    padding-top: 60px;
  .navbar-brand {
    font-size: 1.2rem;
    margin-right: 1rem;
  .btn	ext{-}primary,
  .btn-outline-primary {
    padding: 0.4rem 1rem;
    font-size: 0.9rem;
  .hero {
    padding: 2.5rem 0;
    margin-top: 2rem;
    margin-bottom: 2rem;
  .hero h1 {
    font-size: 1.8rem;
  .card {
    margin-bottom: 1rem;
  .footer {
    padding: 1.5rem 0;
/* Tiny devices (phones, less than 576px) */
@media (max-width: 575px) {
```

```
.navbar-brand {
    font-size: 1.1rem;
  .nav-link {
    padding: 0.5rem 0.5rem!important;
    margin: 0 0.2rem;
    font-size: 0.9rem;
  .hero {
    padding: 2rem 0;
  .hero h1 {
    font-size: 1.5rem;
  .hero .btn {
    display:
    block; width:
    100%;
    margin-bottom: 0.5rem;
  .footer {
    text-align: center;
  .footer h5 {
    margin-bottom: 1rem;
  .footer ul {
    margin-bottom: 1.5rem;
/* Modal specific responsiveness */
@media (max-width: 767px) {
  .modal-dialog {
    margin: 1rem auto;
```

```
.modal-content {
    border-radius:
    0;
}

/* Form specific responsiveness */
@media (max-width: 575px) {
    .form-control {
        font-size: 0.9rem;
    }

    .btn {
        font-size: 0.9rem;
    }

/* Card hover effects on mobile */
@media (hover: none) {
    .card:hover {
        transform: none;
        box-shadow: 0 4px 12px rgba(0, 0, 0, 0.08);
    }
}
```

script.js

```
// DOM Elements
const loginForm = document.getElementById('loginForm');
const signupForm = document.getElementById('signupForm');
const authButtons = document.getElementById('authButtons');
const userProfile = document.getElementById('userProfile');
const usernameDisplay = document.getElementById('usernameDisplay');
const logoutBtn = document.getElementById('logoutBtn');
const applyLeaveBtn = document.getElementById('applyLeaveBtn');
const viewAttendanceBtn = document.getElementById('viewAttendanceBtn');
const toastLive = document.getElementById('liveToast');
const toastLive = document.getElementById('liveToast');
const toast = new bootstrap.Toast(toastLive);

// Initialize
document.addEventListener('DOMContentLoaded', function() {
    checkAuthStatus();
}
```

```
// Event listeners
  if(loginForm) {
     loginForm.addEventListener('submit', handleLogin);
  if (signupForm) {
     signupForm.addEventListener('submit', handleSignup);
  if (logoutBtn) {
     logoutBtn. addEventListener ('click', handleLogout);\\
});
// Functions
function checkAuthStatus() {
  const\ currentUser = JSON.parse(localStorage.getItem('currentUser'));
  if (currentUser) {
     authButtons.classList.add('d-none');
     user Profile. class List. remove ('d-none');\\
     usernameDisplay.textContent = currentUser.name;
    // Update navigation buttons
     if (applyLeaveBtn && viewAttendanceBtn) {
       applyLeaveBtn.classList.remove('disabled');
       viewAttendanceBtn.classList.remove('disabled');
  } else {
     auth Buttons. class List. remove ('d-none');\\
     userProfile.classList.add('d-none');
    // Update navigation buttons
     if (applyLeaveBtn && viewAttendanceBtn) {
       apply Leave Btn. class List. add ('disabled');\\
       viewAttendanceBtn.classList.add('disabled');
```

```
function handleLogin(e) {
  e.preventDefault();
  const\ email = document.getElementById('loginEmail').value;
  const password = document.getElementById('loginPassword').value;
  // Simple validation
  if (!email || !password) {
    showToast('Error', 'Please fill in all fields', 'danger');
     return:
  const users = JSON.parse(localStorage.getItem('users')) |/ [];
  const\ user = users.find(u => u.email === email\ \&\&\ u.password === password);
  if (user) {
     localStorage.setItem('currentUser', JSON.stringify(user));
     showToast('Success', 'Login successful!', 'success');
     checkAuthStatus();
     $('#loginModal').modal('hide');
     loginForm.reset();
  } else {
     showToast('Error', 'Invalid credentials', 'danger');
function handleSignup(e) {
  e.preventDefault();
  // Get form values
  const name = document.getElementById('signupName').value;
  const dob = document.getElementById('signupDob').value;
  const regNumber = document.getElementById('registrationNumber').value;
  const course = document.getElementById('courseSelect').value;
  const\ department = document.getElementById('departmentSelect').value;
  const section = document.getElementById('sectionSelect').value;
  const email = document.getElementById('signupEmail').value;
  const password = document.getElementById('signupPassword').value;
```

```
const\ confirm Password = document.getElementById('signupConfirmPassword').value;
  // Validate form
  if (!name || !dob || !regNumber || !course || !department || !section || !email || !password ||
!confirmPassword) {
    showToast('Error', 'Please fill in all fields', 'danger');
     return;
  }
  if (password !== confirmPassword) {
     showToast('Error', 'Passwords do not match', 'danger');
     return;
  }
  if (password.length < 6) \{
    showToast('Error', 'Password must be at least 6 characters', 'danger');
     return;
  // Check if user already exists
  const users = JSON.parse(localStorage.getItem('users')) // [];
  if(users.some(u => u.email === email)) {
     showToast('Error', 'User already exists with this email', 'danger');
     return;
  // Create new user
  const newUser = {
     id: Date.now(),
    name,
    dob,
     regNumber,
     course,
    department,
     section,
     email,
    password,
     leaves: [],
     attendance: {
```

```
'Big Data': { total: 40, present: 34 },
       'Web Technologies': { total: 21, present: 14 },
       'Raspberry PI': { total: 54, present: 36 },
       'Project': { total: 9, present: 6 },
       'Big Data - Laboratory': { total: 22, present: 20 }
  };
  users.push(newUser);
  localStorage.setItem('users', JSON.stringify(users));
  localStorage.setItem('currentUser', JSON.stringify(newUser));
  showToast('Success', 'Registration successful!', 'success');
  checkAuthStatus();
  $('#signupModal').modal('hide');
  signupForm.reset();
function handleLogout() {
  localStorage.removeItem('currentUser');
  showToast('Success', 'Logged out successfully', 'success');
  checkAuthStatus();
function showToast(title, message, type = 'success') {
  const toastTitle = document.getElementById('toast-title');
  const toastMessage = document.getElementById('toast-message');
  toastTitle.textContent = title;
  toastMessage.textContent = message;
  // Set background color based on type
  const headerClass = type === 'success' ? 'bg-success' : type === 'danger' ? 'bg-danger' : 'bg-primary';
  toastTitle.parentElement.className = `toast-header text-white ${headerClass}`;
  toast.show();
```

// Initialize users if not exists

