<u>CA-2</u>



Web Technologies - CAP757

Name: Aboobacker Siddeeque K

Roll Number: 36

Admission Number: 12300016

Question: College Leave Management System

Code:

1.index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Home | College Leave Management</title>
  link href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600;700&display=swap"
rel="stylesheet">
  <!-- Bootstrap CSS -->
  link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <!-- Custom CSS -->
  <link rel="stylesheet" href="./src/styles.css">
  <!-- Bootstrap Icons -->
  link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.0/font/bootstrap-icons.css">
</head>
<body>
  <!-- Navbar -->
  <nav class="navbar navbar-expand-lg navbar-light fixed-top">
    <div class="container">
      <a class="navbar-brand" href="index.html">
        <i class="bi bi-calendar-check me-2"></i>Leave Management
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNav">
        // class="nav-item">
            <a class="nav-link active" href="index.html">Home</a>
```

```
class="nav-item">
            <a class="nav-link" href="./src/attendance.html">Attendance</a>
          class="nav-item">
            <a class="nav-link" href="./src/apply-leave.html">Apply Leave</a>
          <div class="d-flex">
          <a href="#" class="btn btn-primary me-2" data-bs-toggle="modal" data-bs-
target="#signupModal">
            Sign Up
          </a>
          <a href="#" class="btn btn-outline-primary" data-bs-toggle="modal" data-bs-
target="#loginModal">
            Login
          </a>
        </div>
      </div>
    </div>
  </nav>
  <main>
    <!-- Hero Section -->
    <section class="hero">
      <div class="container text-center">
        <h1 class="display-4 fw-bold mb-4">College Leave Management System</h1>
        Efficiently manage and track leave requests with our streamlined platform
        <div class="d-grid gap-3 d-sm-flex justify-content-sm-center">
          <a href="./src/apply-leave.html" class="btn btn-primary btn-lg px-4">
            Apply for Leave
          </a>
          <a href="./src/attendance.html" class="btn btn-outline-primary btn-lg px-4">
            View Attendance
          </a>
        </div>
```

```
</div>
   </section>
  </main>
  <!-- Footer -->
  <footer class="footer">
   <div class="container">
     <div class="row">
       <div class="col-md-6">
         College Leave Management System
       </div>
       <div class="col-md-3">
         <h5>Quick Links</h5>
         <a href="index.html">Home</a>
          <a href="./src/attendance.html">Attendance</a>
          <a href="./src/apply-leave.html">Apply Leave</a>
         </div>
       <div class="col-md-3">
         <h5>Contact</h5>
         <1i>
href="mailto:aboobackerasi193@gmail.com?subject=Leave%20Management%20System%20Query">
              <i class="bi bi-envelope me-2"></i>EMail
            </a>
           <1i>>
            <a href="tel:+919656430228">
              <i class="bi bi-telephone me-2"></i>+91 9656430228
            </a>
          </div>
```

```
</div>
      <hr class="mt-4 mb-4" style="border-color: rgba(255,255,255,0.1);">
      <div class="text-center">
        <pclass="mb-0">&copy; <script>document.write(new Date().getFullYear())</script> LeaveTrack. All
rights reserved.
      </div>
    </div>
  </footer>
 <!-- Sign Up Modal -->
<div class="modal fade" id="signupModal" tabindex="-1" aria-labelledby="signupModalLabel" aria-</pre>
hidden="true">
  <div class="modal-dialog modal-dialog-centered">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="signupModalLabel">Student Registration</h5>
        <button type="button" class="btn-close btn-close-white" data-bs-dismiss="modal" aria-
label="Close"></button>
      </div>
      <div class="modal-body">
        <form id="signupForm">
          <h6 class="mb-3">Personal Information</h6>
          <div class="row q-3">
             <div class="col-md-6">
               <label for="signupName" class="form-label">Full Name</label>
               <input type="text" class="form-control" id="signupName" required>
             </div>
             <div class="col-md-6">
               <label for="signupDob" class="form-label">Date of Birth</label>
               <input type="date" class="form-control" id="signupDob" required>
             </div>
          </div>
          <h6 class="mt-4 mb-3">Academic Information</h6>
          <div class="row q-3">
             <div class="col-md-6">
```


```
<label for="registrationNumber" class="form-label">Registration Number</label>
 <input type="text" class="form-control" id="registrationNumber" required>
</div>
<div class="col-md-6">
 <label for="courseSelect" class="form-label">Course</label>
 <select class="form-select" id="courseSelect" required>
    <option value="" selected disabled>Select Course</option>
    <option value="btech">B.Tech</option>
    <option value="mtech">M.Tech</option>
    <option value="bca">BCA</option>
    <option value="mca">MCA</option>
    <option value="bba">BBA</option>
    <option value="mba">MBA</option>
 </select>
</div>
<div class="col-md-6">
 <label for="departmentSelect" class="form-label">Department</label>
 <select class="form-select" id="departmentSelect" required>
    <option value="" selected disabled>Select Department</option>
    <option value="cse">Computer Science</option>
    <option value="ece">Electronics</option>
    <option value="mech">Mechanical</option>
    <option value="civil">Civil</option>
    <option value="mba">Business Administration</option>
 </select>
</div>
<div class="col-md-6">
 <label for="sectionSelect" class="form-label">Section</label>
 <select class="form-select" id="sectionSelect" required>
    <option value="" selected disabled>Select Section</option>
    <option value="A">Section A</option>
    <option value="B">Section B</option>
    <option value="C">Section C</option>
    <option value="D">Section D</option>
```

```
</select>
            </div>
          </div>
          <h6 class="mt-4 mb-3">Account Credentials</h6>
          <div class="row g-3">
            <div class="col-md-6">
              <label for="signupPassword" class="form-label">Password</label>
              <input type="password" class="form-control" id="signupPassword" required>
             </div>
            <div class="col-md-6">
              <label for="signupConfirmPassword" class="form-label">Confirm Password</label>
              <input type="password" class="form-control" id="signupConfirmPassword" required>
            </div>
          </div>
          <div class="d-grid gap-2 mt-4">
            <button type="submit" class="btn btn-primary">Complete Registration</button>
          </div>
        </form>
      </div>
      <div class="modal-footer justify-content-center">
        Already registered?
          <a href="#" class="text-primary fw-bold" data-bs-dismiss="modal" data-bs-toggle="modal" data-bs-
target="#loginModal">Login here</a>
        </div>
    </div>
  </div>
</div>
  <!-- Login Modal -->
  <div class="modal fade" id="loginModal" tabindex="-1" aria-labelledby="loginModalLabel" aria-</pre>
hidden="true">
    <div class="modal-dialog">
      <div class="modal-content">
```


```
<div class="modal-header">
                              <h5 class="modal-title" id="loginModalLabel">Login to Your Account</h5>
                              <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
                        </div>
                        <div class="modal-body">
                              <form>
                                    <div class="mb-3">
                                          <label for="loginEmail" class="form-label">Email address</label>
                                          <input type="email" class="form-control" id="loginEmail" required>
                                     </div>
                                     <div class="mb-3">
                                          <label for="loginPassword" class="form-label">Password</label>
                                          <input type="password" class="form-control" id="loginPassword" required>
                                    </div>
                                    <div class="d-grid">
                                          <button type="submit" class="btn btn-primary">Login</button>
                                    </div>
                              </form>
                        </div>
                        <div class="modal-footer justify-content-center">
                              Don't have an account? <a</pre>
href="mailto:aboobackerasi193@gmail.com?subject=Leave\%20Management\%20System\%20Account\%20Required for the control of the cont
est" class="text-accent">Contact administrator</a>
                        </div>
                  </div>
            </div>
      </div>
      <!-- Bootstrap JS -->
      <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```

Screenshot:


i. Home Page:



ii. Sign Up Modal:



iii. Login Modal:



2.attendance.html

```
<nav class="navbar navbar-expand-lg navbar-light fixed-top">
    <div class="container">
      <a class="navbar-brand" href="index.html">
       <i class="bi bi-calendar-check me-2"></i>Leave Management
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav">
       <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNav">
       class="nav-item">
           <a class="nav-link" href="../index.html">Home</a>
         //page 
           <a class="nav-link active" href="attendance.html">Attendance</a>
         // class="nav-item">
           <a class="nav-link" href="apply-leave.html">Apply Leave</a>
         </div>
    </div>
  </nav>
  <main>
   <!-- Attendance Header -->
   <section class="py-5 bg-light-green">
      <div class="container">
       <div class="d-flex justify-content-between align-items-center">
         <h1 class="mb-0">Your Attendance</h1>
         <div class="dropdown">
           <button class="btn btn-outline-primary dropdown-toggle" type="button" id="semesterDropdown"</pre>
data-bs-toggle="dropdown">
             Semester 1
           </button>
```

```
<a class="dropdown-item" href="#">Semester 1</a>
          <a class="dropdown-item" href="#">Semester 2</a>
          <a class="dropdown-item" href="#">Semester 3</a>
        </div>
    </div>
  </div>
</section>
<!-- Attendance Cards -->
<section class="py-5">
  <div class="container">
    <div class="row g-4">
      <!-- Subject 1 -->
      <div class="col-md-6 col-lg-4">
        <div class="card h-100">
          <div class="card-header d-flex justify-content-between align-items-center">
            <h5 class="mb-0">Big Data</h5>
            <h6 class="mb-0">CAP456</h6>
            <span class="badge bg-secondary">Core</span>
          </div>
          <div class="card-body">
            <div class="mb-3">
              <div class="d-flex justify-content-between mb-2">
                <span>Attendance</span>
                <span>85%</span>
              </div>
              <div class="progress">
                <div class="progress-bar" role="progressbar" style="width: 85%"></div>
              </div>
            </div>
            <div class="row text-center">
              <div class="col-4">
                <div class="fw-bold">40</div>
                <div class="text-muted small">Total</div>
```

```
</div>
        <div class="col-4">
          <div class="fw-bold">34</div>
          <div class="text-muted small">Present</div>
        </div>
        <div class="col-4">
          <div class="fw-bold">6</div>
          <div class="text-muted small">Absent</div>
        </div>
      </div>
    </div>
 </div>
</div>
<!--Sybject 2-->
<div class="col-md-6 col-lg-4">
  <div class="card h-100">
    <div class="card-header d-flex justify-content-between align-items-center">
      <h5 class="mb-0">Web Technologies</h5>
      <h6 class="mb-0">CAP767</h6>
      <span class="badge bg-secondary">Core</span>
    </div>
    <div class="card-body">
      <div class="mb-3">
        <div class="d-flex justify-content-between mb-2">
          <span>Attendance</span>
          <span>67%</span>
        </div>
        <div class="progress">
          <div class="progress-bar" role="progressbar" style="width: 67%"></div>
        </div>
      </div>
      <div class="row text-center">
        <div class="col-4">
          <div class="fw-bold">21</div>
```

```
<div class="text-muted small">Total</div>
        </div>
        <div class="col-4">
           <div class="fw-bold">14</div>
           <div class="text-muted small">Present</div>
        </div>
        <div class="col-4">
           <div class="fw-bold">7</div>
           <div class="text-muted small">Absent</div>
        </div>
      </div>
    </div>
  </div>
</div>
<!--Subject 3-->
<div class="col-md-6 col-lg-4">
  <div class="card h-100">
    <div class="card-header d-flex justify-content-between align-items-center">
      <h5 class="mb-0">Raspberry PI</h5>
      <h6 class="mb-0">ECE664</h6>
    </div>
    <div class="card-body">
      <div class="mb-3">
        <div class="d-flex justify-content-between mb-2">
           <span>Attendance</span>
           <span>67%</span>
        </div>
        <div class="progress">
           <div class="progress-bar" role="progressbar" style="width: 67%"></div>
        </div>
      </div>
      <div class="row text-center">
        <div class="col-4">
           <div class="fw-bold">54</div>
```

```
<div class="text-muted small">Total</div>
        </div>
        <div class="col-4">
           <div class="fw-bold">36</div>
           <div class="text-muted small">Present</div>
        </div>
        <div class="col-4">
           <div class="fw-bold">18</div>
           <div class="text-muted small">Absent</div>
        </div>
      </div>
    </div>
  </div>
</div>
<!--Subject 4-->
<div class="col-md-6 col-lg-4">
  <div class="card h-100">
    <div class="card-header d-flex justify-content-between align-items-center">
      <h5 class="mb-0">Project</h5>
      <h6 class="mb-0">CAP463</h6>
      <span class="badge bg-secondary">Core</span>
    </div>
    <div class="card-body">
      <div class="mb-3">
        <div class="d-flex justify-content-between mb-2">
           <span>Attendance</span>
           <span>67%</span>
        </div>
        <div class="progress">
           <div class="progress-bar" role="progressbar" style="width: 67%"></div>
        </div>
      </div>
      <div class="row text-center">
        <div class="col-4">
```

```
<div class="fw-bold">9</div>
          <div class="text-muted small">Total</div>
        </div>
        <div class="col-4">
          <div class="fw-bold">6</div>
          <div class="text-muted small">Present</div>
        </div>
        <div class="col-4">
          <div class="fw-bold">3</div>
          <div class="text-muted small">Absent</div>
        </div>
      </div>
    </div>
 </div>
</div>
<!--Subject 5-->
<div class="col-md-6 col-lg-4">
 <div class="card h-100">
    <div class="card-header d-flex justify-content-between align-items-center">
      <h5 class="mb-0">Big Data - Laboratory</h5>
      <h6 class="mb-0">CAP457</h6>
      <span class="badge bg-secondary">Core</span>
    </div>
    <div class="card-body">
      <div class="mb-3">
        <div class="d-flex justify-content-between mb-2">
          <span>Attendance</span>
          <span>91%</span>
        </div>
        <div class="progress">
          <div class="progress-bar" role="progressbar" style="width: 91%"></div>
        </div>
      </div>
      <div class="row text-center">
```


```
<div class="col-4">
                     <div class="fw-bold">22</div>
                     <div class="text-muted small">Total</div>
                   </div>
                   <div class="col-4">
                     <div class="fw-bold">20</div>
                     <div class="text-muted small">Present</div>
                   </div>
                   <div class="col-4">
                     <div class="fw-bold">2</div>
                     <div class="text-muted small">Absent</div>
                   </div>
                 </div>
               </div>
            </div>
          </div>
          <!-- More subject cards... -->
        </div>
      </div>
    </section>
  </main>
  <!-- Footer -->
  <footer class="footer">
    <div class="container">
      <div class="text-center">
        College Leave Management System
        © <script>document.write(new Date().getFullYear())</script> LeaveTrack. All
rights reserved.
      </div>
    </div>
  </footer>
  <!-- Bootstrap JS -->
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
  <!-- Bootstrap Icons -->
  link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.0/font/bootstrap-icons.css">
```

```
</body>
```

</html>

Screenshot:

i. Attendence Page



3.apply-leave.html

```
<!DOCTYPE html>
<html lang="en">
<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Apply Leave | College Leave Management</title>

link href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600;700&display=swap" rel="stylesheet">

<!-- Bootstrap CSS -->

link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">

<!-- Custom CSS -->

link rel="stylesheet" href="styles.css">

</head>
```

```
<body>
  <!-- Navbar -->
  <nav class="navbar navbar-expand-lg navbar-light fixed-top">
   <div class="container">
      <a class="navbar-brand" href="index.html">
       <i class="bi bi-calendar-check me-2"></i>Leave Management
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav">
       <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNav">
       // class="nav-item">
           <a class="nav-link" href="../index.html">Home</a>
          class="nav-item">
           <a class="nav-link" href="attendance.html">Attendance</a>
          //pass="nav-item">
           <a class="nav-link active" href="apply-leave.html">Apply Leave</a>
          </div>
   </div>
  </nav>
  <main>
   <!-- Application Header -->
   <section class="py-3 pt-3 bg-light-green">
      <div class="container text-center">
       <h1 class="mb-3">Apply for Leave</h1>
       Fill out the form below to submit your leave request
      </div>
   </section>
    <!-- Leave Application Form -->
```


```
<section class="py-5">
  <div class="container">
    <div class="row justify-content-center">
      <div class="col-lg-8">
        <div class="card">
          <div class="card-body p-4">
            <form>
               <div class="row g-3">
                 <div class="col-md-6">
                   <|abel for="fullName" class="form-label">Full Name</label>
                   <input type="text" class="form-control" id="fullName" required>
                 </div>
                 <div class="col-md-6">
                   <label for="rollNumber" class="form-label">Roll Number</label>
                   <input type="text" class="form-control" id="rollNumber" required>
                 </div>
                 <div class="col-md-6">
                   <label for="leaveType" class="form-label">Leave Type</label>
                   <select class="form-select" id="leaveType" required>
                     <option value="">Select leave type</option>
                     <option>Medical Leave</option>
                     <option>Personal Leave</option>
                     <option>Academic Leave</option>
                     <option>Emergency Leave</option>
                   </select>
                 </div>
                 <div class="col-md-6">
                   <label for="department" class="form-label">Department</label>
                   <select class="form-select" id="department" required>
                     <option value="">Select department</option>
                     <option>Computer Science</option>
                     <option>Electrical Engineering</option>
                     <option>Mechanical Engineering</option>
                     <option>Business Administration</option>
```

```
</div>
                   <div class="col-md-6">
                     <label for="startDate" class="form-label">Start Date</label>
                     <input type="date" class="form-control" id="startDate" required>
                   </div>
                   <div class="col-md-6">
                     <label for="endDate" class="form-label">End Date</label>
                     <input type="date" class="form-control" id="endDate" required>
                   </div>
                   <div class="col-12">
                     <label for="reason" class="form-label">Reason for Leave</label>
                     <textarea class="form-control" id="reason" rows="4" required></textarea>
                   </div>
                   <div class="col-12">
                     <label for="attachment" class="form-label">Supporting Document (if any)</label>
                     <input class="form-control" type="file" id="attachment">
                   </div>
                   <div class="col-12 mt-4">
                     <div class="d-grid">
                       <button type="submit" class="btn btn-primary btn-lg">
                         Submit Application
                       </button>
                     </div>
                   </div>
                 </div>
               </form>
             </div>
          </div>
        </div>
      </div>
    </div>
 </section>
</main>
```

</select>

```
<!-- Footer -->
  <footer class="footer">
    <div class="container">
      <div class="text-center">
        College Leave Management System
        © <script>document.write(new Date().getFullYear())</script> LeaveTrack. All
rights reserved.
      </div>
    </div>
  </footer>
  <!-- Bootstrap JS -->
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
  <!-- Bootstrap Icons -->
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.0/font/bootstrap-icons.css">
</body>
</html>
```

Screenshot:



styles.css

```
/* Phthalo Green Color Theme */
:root {
  --phthalo-green: #123524;
  --light-green: #e8f5e9;
  --accent-green: #4caf50;
  --white: #ffffff;
}
body {
  background-color: var(--white);
  color: var(--phthalo-green);
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
  display: flex;
  flex-direction: column;
  min-height: 100vh;
  margin: 0;
  padding: 0;
/* Navbar Styles */
.navbar {
  background-color: var(--white) !important;
  padding: 1rem 0;
  box-shadow: 0 2px 10px rgba(0, 0, 0, 0.1);
  border-bottom: 2px solid var(--light-green);
}
.navbar-brand {
  color: var(--phthalo-green) !important;
  font-weight: 700;
  font-size: 1.5rem;
  margin-right: 2rem;
}
.nav-link {
  color: var(--phthalo-green) !important;
  font-weight: 500;
```

```
padding: 0.5rem 1rem !important;
  margin: 0 0.5rem;
  transition: all 0.3s ease;
}
.nav-link:hover {
  color: var(--accent-green) !important;
}
.navbar-toggler {
  border-color: var(--phthalo-green) !important;
}
.navbar-toggler-icon {
  background-image: url("data:image/svg+xml,%3csvg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 30
30'%3e%3cpath stroke='rgba%2818, 53, 36, 1%29' stroke-linecap='round' stroke-miterlimit='10' stroke-
width='2' d='M4 7h22M4 15h22M4 23h22'/%3e%3c/svg%3e") !important;
}
/* Center and space navbar items */
.navbar-collapse {
  justify-content: center;
.navbar-nav {
  align-items: center;
/* Active Page Indicator */
.nav-link.active {
  color: var(--accent-green) !important;
  font-weight: 600;
  position: relative;
.nav-link.active::after {
  content: ";
  position: absolute;
  bottom: -2px;
  left: 1rem;
  right: 1rem;
  height: 3px;
```

```
backround-color: var(--accent-green);
  border-radius: 3px;
/* Button Styles */
.btn-primary {
  background-color: var(--phthalo-green);
  border: none;
  padding: 0.5rem 1.5rem;
  transition: all 0.3s ease;
.btn-primary:hover {
  background-color: var(--accent-green);
  transform: translateY(-2px);
.btn-outline-primary {
  color: var(--phthalo-green);
  border-color: var(--phthalo-green);
.btn-outline-primary:hover {
  background-color: var(--phthalo-green);
  color: var(--white);
}
/* Card Styles */
.card {
  border: none;
  border-radius: 10px;
  box-shadow: 0 4px 12px rgba(0, 0, 0, 0.08);
  transition: all 0.3s ease;
  margin-bottom: 1.5rem;
}
.card:hover {
  transform: translateY(-5px);
  box-shadow: 0 8px 16px rgba(0, 0, 0, 0.12);
```

```
.card-header {
  background-color: white;
  color: var(--phthalo-green);
  font-weight: 600;
  border-bottom: none;
/* Footer Styles */
.footer {
  background-color: var(--phthalo-green);
  color: var(--white);
  padding: 2rem 0;
  margin-top: auto;
}
.footer a {
  color: var(--white);
  text-decoration: none;
  transition: color 0.3s ease;
}
.footer a:hover {
  color: var(--light-green);
/* Main content padding to account for fixed navbar */
main {
  padding-top: 80px;
  flex: 1;
  background-image: url("./bg.PNG");
/* Hero Section */
.hero {
  padding: 4rem 0;
  margin-bottom: 3rem;
  margin-top: 5rem;
  align-items: center;
```

```
/* Progress Bar */
.progress {
  height: 10px;
  border-radius: 5px;
  background-color: #d1e8d2;
.progress-bar {
  background-color: var(--accent-green);
/* Form Styles */
.form-control:focus {
  border-color: var(--accent-green);
  box-shadow: 0 0 0 0.25rem rgba(76, 175, 80, 0.25);
/* Utility Classes */
.text-accent {
  color: var(--accent-green);
}
.bg-light-green {
  background-color: var(--light-green);
/* ====== */
/* MEDIA QUERIES */
/* ======= */
/* Large devices (desktops, 1200px and up) */
@media (min-width: 1200px) {
  . container \, \{ \,
    max-width: 1140px;
  .hero {
    padding: 6rem 0;
  }
/* Medium devices (tablets, 992px to 1199px) */
```

```
@media (max-width: 1199px) {
  .navbar-brand {
    font-size: 1.3rem;
    margin-right: 1.5rem;
  }
  .nav-link {
    padding: 0.5rem 0.8rem !important;
    margin: 0 0.3rem;
  .hero {
    padding: 3.5rem 0;
 }
/* Small devices (landscape phones, 768px to 991px) */
@media (max-width: 991px) {
  .navbar-collapse {
    padding-top: 1rem;
  .navbar-nav {
    margin-bottom: 1rem;
  .nav-link.active::after {
    display: none;
  }
  .hero {
    margin-top: 3rem;
    padding: 3rem 0;
  .footer .col-md-6,
  .footer .col-md-3 {
    margin-bottom: 1.5rem;
    text-align: center;
```

```
/* Extra small devices (portrait phones, 576px to 767px) */
@media (max-width: 767px) {
  body {
    padding-top: 60px;
  }
  main {
    padding-top: 60px;
  .navbar-brand {
   font-size: 1.2rem;
    margin-right: 1rem;
  }
  .btn-primary,
  .btn-outline-primary {
    padding: 0.4rem 1rem;
    font-size: 0.9rem;
  }
  .hero {
    padding: 2.5rem 0;
    margin-top: 2rem;
    margin-bottom: 2rem;
  .hero h1 {
    font-size: 1.8rem;
  }
  .card {
    margin-bottom: 1rem;
  }
  .footer {
    padding: 1.5rem 0;
  }
/* Tiny devices (phones, less than 576px) */
@media (max-width: 575px) {
```

```
. navbar\text{-}brand\ \{
    font-size: 1.1rem;
  }
  .nav-link {
    padding: 0.5rem 0.5rem !important;
    margin: 0 0.2rem;
    font-size: 0.9rem;
  }
  .hero {
    padding: 2rem 0;
  .hero h1 {
    font-size: 1.5rem;
  }
  .hero .btn {
    display: block;
    width: 100%;
    margin-bottom: 0.5rem;
  }
  .footer {
    text-align: center;
  .footer h5 {
    margin-bottom: 1rem;
  . footer \, ul \, \{
    margin-bottom: 1.5rem;
  }
/* Modal specific responsiveness */
@media (max-width: 767px) {
  .modal-dialog {
    margin: 1rem auto;
```

```
.modal-content {
    border-radius: 0;
  }
/* Form specific responsiveness */
@media (max-width: 575px) {
  . form\text{-}control\ \{
    font-size: 0.9rem;
  .btn {
    font-size: 0.9rem;
  }
}
/* Card hover effects on mobile */
@media (hover: none) {
  .card:hover {
    transform: none;
    box-shadow: 0 4px 12px rgba(0, 0, 0, 0.08);
}
```