

CLASS TOPIC

Point and interval estimation


What this class fixes

- Know the central question of the topic.
- Use the correct notation and units.
- Avoid mechanical calculation without interpretation.

W09**Statistics**

Clean formulas · aligned layout · corrected te

Formula boxes fixed: one merged box, consistent symbols, no broken fragments.



CLASS TOPIC


Point and interval estimation

Economic question first

- Start from a real decision: compare, describe, forecast or test.
- Translate the question into variables before using formulas.
- Define the population, sample and measurement unit.

FORMULA

estimator $\pm$ margin of error
 $CI = \text{estimate} \pm \text{critical value} \times SE$



CLASS TOPIC


Point and interval estimation

Key definitions

- Population: full group of interest.
- Sample: observed part of the population.
- Statistic: number computed from a sample;
parameter: number for the population.

FORMULA

estimator $\pm$ margin of error
 $CI = \text{estimate} \pm \text{critical value}$
 $\times SE$



CLASS TOPIC


Point and interval estimation

Main formula box

- All formulas are kept in one merged formula area on this slide.
- Read every symbol before calculating.
- Use parentheses carefully.

FORMULA 1

estimator $\pm$ margin of error
 $CI = \text{estimate} \pm \text{critical value} \times SE$



CLASS TOPIC

Point and interval estimation

Mini example

- Write the data clearly.
- Substitute values step by step.
- Round only at the final reporting stage.

01 Data: 4, 7, 8, 9, 12

02 Step 1: compute the needed statistic

03 Step 2: write the result with units.

04 Step 3: explain it in one sentence.

FORMULA


estimator $\pm$ margin of error
CI = estimate $\pm$ critical value

CLASS TOPIC

Point and interval estimation

Visual intuition

- A graph should answer a question, not decorate the slide.
- Always label axes and units.
- Look for center, spread, shape and unusual values.

**FORMULA**

estimator $\pm$ margin of error

CLASS TOPIC

Point and interval estimation

Second formula box


- This formula is separated from explanations but kept in one clean box.
- No broken equation fragments or floating text boxes.
- Notation is consistent across English and Russian versions.

FORMULA 2

mean: $\bar{x} \pm t^* \cdot s/\sqrt{n}$

proportion: $\hat{p} \pm z^* \sqrt{[\hat{p}(1-\hat{p})/n]}$

Formula boxes fixed: one merged box, consistent symbols, no broken fragments.



CLASS TOPIC


Point and interval estimation

Common mistakes

- Mixing sample and population symbols.
- Using a formula without checking conditions.
- Reporting a number without units or interpretation.

FORMULA

estimator $\pm$ margin of error
 $CI = \text{estimate} \pm \text{critical value} \times SE$



CLASS TOPIC

Point and interval estimation

R / spreadsheet check

- Use software to calculate, but keep the statistical logic visible.
- Check variable names, missing values and units first.
- Reproducible work is easier to grade and correct.

R / EXCEL

```
# example pattern  
mean(x); sd(x); summary(x)  
plot(x, y); cor(x, y)
```

FORMULA


estimator $\pm$ margin of error
 $CI = \text{estimate} \pm \text{critical value} \times SE$

CLASS TOPIC

Point and interval estimation

Interpretation sentence

- Do not stop at the number.
- Explain what the result means in the original context.
- Use cautious language when evidence is limited.

**FORMULA**

estimator $\pm$ margin of error

CLASS TOPIC


Point and interval estimation

Conditions and assumptions

- Check whether the method fits the data type.
- Check independence and sample size when needed.
- If assumptions fail, explain the limitation.

FORMULA

estimator $\pm$ margin of error
 $CI = \text{estimate} \pm \text{critical value} \times SE$



CLASS TOPIC


Point and interval estimation

Class exercise

- Solve one calculation by hand.
- Then verify it with software.
- Write a two-sentence conclusion.

FORMULA

estimator $\pm$ margin of error
 $CI = \text{estimate} \pm \text{critical value} \times SE$




CLASS TOPIC

Point and interval estimation

How to report

- Report method, estimate, uncertainty and interpretation.
- Use tables only when they make comparison easier.
- Separate statistical evidence from causal claims.

**FORMULA**

estimator $\pm$ margin of error

CLASS TOPIC

Point and interval estimation

Final checklist

- Question is clear.
- Variables and units are defined.
- Formula is correct.
- Result is interpreted.
- Limitations are stated.

FORMULA

estimator $\pm$ margin of error
 $CI = \text{estimate} \pm \text{critical value} \times SE$

