

CLASS TOPIC

Hypothesis testing I - means and proportions

What this class fixes

- Know the central question of the topic.
- Use the correct notation and units.
- Avoid mechanical calculation without interpretation.

W10**Statistics**

Clean formulas · aligned layout ·
corrected terminology



CLASS TOPIC

Hypothesis testing I - means and proportions

Economic question first


- Start from a real decision: compare, describe, forecast or test.
- Translate the question into variables before using formulas.
- Define the population, sample and measurement unit.

FORMULA

$$H_0: \mu = \mu_0$$

$$H_1: \mu \neq \mu_0 \text{ (or } >, < \text{)}$$

$$\text{test statistic} = (\text{estimate} - \text{null value}) / \text{SE}$$



CLASS TOPIC

Hypothesis testing I - means and proportions

Key definitions


- Population: full group of interest.
- Sample: observed part of the population.
- Statistic: number computed from a sample;
parameter: number for the population.

FORMULA

$$H_0: \mu = \mu_0$$

$$H_1: \mu \neq \mu_0 \text{ (or } >, < \text{)}$$

$$\text{test statistic} = (\text{estimate} - \text{null value}) / \text{SE}$$



CLASS TOPIC

Hypothesis testing I - means and proportions

Main formula box


- All formulas are kept in one merged formula area on this slide.
- Read every symbol before calculating.
- Use parentheses carefully.

FORMULA 1

$$H_0: \mu = \mu_0$$

$$H_1: \mu \neq \mu_0 \text{ (or } >, < \text{)}$$

$$\text{test statistic} = (\text{estimate} - \text{null value}) / \text{SE}$$



CLASS TOPIC

Hypothesis testing I - means and proportions

Mini example

- Write the data clearly.
- Substitute values step by step.
- Round only at the final reporting stage.

01 Data: 4, 7, 8, 9, 12

02 Step 1: compute the needed statistic.

03 Step 2: write the result with units.

04 Step 3: explain it in one sentence.

FORMULA

$$H_0: \mu = \mu_0$$


$$H_1: \mu \neq \mu_0 \text{ (or } >, < \text{)}$$

CLASS TOPIC

Hypothesis testing I - means and proportions

Visual intuition

- A graph should answer a question, not decorate the slide.
- Always label axes and units.
- Look for center, spread, shape and unusual values.

**FORMULA**

$$H_0: \mu = \mu_0$$

CLASS TOPIC

Hypothesis testing I - means and proportions


Second formula box

- This formula is separated from explanations but kept in one clean box.
- No broken equation fragments or floating text boxes.
- Notation is consistent across English and Russian versions.

FORMULA 2

$$t = (\bar{x} - \mu_0)/(s/\sqrt{n})$$

$$z = (\hat{p} - p_0)/\sqrt{[p_0(1-p_0)/n]}$$



CLASS TOPIC

Hypothesis testing I - means and proportions

Common mistakes


- Mixing sample and population symbols.
- Using a formula without checking conditions.
- Reporting a number without units or interpretation.

FORMULA

$$H_0: \mu = \mu_0$$

$$H_1: \mu \neq \mu_0 \text{ (or } >, < \text{)}$$

$$\text{test statistic} = (\text{estimate} - \text{null value}) / \text{SE}$$



CLASS TOPIC

Hypothesis testing I - means and proportions

R / spreadsheet check

- Use software to calculate, but keep the statistical logic visible.
- Check variable names, missing values and units first.
- Reproducible work is easier to grade and correct.

R / EXCEL

```
# example pattern  
mean(x); sd(x); summary(x)  
plot(x, y); cor(x, y)
```

FORMULA

$$H_0: \mu = \mu_0$$


$$H_1: \mu \neq \mu_0 \text{ (or } >, < \text{)}$$

CLASS TOPIC

Hypothesis testing I - means and proportions

Interpretation sentence

- Do not stop at the number.
- Explain what the result means in the original context.
- Use cautious language when evidence is limited.

**FORMULA**

$$H_0: \mu = \mu_0$$

CLASS TOPIC

Hypothesis testing I - means and proportions

Conditions and assumptions


- Check whether the method fits the data type.
- Check independence and sample size when needed.
- If assumptions fail, explain the limitation.

FORMULA

$$H_0: \mu = \mu_0$$

$$H_1: \mu \neq \mu_0 \text{ (or } >, < \text{)}$$

$$\text{test statistic} = (\text{estimate} - \text{null value}) / \text{SE}$$



CLASS TOPIC

Hypothesis testing I - means and proportions

Class exercise


- Solve one calculation by hand.
- Then verify it with software.
- Write a two-sentence conclusion.

FORMULA

$$H_0: \mu = \mu_0$$

$$H_1: \mu \neq \mu_0 \text{ (or } >, < \text{)}$$

$$\text{test statistic} = (\text{estimate} - \text{null value}) / \text{SE}$$




CLASS TOPIC

Hypothesis testing I - means and proportions

How to report

- Report method, estimate, uncertainty and interpretation.
- Use tables only when they make comparison easier.
- Separate statistical evidence from causal claims.

**FORMULA**

$$H_0: \mu = \mu_0$$

CLASS TOPIC

Hypothesis testing I - means and proportions

Final checklist

- Question is clear.
- Variables and units are defined.
- Formula is correct.
- Result is interpreted.
- Limitations are stated.

FORMULA

$$H_0: \mu = \mu_0$$

$$H_1: \mu \neq \mu_0 \text{ (or } >, < \text{)}$$

$$\text{test statistic} = (\text{estimate} - \text{null value}) / \text{SE}$$

