Hydrocell 1601SLR

A proprietory heavy-duty solar panel cleaning solution designed to remove stubborn contaminants, restore power output, and maximize energy generation.

Removes Dust, Bird Droppings & Hard Stains

100% Safe for Solar Glass & Metal Frames

Works at 1:10 Dilution Ratio

For Use in Rooftop & Utility-Scale Solar Plants

Compatible with manual, semi-automatic & robotic cleaning systems

Hydrocell Proprietary • First in the Market • Biodegradable

Clean Panel → Maximum Power

Hydrocell 1601SLR

Bulk Discount available on 35kg and 50kg packaging

*the shown creative are just for representation , the actual packaging my vary.

Hydrocell 1601SLR

PARAMETERS	Water	Other Brands	Hydrocell
Dust Removal	✓	✓	✓
Bird Droopings	✗	Partial	✓
Grease Film	✗	Partial	✓
Hard, aged stains	✗	✗	✓
Cleaning Frequency	High	Medium	Low
Manual Scrubbing Effort	High	Medium	Low
Risk of Micro Scratches	High	Medium	Low
Residue after Cleaning	✗	✓	✗
Water Consumption	High	Medium	Low
Frame & Structure Safety	✓	✗	✓
Cost Effective	✓	✗	✓

The above comparison highlights the key operational and performance parameters that influence solar panel cleaning effectiveness, maintenance effort, and long-term asset protection. Hydrocell 1601SLR is formulated to address common field challenges such as hardened bird droppings, grease films, and aged stains while reducing manual effort, water usage, and repeat cleaning cycles. When used as recommended, it delivers consistent results without compromising panel glass, frames, or mounting structures.

**Performance may vary based on site conditions, soiling intensity, and application method.*

Step 1: Remove loose dust and debris from the panel surface

Step 2: Dilute with water at 1:10 ratio

Step 3: Dilute with water at 1:10 ratio

Step 4: Gently scrub to remove stubborn deposits

Step 5: Gently scrub to remove stubborn deposits

Step 6: Inspect and repeat application if required

FAQ Sheet

Application Scope

Q: Where can Hydrocell 1601SLR be used?

A: It is suitable for rooftop, commercial, and utility-scale solar installations and fits both routine maintenance and corrective cleaning programs.

Dilution Guidance

Q: How should the dilution ratio be selected?

A: Dilution can be adjusted based on the level of soiling, with lower dilution for heavy contamination and higher dilution for routine cleaning.

Equipment Req

Q: Is any specialized equipment required for application?

A: No special equipment is required; standard hand sprayers, nylon brushes, and clean water for rinsing are sufficient.

Repeat Usage

Q: Can the product be used repeatedly over long periods?

A: Yes. When used as recommended, it is suitable for regular cleaning as part of ongoing O&M practices.

Safety & Handling

Q: What precautions should be followed during use?

A: Basic PPE such as gloves and eye protection are recommended, along with proper rinsing after application.

Contact

+91-9377024559

www.hydrocell.in

204, 205, Shiv Chambers, Near NH-48, GIDC Vapi 396195

About Us

Hydrocell the flagship brand of **Hydro Chemicals & Biocell,** has been delivering high-performance solutions since **1998**. We specialize in advanced formulations that keeps industiral and commercial equipments **cleaner, longer, and more efficiently.**

Our solutions **protect equipment, reduce downtime, and optimize performance** for industries worldwide

Mission

Delivering smart chemistry that powers efficiency and sustainability for industry

Vision

To be the most trusted global partner, shaping a cleaner future through technology-driven solutions

Why Hydrocell?

- **25+ years** of proven expertise
- **5 proprietary formulations** designed to solve challenges beyond conventional chemistry
- **100+ clients** served with a customer-first approach
- **Global delivery** capability with reliable, on-time supply

Hydrocell™

Smart Chemistry Clean Water

Contact Us:

+91-9377024559

info@hydrocell.in

hydrocell.in

Brand Registered and Trademark by:

Hydro Chemcials & Biocell

Reg Add: 204, 205 Shiv Chambers, Opp IDBI Bank, NH-48, GIDC Vapi, Gujarat - 396195