

Cucumber Report

Aug 22, 2025, 10:52:27 PM

Start : Aug 22, 10:51:01.525 PM

End : Aug 22, 10:52:27.022 PM

Duration : 1 m 25.497 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0




FAILED - 3

SKIPPED - 0

PASSED - 4

FAILED - 3


SKIPPED - 14




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Second Page Test</u>	1 m 25.497 s	3	0	3	0	21	4	3	14

#	Feature Name	Scenario Name
1	<u>Second Page Test</u>	<u>Opening New page Same Browser</u>
2		<u>Test Download Document Method</u>
3		<u>Verify Nested Frame</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@secondPageTest	3	0	3	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Second Page Test</u>	3	0	3	0	1 m 25.497 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Second Page Test</u>	<u>Opening New page Same Browser</u>	6	0	1	5	32.469 s
2		<u>Test Download Document Method</u>	9	4	1	4	22.267 s
3		<u>Verify Nested Frame</u>	6	0	1	5	30.748 s

Second Page Test

FAILED	DURATION - 1 m 25.497 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 21 Pass - 4 Fail - 3 Skip - 14	
/ 10:51:01.525 PM // 10:52:27.022 PM /					

Opening New page Same Browser


FAILED	DURATION - 32.469 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 10:51:01.526 PM // 10:51:33.995 PM /				
Second Page Test				
@secondPageTest				


#	Step / Hook Details	Status	Duration
1	Given we navigate to tool_qa_url url <pre>com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError' stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/xk/97c4q7ks1wn2w53kjqddb8n40000gn/T/playwright-java-11169352760296663996/package/lib/server/progress.js:78:26) at Frame.goto (/private/var/folders/xk/97c4q7ks1wn2w53kjqddb8n40000gn/T/playwright-java-11169352760296663996/package/lib/server/frames.js:517:23) at FrameDispatcher.goto (/private/var/folders/xk/97c4q7ks1wn2w53kjqddb8n40000gn/T/playwright-java-11169352760296663996/package/lib/server/dispatchers/frameDispatcher.js:81:119) at FrameDispatcher._handleCommand (/private/var/folders/xk/97c4q7ks1wn2w53kjqddb8n40000gn/T/playwright-java-11169352760296663996/package/lib/server/dispatchers/dispatcher.js:94:40) at DispatcherConnection.dispatch (/private/var/folders/xk/97c4q7ks1wn2w53kjqddb8n40000gn/T/playwright-java-11169352760296663996/package/lib/server/dispatchers/dispatcher.js:361:39) } Call log: - navigating to "https://demoqa.com/", waiting until "load" at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:120) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:130) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:106) at com.microsoft.playwright.impl.FrameImpl.navigateImpl(FrameImpl.java:463) at com.microsoft.playwright.impl.PageImpl.lambda\$navigate\$46(PageImpl.java:932) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47) at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:89) at com.microsoft.playwright.impl.PageImpl.navigate(PageImpl.java:932)</pre>	FAILED	30.015 s

#	Step / Hook Details	Status	Duration
	<pre> at com.microsoft.playwright.impl.PageImpl.navigate(PageImpl.java:42) at com.microsoft.playwright.Page.navigate(Page.java:5504) at com.ptaf.stepdefinitions.FrameCommonSteps.weNavigateToURL(FrameCommonSteps.java:35) at ?.we navigate to tool_qa_url url(file:///Users/azimovm/IdeaProjects/PTAF/src/test/resources/features/secondPageTest.feature:5) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/xk/97c4q7ks1wn2w53kjqddb8n40000gn/T/ playwright-java-11169352760296663996/package/lib/server/progress.js:78:26) at Frame.goto (/private/var/folders/xk/ 97c4q7ks1wn2w53kjqddb8n40000gn/T/playwright-java-11169352760296663996/package/lib/server/frames.js:517:23) at FrameDispatcher. goto (/private/var/folders/xk/97c4q7ks1wn2w53kjqddb8n40000gn/T/playwright-java-11169352760296663996/package/lib/server/dispatchers/ frameDispatcher.js:81:119) at FrameDispatcher._handleCommand (/private/var/folders/xk/97c4q7ks1wn2w53kjqddb8n40000gn/T/playwright- java-11169352760296663996/package/lib/server/dispatchers/dispatcher.js:94:40) at DispatcherConnection.dispatch (/private/var/folders/xk/ 97c4q7ks1wn2w53kjqddb8n40000gn/T/playwright-java-11169352760296663996/package/lib/server/dispatchers/dispatcher.js:361:39) } Call log: - navigating to "https://demoqa.com/", waiting until "load" at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:254) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:211) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:118) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:130) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:106) at com.microsoft.playwright.impl.FrameImpl.navigateImpl(FrameImpl.java:463) at com.microsoft.playwright.impl.PageImpl.lambda\$navigate\$46(PageImpl.java:932) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47) at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:89) at com.microsoft.playwright.impl.PageImpl.navigate(PageImpl.java:932) at com.microsoft.playwright.impl.PageImpl.navigate(PageImpl.java:42) at com.microsoft.playwright.Page.navigate(Page.java:5504) at com.ptaf.stepdefinitions.FrameCommonSteps.weNavigateToURL(FrameCommonSteps.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) </pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:229) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:231) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) * Not displayable characters are replaced by '?'.		
2	Then get title of page	SKIPPED	0.001 s
3	Given we click on page homePage locator alert_frame_and_window	SKIPPED	0.000 s
4	Then we click on page homePage locator browser_window	SKIPPED	0.000 s
5	Then we click on page homePage locator frame_btn	SKIPPED	0.001 s
6	And we get text on frame homePage locator frame_semples_heading	SKIPPED	0.000 s


Test Download Document Method

FAILED	DURATION - 22.267 s		Steps Total - 9 Pass - 4 Fail - 1 Skip - 4	
/ 10:51:34.003 PM // 10:51:56.270 PM /				
Second Page Test				
@secondPageTest				

#	Step / Hook Details	Status	Duration
1	Given we navigate to tool_qa_url url	PASSED	19.580 s
2	Then get title of page	PASSED	0.006 s
3	Given we click on page homePage locator elements_tab	PASSED	0.138 s
4	When we click on page homePage locator update_and_download_tab	PASSED	0.287 s
5	Then we click download on page homePage locator download_btn	FAILED	1.547 s
	Full page screenshot on Failure Step: Test Download Document Method java.lang.RuntimeException: Action 'Step execution failed' failed on element 'null', skipping further steps at com.ptaf.ui.pages.PageCommonMethods.handleFailure(PageCommonMethods.java:884) at com.ptaf.ui.pages.PageCommonMethods.executeStep(PageCommonMethods.java:867) at com.ptaf.ui.pages.PageCommonMethods.performAction(PageCommonMethods.java:691) at com.ptaf.ui.pages.PageCommonMethods.download(PageCommonMethods.java:212) at com.ptaf.stepdefinitions.PageCommonSteps.weDownloadOnPageKey(PageCommonSteps.java:152) at ?.we click download on page homePage locator download_btn(file:///Users/azimovm/IdeaProjects/PTAF/src/test/resources/features/secondPageTest.feature:19) * Not displayable characters are replaced by '?'. 		
6	And we wait for some time	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
7	Then we click on page homePage locator upload_btn	SKIPPED	0.000 s
8	And we select document to upload on page homePage locator upload_btn	SKIPPED	0.000 s
9	Then we wait for some time	SKIPPED	0.000 s

Verify Nested Frame

FAILED DURATION - 30.748 s			Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 10:51:56.274 PM // 10:52:27.022 PM /				
Second Page Test				
@secondPageTest				

#	Step / Hook Details	Status	Duration
1	Given we navigate to tool_qa_url url <pre>com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError' stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/xk/97c4q7ks1wn2w53kjqddb8n40000gn/T/playwright-java-11169352760296663996/package/lib/server/progress.js:78:26) at Frame.goto (/private/var/folders/xk/97c4q7ks1wn2w53kjqddb8n40000gn/T/playwright-java-11169352760296663996/package/lib/server/frames.js:517:23) at FrameDispatcher.goto (/private/var/folders/xk/97c4q7ks1wn2w53kjqddb8n40000gn/T/playwright-java-11169352760296663996/package/lib/server/dispatchers/frameDispatcher.js:81:119) at FrameDispatcher._handleCommand (/private/var/folders/xk/97c4q7ks1wn2w53kjqddb8n40000gn/T/playwright-java-11169352760296663996/package/lib/server/dispatchers/dispatcher.js:94:40) at DispatcherConnection.dispatch (/private/var/folders/xk/97c4q7ks1wn2w53kjqddb8n40000gn/T/playwright-java-11169352760296663996/package/lib/server/dispatchers/dispatcher.js:361:39) } Call log: - navigating to "https://demoqa.com/", waiting until "load" at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:120) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:130) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:106) at com.microsoft.playwright.impl.FrameImpl.navigateImpl(FrameImpl.java:463) at com.microsoft.playwright.impl.PageImpl.lambda\$navigate\$46(PageImpl.java:932) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47) at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:89) at com.microsoft.playwright.impl.PageImpl.navigate(PageImpl.java:932) at com.microsoft.playwright.impl.PageImpl.navigate(PageImpl.java:42) at com.microsoft.playwright.Page.navigate(Page.java:5504) at com.ptaf.stepdefinitions.FrameCommonSteps.weNavigateToURL(FrameCommonSteps.java:35) at ?.we navigate to tool_qa_url url(file:///Users/azimovm/IdeaProjects/PTAF/src/test/resources/features/secondPageTest.feature:5)</pre>	FAILED	30.003 s

#	Step / Hook Details	Status	Duration
	Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/xk/97c4q7ks1wn2w53kjqddb8n40000gn/T/ playwright-java-11169352760296663996/package/lib/server/progress.js:78:26) at Frame.goto (/private/var/folders/xk/ 97c4q7ks1wn2w53kjqddb8n40000gn/T/playwright-java-11169352760296663996/package/lib/server/frames.js:517:23) at FrameDispatcher. goto (/private/var/folders/xk/97c4q7ks1wn2w53kjqddb8n40000gn/T/playwright-java-11169352760296663996/package/lib/server/dispatchers/ frameDispatcher.js:81:119) at FrameDispatcher._handleCommand (/private/var/folders/xk/97c4q7ks1wn2w53kjqddb8n40000gn/T/playwright- java-11169352760296663996/package/lib/server/dispatchers/dispatcher.js:94:40) at DispatcherConnection.dispatch (/private/var/folders/xk/ 97c4q7ks1wn2w53kjqddb8n40000gn/T/playwright-java-11169352760296663996/package/lib/server/dispatchers/dispatcher.js:361:39) } Call log: - navigating to "https://demoqa.com/", waiting until "load" at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:254) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:211) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:118) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:130) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:106) at com.microsoft.playwright.impl.FrameImpl.navigateImpl(FrameImpl.java:463) at com.microsoft.playwright.impl.PageImpl.lambda\$navigate\$46(PageImpl.java:932) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47) at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:89) at com.microsoft.playwright.impl.PageImpl.navigate(PageImpl.java:932) at com.microsoft.playwright.impl.PageImpl.navigate(PageImpl.java:42) at com.microsoft.playwright.Page.navigate(Page.java:5504) at com.ptaf.stepdefinitions.FrameCommonSteps.weNavigateToURL(FrameCommonSteps.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:229) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:231) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) </pre> * Not displayable characters are replaced by '?'.		
2	Then get title of page	SKIPPED	0.000 s
3	Given we click on page homePage locator alert_frame_and_window	SKIPPED	0.000 s
4	Then we click on page homePage locator nested_frame_tab	SKIPPED	0.000 s
5	When we verify on frame homePage of locator first_frame_txt is visible	SKIPPED	0.000 s
6	When we verify on second frame homePage of locator second_frame_txt is visible	SKIPPED	0.000 s