

# SwiftOpsBD Swagger API Testing Guide

Complete localhost and deployment verification handbook

OpenAPI 3.1 • 126 operations • Generated 2026-08-01

---

## 1. Purpose and safety

Test sequentially because later APIs depend on IDs and states created earlier. This covers Firebase Authentication, Firestore, Supabase private files, Barikoi maps, Stripe test Checkout and all three user roles.

**Never enter:** Firebase service-account JSON, Stripe/Supabase secrets, real card data, CVV, PIN or OTP. Swagger needs only Firebase ID tokens and test values.

---

## 2. Prerequisites and startup

- ☐ Node.js 22+
- ☐ Private backend .env configured and ignored
- ☐ Firebase/Firestore ready
- ☐ Supabase private bucket ready for file tests
- ☐ Barikoi key ready
- ☐ Stripe test keys ready

### Backend terminal

```
cd /d/SoftwareProject/swyftopsbd-api
npm install
npm run dev
```

Expect: `SwiftOpsBD API listening on http://localhost:4000`

### Stripe terminal (payment phases)

```
stripe listen --forward-to localhost:4000/api/v1/payments/stripe/webhook
```

Put its whsec value only in backend .env and restart the API.

### 3. Swagger site

---

1. Open `http://localhost:4000/api-docs`.
2. Expand a category and operation.
3. Click **Try it out**.
4. Fill safe path/query/body values.
5. Click **Execute**.
6. Check URL, status and response body.
7. Save returned IDs privately for later steps.

OpenAPI JSON: `http://localhost:4000/api-docs.json`

### 4. Firebase authorization

---

1. Log into the frontend as the role being tested.
2. Open F12 → Network.
3. Select an API request such as `/api/v1/users/me`.
4. In Request Headers copy only the value after Authorization: Bearer.
5. In Swagger click Authorize, paste only the token, and confirm.

If a call suddenly returns 401, refresh/sign in, copy a new Firebase token and authorize again. Client, caregiver and admin require separate tokens.

### 5. Status codes

---

| Code | Expected meaning/action                                            |
|------|--------------------------------------------------------------------|
| 200  | Read/update/action succeeded; inspect data and verify through GET. |
| 201  | Created; save the returned ID.                                     |
| 400  | Bad body/query/upload.                                             |
| 401  | Token missing, invalid or expired.                                 |
| 403  | Wrong role/ownership; expected during security testing.            |
| 404  | ID absent or intentionally hidden from this user.                  |
| 409  | State conflict or repeated one-time action.                        |
| 422  | Read error.fields and correct validation.                          |
| 500  | Copy requestId and inspect the API terminal/configuration.         |

### 6. End-to-end order

---

#### Phase 0 — Start and public routes

Token: No token

| Operation                        | Expected result                                        |
|----------------------------------|--------------------------------------------------------|
| GET /api/v1/health               | 200; data.status=ok, version=v1 and requestId exists.  |
| GET /api/v1/directory/caregivers | 200; only approved, visible, non-suspended caregivers. |
| GET public caregiver photo       | 200 image when a real photo exists; otherwise 404.     |

## Phase 1 — Identity and roles

**Token:** New Firebase user

| Operation                          | Expected result                                      |
|------------------------------------|------------------------------------------------------|
| POST /api/v1/users/bootstrap       | 200; users/{uid} created or synchronized.            |
| GET /api/v1/users/me               | 200; authenticated account and protected role.       |
| POST /api/v1/users/me/account-type | 200; one-time client/caregiver role selection.       |
| GET permissions and PATCH me       | 200; allowed fields change, protected claims do not. |

## Phase 2 — Caregiver onboarding

**Token:** Caregiver, then admin

| Operation                        | Expected result                                             |
|----------------------------------|-------------------------------------------------------------|
| GET onboarding/me                | 200; onboarding record exists.                              |
| PUT profile                      | 200; services, postal code, hourly rate and identity saved. |
| POST files/{kind}                | 201; photo/NID/license/resume stored privately.             |
| PUT assessment and POST submit   | 200; record becomes review-ready.                           |
| Admin GET onboarding and files   | 200; submitted evidence appears only to admin.              |
| Admin PATCH caregiver review     | 200; verification becomes approved.                         |
| Admin PATCH directory visibility | 200; approved active caregiver becomes public.              |

## Phase 3 — Client onboarding

**Token:** Client, then admin

| Operation                | Expected result                                      |
|--------------------------|------------------------------------------------------|
| GET client-onboarding/me | 200; client record exists.                           |
| PUT profile and contact  | 200; identity, contact and Bangladesh map pin saved. |

| Operation                         | Expected result                          |
|-----------------------------------|------------------------------------------|
| POST files/{kind}                 | 201; NID/medical files stored privately. |
| POST submit                       | 200; record becomes review-ready.        |
| Admin GET and PATCH client review | 200; client becomes approved.            |

## Phase 4 — Care plan, deposit and matching

**Token:** Approved client, then admin

| Operation                     | Expected result                                  |
|-------------------------------|--------------------------------------------------|
| POST care-plans               | 201; save planId and schedule fields.            |
| POST care-plan billing        | 201; locked 35% deposit and 65% balance created. |
| POST invoice checkout         | 201; Stripe hosted URL returned.                 |
| Complete Stripe test checkout | Webhook marks deposit paid exactly once.         |
| POST care plan submit         | 200/201; paid verified request becomes open.     |
| Admin GET care-requests       | 200; request appears under Open.                 |
| Admin PATCH request assign    | 200; request moves to Assigned.                  |

## Phase 5 — Assignment and schedules

**Token:** Caregiver, client and admin

| Operation                               | Expected result                              |
|-----------------------------------------|----------------------------------------------|
| GET available requests and POST respond | 200 then 201; response recorded once.        |
| GET assignments/mine                    | 200; exactly the assigned users can see it.  |
| PATCH assignment confirm                | 200; assignment becomes confirmed.           |
| GET assignment visits                   | 200; service-date calendar visits generated. |

## Phase 6 — Maps, shifts, visits and attendance

**Token:** Role shown by Swagger

| Operation                      | Expected result                                    |
|--------------------------------|----------------------------------------------------|
| Map autocomplete/reverse/route | 200; normalized Bangladesh address and route data. |
| POST shift clock-in            | 201; one active server-timed shift.                |

| Operation               | Expected result                                          |
|-------------------------|----------------------------------------------------------|
| POST visit clock-in     | 200; confirmed visit active with geofence evidence.      |
| PATCH progress/location | 200; assigned tasks, notes and GPS update.               |
| POST visit complete     | 200; report/duration saved and removed from live visits. |
| POST shift clock-out    | 200; caregiver removed from active shifts.               |
| GET attendance/mine     | 200; real totals, calendar and duty state.               |

## Phase 7 — Medical documents and communication

Token: Client/caregiver/admin

| Operation                            | Expected result                                 |
|--------------------------------------|-------------------------------------------------|
| POST and GET medical documents       | 201 then 200; only owned medical files appear.  |
| Admin GET documents                  | 200; system document index includes real files. |
| POST assignment conversation/message | 201; only both participants can read.           |
| POST support conversation/message    | 201; admin-addressed support flow works.        |

## Phase 8 — Final payment and caregiver payout

Token: Client, admin, caregiver

| Operation                    | Expected result                               |
|------------------------------|-----------------------------------------------|
| Checkout final 65% invoice   | 201; Stripe URL, webhook and paid invoice.    |
| GET both invoice links/PDF   | 200 for client owner/admin.                   |
| Admin GET payout quotes      | 200; 85% caregiver share and platform margin. |
| Admin POST assignment payout | 201; caregiver wallet earning updates.        |
| GET caregiver payslip        | 200 protected PDF.                            |

## Phase 9 — Incidents, dashboard and reports

Token: User then admin

| Operation                | Expected result                              |
|--------------------------|----------------------------------------------|
| POST incident/SOS        | 201; affected visit and participants stored. |
| Admin GET/PATCH incident | 200; review/escalation/resolution history.   |

| Operation                    | Expected result                         |
|------------------------------|-----------------------------------------|
| GET admin dashboard overview | 200; real operational/financial totals. |
| GET admin reports overview   | 200; date-bounded report.               |

## 7. Negative security tests

---

- No token on protected endpoint → 401.
- Client token on caregiver/admin endpoint → 403.
- User A reading user B assignment/document → 403/404.
- Unsupported or oversized upload → 400.
- Coordinates outside Bangladesh → validation failure.
- Unsigned Stripe webhook through Swagger → rejection.
- Repeat payment/response/complete action → no duplicate record.

## 8. Final checklist

---

- ☐ Automated backend tests pass
- ☐ All three role tokens tested
- ☐ Both onboarding workflows approved
- ☐ Real caregiver appears publicly
- ☐ Deposit creates matching request
- ☐ Assignment appears for both users
- ☐ Clock-in/out updates live operations and attendance
- ☐ Private documents reject unrelated users
- ☐ Stripe settles once and invoices download
- ☐ Payout/payslip correct
- ☐ Incident and reports update
- ☐ No secrets entered or committed

## 9. Every Swagger operation

---

Replace IDs in braces with IDs returned during earlier phases.



System

| Method and path                                                                | Access | Swagger input   | Expected                                       |
|--------------------------------------------------------------------------------|--------|-----------------|------------------------------------------------|
| <div><div>GET</div><div>/api/v1/health</div></div> <div>Check API health</div> | Public | No request body | <b>200</b><br>JSON data for: Check API health. |

## Identity

| Method and path                                                                                      | Access                             | Swagger input                                                                                                                         | Expected                                                                                                              |
|------------------------------------------------------------------------------------------------------|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>POST</b><br><code>/api/v1/users/bootstrap</code><br>Create or synchronize the signed-in account   | Required access:<br>authenticated. | <pre>{<br/>  "displayName":<br/>  "Abdul Aziz<br/>  Faisal"<br/>}</pre>                                                               | <b>200</b><br>Create or synchronize the signed-in account is confirmed; re-run its related GET to verify persistence. |
| <b>GET</b> <code>/api/v1/users/me</code><br>Read the current account                                 | Required access:<br>authenticated. | No request body                                                                                                                       | <b>200</b><br>JSON data for: Read the current account.                                                                |
| <b>PATCH</b> <code>/api/v1/users/me</code><br>Update shared account fields                           | Required access:<br>authenticated. | <pre>{<br/>  "displayName":<br/>  "Abdul Aziz<br/>  Faisal",<br/>  "photoURL":<br/>  "https://example.<br/>com/photo.jpg"<br/>}</pre> | <b>200</b><br>Update shared account fields is confirmed; re-run its related GET to verify persistence.                |
| <b>POST</b><br><code>/api/v1/users/me/account-type</code><br>Select client or caregiver account type | Required access:<br>authenticated. | <pre>{<br/>  "accountType":<br/>  "client"<br/>}</pre>                                                                                | <b>200</b><br>Select client or caregiver account type is confirmed; re-run its related GET to verify persistence.     |
| <b>GET</b><br><code>/api/v1/users/me/permissions</code><br>Read effective permissions                | Required access:<br>authenticated. | No request body                                                                                                                       | <b>200</b><br>JSON data for: Read effective permissions.                                                              |

## Caregiver onboarding

| Method and path                                                                     | Access                      | Swagger input                                                                                                                                                                                                                                                                              | Expected                                                                                            |
|-------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| <b>GET</b> /api/v1/onboarding/me<br>Read caregiver onboarding                       | Required access: caregiver. | No request body                                                                                                                                                                                                                                                                            | <b>200</b><br>JSON data for: Read caregiver onboarding.                                             |
| <b>PUT</b> /api/v1/onboarding/profile<br>Save caregiver profile                     | Required access: caregiver. | <pre>{   "fullName":     "Rahima Khatun",   "dateOfBirth":     "1990-05-12",   "gender":     "Female",   "phone":     "+8801712345678",   "city":     "Dhaka",   "zipCode":     "1212",   "services": [     "Senior     Care",     "Home     Nursing"   ],   "hourlyRate":     850 }</pre> | <b>200</b><br>Save caregiver profile is confirmed; re-run its related GET to verify persistence.    |
| <b>PUT</b> /api/v1/onboarding/assessment<br>Save caregiver assessment               | Required access: caregiver. | <pre>{   "availability":     [       "Mon",       "Wed",       "Fri"     ],   "preferredShift":     "Mornings",   "emergencyReady":     true }</pre>                                                                                                                                       | <b>200</b><br>Save caregiver assessment is confirmed; re-run its related GET to verify persistence. |
| <b>POST</b> /api/v1/onboarding/files/{kind}<br>Upload a private onboarding document | Required access: caregiver. | Choose a valid local file in the file field.                                                                                                                                                                                                                                               | <b>200</b><br>File metadata returned; authorized listing/download now contains the upload.          |

| Method and path                                                                                              | Access                      | Swagger input                                | Expected                                                                                                               |
|--------------------------------------------------------------------------------------------------------------|-----------------------------|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| <div>DELETE</div> <div>/api/v1/onboarding/files/{kind}</div> <div>Delete a private onboarding document</div> | Required access: caregiver. | Choose a valid local file in the file field. | <b>200</b><br>File metadata returned; authorized listing/download now contains the upload.                             |
| <div>POST</div> <div>/api/v1/onboarding/submit</div> <div>Submit caregiver onboarding for verification</div> | Required access: caregiver. | {<br>"confirmed":<br>true<br>}               | <b>200</b><br>Submit caregiver onboarding for verification is confirmed; re-run its related GET to verify persistence. |

## Client onboarding

| Method and path                                                                             | Access                   | Swagger input                                                                                                                                                                                                                                    | Expected                                                                                                   |
|---------------------------------------------------------------------------------------------|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| <b>GET</b> /api/v1/client-onboarding/me<br>Read client onboarding                           | Required access: client. | No request body                                                                                                                                                                                                                                  | <b>200</b><br>JSON data for: Read client onboarding.                                                       |
| <b>PUT</b> /api/v1/client-onboarding/profile<br>Save client profile                         | Required access: client. | {<br>"fullName":<br>"Fatema Begum",<br><br>"dateOfBirth":<br>"1952-05-15",<br>"gender":<br>"Female",<br>"nidNumber":<br>"1234567890"<br>}                                                                                                        | <b>200</b><br>Save client profile is confirmed; re-run its related GET to verify persistence.              |
| <b>PUT</b> /api/v1/client-onboarding/contact<br>Save contact and pinned location            | Required access: client. | {<br>"phone":<br>"+8801711223344",<br>"email":<br>"client@example.com",<br>"area":<br>"Gulshan",<br>"road":<br>"Road 12",<br>"house":<br>"House 24",<br>"location":<br>{<br><br>"latitude":<br>23.7925,<br><br>"longitude":<br>90.4078<br>}<br>} | <b>200</b><br>Save contact and pinned location is confirmed; re-run its related GET to verify persistence. |
| <b>POST</b> /api/v1/client-onboarding/files/{kind}<br>Upload a client NID or medical report | Required access: client. | Choose a valid local file in the file field.                                                                                                                                                                                                     | <b>200</b><br>File metadata returned; authorized listing/download now contains the upload.                 |

| Method and path                                                                                 | Access                   | Swagger input                                | Expected                                                                                                            |
|-------------------------------------------------------------------------------------------------|--------------------------|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| <b>DELETE</b> /api/v1/client-onboarding/files/{kind}<br>Delete a client NID document            | Required access: client. | Choose a valid local file in the file field. | <b>200</b><br>File metadata returned; authorized listing/download now contains the upload.                          |
| <b>DELETE</b> /api/v1/client-onboarding/files/medicalReport/{fileId}<br>Delete a medical report | Required access: client. | {<br>"confirmed": true<br>}                  | <b>200</b><br>Confirmation returned and the following list/GET no longer contains the resource.                     |
| <b>POST</b> /api/v1/client-onboarding/submit<br>Submit client onboarding for verification       | Required access: client. | {<br>"confirmed": true<br>}                  | <b>200</b><br>Submit client onboarding for verification is confirmed; re-run its related GET to verify persistence. |

Public directory

| Method and path                                                                                                        | Access | Swagger input   | Expected                                                                                 |
|------------------------------------------------------------------------------------------------------------------------|--------|-----------------|------------------------------------------------------------------------------------------|
| <div>GET</div> <div>/api/v1/directory/caregivers</div> <div>List approved public caregivers</div>                      | Public | No request body | <b>200</b><br>JSON data for: List approved public caregivers.                            |
| <div>GET</div> <div>/api/v1/directory/caregivers/{caregiverId}/photo</div> <div>Read an approved caregiver photo</div> | Public | No request body | <b>200</b><br>Binary file with correct content type; unrelated accounts receive 403/404. |

## Care plans

| Method and path                                                                     | Access                   | Swagger input                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Expected                                                                                           |
|-------------------------------------------------------------------------------------|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| <b>GET</b> /api/v1/care-plans<br>List the client's care plans                       | Required access: client. | No request body                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <b>200</b><br>JSON data for: List the client's care plans.                                         |
| <b>POST</b> /api/v1/care-plans<br>Create a draft care plan                          | Required access: client. | <pre>{   "careType":     "Senior Care",   "tasks": [     "Medication     Reminders",     "Mobility     Assistance"   ],   "hoursPerWeek":     20,   "preferredDays":     [       "Mon",       "Wed",       "Fri"     ],   "preferredTime":     "Mornings",    "preferredStartTime":     "09:00",    "serviceStartDate":     "2026-08-03",    "serviceEndDate":     "2026-08-31",    "caregiverGender":     "No Preference",   "budgetRange":     "15000-25000" }</pre> | <b>201</b><br>Create a draft care plan is confirmed; re-run its related GET to verify persistence. |
| <b>GET</b> /api/v1/care-plans/requests/mine<br>List the client's published requests | Required access: client. | No request body                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <b>200</b><br>JSON data for: List the client's published requests.                                 |
| <b>GET</b> /api/v1/care-plans/{planId}<br>Read an owned care plan                   | Required access: client. | No request body                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <b>200</b><br>JSON data for: Read an owned care plan.                                              |



| Method and path                                                                       | Access                      | Swagger input                      | Expected                                                                                                      |
|---------------------------------------------------------------------------------------|-----------------------------|------------------------------------|---------------------------------------------------------------------------------------------------------------|
| <b>PUT</b> /api/v1/care-plans/{planId}<br>Update an owned draft                       | Required<br>access: client. | <pre>{   "confirmed": true }</pre> | <b>200</b><br>Update an owned draft is confirmed; re-run its related GET to verify persistence.               |
| <b>POST</b> /api/v1/care-plans/{planId}/submit<br>Publish a verified client's request | Required<br>access: client. | <pre>{   "confirmed": true }</pre> | <b>200</b><br>Publish a verified client's request is confirmed; re-run its related GET to verify persistence. |

## Caregiver requests

| Method and path                                                                      | Access                               | Swagger input                                                                              | Expected                                                                                              |
|--------------------------------------------------------------------------------------|--------------------------------------|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| <b>GET</b> /api/v1/care-requests/available<br>List available care requests           | Required access: approved caregiver. | No request body                                                                            | <b>200</b><br>JSON data for: List available care requests.                                            |
| <b>GET</b> /api/v1/care-requests/{requestId}<br>Read an available care request       | Required access: approved caregiver. | No request body                                                                            | <b>200</b><br>JSON data for: Read an available care request.                                          |
| <b>POST</b> /api/v1/care-requests/{requestId}/respond<br>Accept or decline a request | Required access: approved caregiver. | {<br>"decision":<br>"accepted",<br>"note":<br>"Available for the requested schedule."<br>} | <b>201</b><br>Accept or decline a request is confirmed; re-run its related GET to verify persistence. |

## Assignments

| Method and path                                                                                                           | Access                                | Swagger input               | Expected                                                                                               |
|---------------------------------------------------------------------------------------------------------------------------|---------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------|
| <b>GET</b> <code>/api/v1/assignments/mine</code><br>List owned assignments                                                | Required access: client or caregiver. | No request body             | <b>200</b><br>JSON data for: List owned assignments.                                                   |
| <b>GET</b> <code>/api/v1/assignments/visits/mine</code><br>List owned scheduled visits                                    | Required access: client or caregiver. | No request body             | <b>200</b><br>JSON data for: List owned scheduled visits.                                              |
| <b>GET</b> <code>/api/v1/assignments/attendance/mine</code><br>Read client attendance and calendar                        | Required access: client.              | No request body             | <b>200</b><br>JSON data for: Read client attendance and calendar.                                      |
| <b>GET</b> <code>/api/v1/assignments/{assignmentId}/caregiver-verification</code><br>Read assigned caregiver verification | Required access: assigned client.     | No request body             | <b>200</b><br>JSON data for: Read assigned caregiver verification.                                     |
| <b>GET</b> <code>/api/v1/assignments/{assignmentId}/caregiver-photo</code><br>Read assigned caregiver photo               | Required access: assigned client.     | No request body             | <b>200</b><br>JSON data for: Read assigned caregiver photo.                                            |
| <b>PATCH</b> <code>/api/v1/assignments/{assignmentId}/confirm</code><br>Confirm a pending assignment                      | Required access: assigned caregiver.  | {<br>"confirmed": true<br>} | <b>200</b><br>Confirm a pending assignment is confirmed; re-run its related GET to verify persistence. |
| <b>GET</b> <code>/api/v1/assignments/{assignmentId}</code><br>Read an owned assignment                                    | Required access: client or caregiver. | No request body             | <b>200</b><br>JSON data for: Read an owned assignment.                                                 |

## Visits

| Method and path                                                                        | Access                                   | Swagger input                                                                                                        | Expected                                                                                                        |
|----------------------------------------------------------------------------------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| <b>GET</b> /api/v1/visits/mine<br>List owned visits                                    | Required access:<br>client or caregiver. | No request body                                                                                                      | <b>200</b><br>JSON data for: List owned visits.                                                                 |
| <b>GET</b> /api/v1/visits/active/mine<br>Restore the active visit                      | Required access:<br>client or caregiver. | No request body                                                                                                      | <b>200</b><br>JSON data for: Restore the active visit.                                                          |
| <b>GET</b> /api/v1/visits/{visitId}<br>Read an owned visit                             | Required access:<br>client or caregiver. | No request body                                                                                                      | <b>200</b><br>JSON data for: Read an owned visit.                                                               |
| <b>POST</b> /api/v1/visits/{visitId}/clock-in<br>Clock in to a confirmed visit         | Required access:<br>assigned caregiver.  | {<br>"confirmed":<br>true<br>}                                                                                       | <b>200</b><br>Clock in to a confirmed visit is confirmed; re-run its related GET to verify persistence.         |
| <b>PATCH</b> /api/v1/visits/{visitId}/progress<br>Save visit tasks and care notes      | Required access:<br>assigned caregiver.  | {<br>"completedTasks":<br>:<br>"Medication<br>Reminders"<br>],<br>"careNotes":<br>"Medication<br>administered."<br>} | <b>200</b><br>Save visit tasks and care notes is confirmed; re-run its related GET to verify persistence.       |
| <b>PATCH</b> /api/v1/visits/{visitId}/location<br>Update active visit GPS              | Required access:<br>assigned caregiver.  | {<br>"confirmed":<br>true<br>}                                                                                       | <b>200</b><br>Update active visit GPS is confirmed; re-run its related GET to verify persistence.               |
| <b>POST</b> /api/v1/visits/{visitId}/complete<br>Clock out and submit the visit report | Required access:<br>assigned caregiver.  | {<br>"confirmed":<br>true<br>}                                                                                       | <b>200</b><br>Clock out and submit the visit report is confirmed; re-run its related GET to verify persistence. |

## Shifts

| Method and path                                                                   | Access                         | Swagger input                      | Expected                                                                                               |
|-----------------------------------------------------------------------------------|--------------------------------|------------------------------------|--------------------------------------------------------------------------------------------------------|
| <b>GET</b><br><code>/api/v1/shifts/mine</code><br>List caregiver shift history    | Required access:<br>caregiver. | No request<br>body                 | <b>200</b><br>JSON data for: List caregiver shift history.                                             |
| <b>GET</b><br><code>/api/v1/shifts/active</code><br>Restore the active shift      | Required access:<br>caregiver. | No request<br>body                 | <b>200</b><br>JSON data for: Restore the active shift.                                                 |
| <b>POST</b><br><code>/api/v1/shifts/clock-in</code><br>Start a caregiver shift    | Required access:<br>caregiver. | {<br><br>"confirmed":<br>true<br>} | <b>201</b><br>Start a caregiver shift is confirmed; re-run its<br>related GET to verify persistence.   |
| <b>POST</b><br><code>/api/v1/shifts/clock-out</code><br>Complete the active shift | Required access:<br>caregiver. | {<br><br>"confirmed":<br>true<br>} | <b>200</b><br>Complete the active shift is confirmed; re-run its<br>related GET to verify persistence. |
| <b>PATCH</b><br><code>/api/v1/shifts/location</code><br>Update active shift GPS   | Required access:<br>caregiver. | {<br><br>"confirmed":<br>true<br>} | <b>200</b><br>Update active shift GPS is confirmed; re-run its<br>related GET to verify persistence.   |

## Maps

| Method and path                                                                           | Access                             | Swagger input      | Expected                                                      |
|-------------------------------------------------------------------------------------------|------------------------------------|--------------------|---------------------------------------------------------------|
| <b>GET</b><br><code>/api/v1/maps/autocomplete</code><br>Search Bangladesh addresses       | Required access:<br>authenticated. | No request<br>body | <b>200</b><br>JSON data for: Search Bangladesh<br>addresses.  |
| <b>GET</b> <code>/api/v1/maps/reverse-<br/>geocode</code><br>Reverse geocode a coordinate | Required access:<br>authenticated. | No request<br>body | <b>200</b><br>JSON data for: Reverse geocode a<br>coordinate. |
| <b>GET</b> <code>/api/v1/maps/route</code><br>Calculate a route                           | Required access:<br>authenticated. | No request<br>body | <b>200</b><br>JSON data for: Calculate a route.               |

## Medical documents

| Method and path                                                                                  | Access                   | Swagger input                                | Expected                                                                                               |
|--------------------------------------------------------------------------------------------------|--------------------------|----------------------------------------------|--------------------------------------------------------------------------------------------------------|
| <b>GET</b> /api/v1/medical-documents/mine<br>List owned medical documents                        | Required access: client. | No request body                              | <b>200</b><br>JSON data for: List owned medical documents.                                             |
| <b>POST</b> /api/v1/medical-documents<br>Upload a protected medical document                     | Required access: client. | Choose a valid local file in the file field. | <b>201</b><br>File metadata returned; authorized listing/download now contains the upload.             |
| <b>PUT</b> /api/v1/medical-documents/instructions<br>Save medication instructions                | Required access: client. | {<br>"confirmed":<br>true<br>}               | <b>200</b><br>Save medication instructions is confirmed; re-run its related GET to verify persistence. |
| <b>GET</b> /api/v1/medical-documents/{documentId}/download<br>Download an owned medical document | Required access: client. | No request body                              | <b>200</b><br>Binary file with correct content type; unrelated accounts receive 403/404.               |

## Payments

| Method and path                                                                                                   | Access                                  | Swagger input                                                     | Expected                                                                                                  |
|-------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>GET</b> <code>/api/v1/payments/sessions/{sessionId}</code><br>Read an owned payment session                    | Required access: client.                | No request body                                                   | <b>200</b><br>JSON data for: Read an owned payment session.                                               |
| <b>GET</b> <code>/api/v1/payments/summary</code><br>Read role-specific finance summary                            | Required access: client or caregiver.   | No request body                                                   | <b>200</b><br>JSON data for: Read role-specific finance summary.                                          |
| <b>GET</b> <code>/api/v1/payments/billing</code><br>Read staged client billing                                    | Required access: client.                | No request body                                                   | <b>200</b><br>JSON data for: Read staged client billing.                                                  |
| <b>POST</b> <code>/api/v1/payments/care-plans/{carePlanId}/billing</code><br>Create staged care-plan billing      | Required access: client.                | <pre>{   "confirmed": true }</pre>                                | <b>201</b><br>Create staged care-plan billing is confirmed; re-run its related GET to verify persistence. |
| <b>GET</b> <code>/api/v1/payments/invoices</code><br>List owned invoices                                          | Required access: client.                | No request body                                                   | <b>200</b><br>JSON data for: List owned invoices.                                                         |
| <b>GET</b> <code>/api/v1/payments/transactions</code><br>List owned transactions                                  | Required access: client or caregiver.   | No request body                                                   | <b>200</b><br>JSON data for: List owned transactions.                                                     |
| <b>GET</b> <code>/api/v1/payments/payslips/{recordType}/{recordId}</code><br>Download a SwiftOpsBD payslip        | Required access: owner or admin.        | No request body                                                   | <b>200</b><br>JSON data for: Download a SwiftOpsBD payslip.                                               |
| <b>GET</b> <code>/api/v1/payments/invoices/{invoiceId}/swiftopsbd-invoice</code><br>Download a SwiftOpsBD invoice | Required access: client owner or admin. | No request body                                                   | <b>200</b><br>JSON data for: Download a SwiftOpsBD invoice.                                               |
| <b>POST</b> <code>/api/v1/payments/invoices/{invoiceId}/checkout</code><br>Create hosted checkout                 | Required access: client.                | <pre>{   "gateway": "stripe",   "phone": "+8801712345678" }</pre> | <b>201</b><br>Create hosted checkout is confirmed; re-run its related GET to verify persistence.          |



| Method and path                                                                                          | Access                      | Swagger input                                                                              | Expected                                                                                                          |
|----------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>POST</b><br>/api/v1/payments/sessions/{sessionId}/simulate<br>Simulate local payment (non-production) | Required access: client.    | {<br>"confirmed": true<br>}                                                                | <b>200</b><br>Simulate local payment (non-production) is confirmed; re-run its related GET to verify persistence. |
| <b>POST</b> /api/v1/payments/withdrawals<br>Request caregiver withdrawal                                 | Required access: caregiver. | {<br>"amount": 5000,<br><br>"method": "bKash",<br><br>"accountNumber": "017000000000"<br>} | <b>201</b><br>Request caregiver withdrawal is confirmed; re-run its related GET to verify persistence.            |

## Payment callbacks

| Method and path                                                                                  | Access | Swagger input                      | Expected                                                                            |
|--------------------------------------------------------------------------------------------------|--------|------------------------------------|-------------------------------------------------------------------------------------|
| <b>POST</b><br><code>/api/v1/payments/sslcommerz/success</code><br>Handle SSLCommerz success     | Public | {<br><br>"confirmed":<br>true<br>} | <b>200</b><br>Validated provider callback or result<br>redirect.                    |
| <b>POST</b><br><code>/api/v1/payments/sslcommerz/fail</code><br>Handle SSLCommerz failure        | Public | {<br><br>"confirmed":<br>true<br>} | <b>200</b><br>Validated provider callback or result<br>redirect.                    |
| <b>POST</b><br><code>/api/v1/payments/sslcommerz/cancel</code><br>Handle SSLCommerz cancellation | Public | {<br><br>"confirmed":<br>true<br>} | <b>200</b><br>Validated provider callback or result<br>redirect.                    |
| <b>POST</b><br><code>/api/v1/payments/sslcommerz/ipn</code><br>Handle SSLCommerz IPN             | Public | {<br><br>"confirmed":<br>true<br>} | <b>200</b><br>Validated provider callback or result<br>redirect.                    |
| <b>POST</b><br><code>/api/v1/payments/stripe/webhook</code><br>Handle signed Stripe webhook      | Public | No request<br>body                 | <b>200</b><br>Signed Stripe event accepted; use Stripe<br>CLI, not Swagger Execute. |

## Communications

| Method and path                                                                                         | Access                          | Swagger input                              | Expected                                                                                                       |
|---------------------------------------------------------------------------------------------------------|---------------------------------|--------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>GET</b> /api/v1/communications/conversations<br>List owned conversations                             | Required access: authenticated. | No request body                            | <b>200</b><br>JSON data for: List owned conversations.                                                         |
| <b>POST</b> /api/v1/communications/conversations<br>Create an assignment conversation                   | Required access: authenticated. | {<br>"confirmed": true<br>}                | <b>201</b><br>Create an assignment conversation is confirmed; re-run its related GET to verify persistence.    |
| <b>POST</b> /api/v1/communications/support-conversation<br>Create an admin support conversation         | Required access: authenticated. | {<br>"confirmed": true<br>}                | <b>201</b><br>Create an admin support conversation is confirmed; re-run its related GET to verify persistence. |
| <b>GET</b> /api/v1/communications/conversations/{conversationId}/messages<br>List conversation messages | Required access: authenticated. | No request body                            | <b>200</b><br>JSON data for: List conversation messages.                                                       |
| <b>POST</b> /api/v1/communications/conversations/{conversationId}/messages<br>Send a message            | Required access: authenticated. | {<br>"text": "Hello, I am on my way."<br>} | <b>201</b><br>Send a message is confirmed; re-run its related GET to verify persistence.                       |
| <b>PATCH</b> /api/v1/communications/conversations/{conversationId}/read<br>Mark conversation read       | Required access: authenticated. | {<br>"confirmed": true<br>}                | <b>200</b><br>Mark conversation read is confirmed; re-run its related GET to verify persistence.               |
| <b>GET</b> /api/v1/communications/notifications<br>List private notifications                           | Required access: authenticated. | No request body                            | <b>200</b><br>JSON data for: List private notifications.                                                       |

| Method and path                                                                                       | Access                          | Swagger input               | Expected                                                                                              |
|-------------------------------------------------------------------------------------------------------|---------------------------------|-----------------------------|-------------------------------------------------------------------------------------------------------|
| <b>PATCH</b> /api/v1/communications/notifications/read-all<br>Mark all notifications read             | Required access: authenticated. | {<br>"confirmed": true<br>} | <b>200</b><br>Mark all notifications read is confirmed; re-run its related GET to verify persistence. |
| <b>PATCH</b> /api/v1/communications/notifications/{notificationId}/read<br>Mark one notification read | Required access: authenticated. | {<br>"confirmed": true<br>} | <b>200</b><br>Mark one notification read is confirmed; re-run its related GET to verify persistence.  |

## Incidents

| Method and path                                                     | Access                                   | Swagger input                       | Expected                                                                                                  |
|---------------------------------------------------------------------|------------------------------------------|-------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>GET</b> /api/v1/incidents/mine<br>List owned incidents           | Required access:<br>client or caregiver. | No request<br>body                  | <b>200</b><br>JSON data for: List owned incidents.                                                        |
| <b>GET</b> /api/v1/incidents/{incidentId}<br>Read an owned incident | Required access:<br>client or caregiver. | No request<br>body                  | <b>200</b><br>JSON data for: Read an owned incident.                                                      |
| <b>POST</b> /api/v1/incidents<br>Report an incident or SOS          | Required access:<br>client or caregiver. | {<br><br>"confirmed"<br>: true<br>} | <b>201</b><br>Report an incident or SOS is confirmed;<br>re-run its related GET to verify<br>persistence. |

Admin dashboard

| Method and path                                                                                | Access                     | Swagger input      | Expected                                                  |
|------------------------------------------------------------------------------------------------|----------------------------|--------------------|-----------------------------------------------------------|
| <div>GET</div> <div>/api/v1/admin/dashboard/overview</div> <div>Read operational metrics</div> | Required access:<br>admin. | No request<br>body | <b>200</b><br>JSON data for: Read operational<br>metrics. |

## Admin reports

| Method and path                                                                                              | Access                     | Swagger input      | Expected                                                                  |
|--------------------------------------------------------------------------------------------------------------|----------------------------|--------------------|---------------------------------------------------------------------------|
| <div>GET</div> <div>/api/v1/admin/reports/overview</div> <div>Generate operational and finance reports</div> | Required access:<br>admin. | No request<br>body | <b>200</b><br>JSON data for: Generate operational<br>and finance reports. |

## Admin verification

| Method and path                                                                                                     | Access                  | Swagger input                                                                | Expected                                                                                                |
|---------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>GET</b> <code>/api/v1/admin/onboarding</code><br>List caregiver verification records                             | Required access: admin. | No request body                                                              | <b>200</b><br>JSON data for: List caregiver verification records.                                       |
| <b>PATCH</b> <code>/api/v1/admin/onboarding/{caregiverId}/review</code><br>Review caregiver verification            | Required access: admin. | <pre>{   "decision":   "approved",   "note":   "Documents verified." }</pre> | <b>200</b><br>Review caregiver verification is confirmed; re-run its related GET to verify persistence. |
| <b>GET</b> <code>/api/v1/admin/onboarding/{caregiverId}/files/{kind}/url</code><br>Create caregiver document URL    | Required access: admin. | No request body                                                              | <b>200</b><br>JSON data for: Create caregiver document URL.                                             |
| <b>GET</b> <code>/api/v1/admin/onboarding/{caregiverId}/files/{kind}/download</code><br>Download caregiver document | Required access: admin. | No request body                                                              | <b>200</b><br>Binary file with correct content type; unrelated accounts receive 403/404.                |
| <b>GET</b> <code>/api/v1/admin/client-onboarding</code><br>List client verification records                         | Required access: admin. | No request body                                                              | <b>200</b><br>JSON data for: List client verification records.                                          |
| <b>PATCH</b> <code>/api/v1/admin/client-onboarding/{clientId}/review</code><br>Review client verification           | Required access: admin. | <pre>{   "decision":   "approved",   "note":   "Identity verified." }</pre>  | <b>200</b><br>Review client verification is confirmed; re-run its related GET to verify persistence.    |



| Method and path                                                                                         | Access                  | Swagger input   | Expected                                                                                 |
|---------------------------------------------------------------------------------------------------------|-------------------------|-----------------|------------------------------------------------------------------------------------------|
| <b>GET</b> /api/v1/admin/client-onboarding/{clientId}/files/{kind}/url<br>Create client document URL    | Required access: admin. | No request body | <b>200</b><br>JSON data for: Create client document URL.                                 |
| <b>GET</b> /api/v1/admin/client-onboarding/{clientId}/files/{kind}/download<br>Download client document | Required access: admin. | No request body | <b>200</b><br>Binary file with correct content type; unrelated accounts receive 403/404. |

## Admin matching

| Method and path                                                                                      | Access                  | Swagger input                                                                  | Expected                                                                                                               |
|------------------------------------------------------------------------------------------------------|-------------------------|--------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>GET</b> /api/v1/admin/care-requests<br>List all care requests                                     | Required access: admin. | No request body                                                                | <b>200</b><br>JSON data for: List all care requests.                                                                   |
| <b>POST</b> /api/v1/admin/care-requests/reconcile-paid<br>Reconcile paid plans into requests         | Required access: admin. | {<br>"confirmed":<br>true<br>}                                                 | <b>200</b><br>Reconcile paid plans into requests is confirmed; re-run its related GET to verify persistence.           |
| <b>GET</b> /api/v1/admin/care-requests/{requestId}<br>Read request and ranked caregivers             | Required access: admin. | No request body                                                                | <b>200</b><br>JSON data for: Read request and ranked caregivers.                                                       |
| <b>PATCH</b> /api/v1/admin/care-requests/{requestId}<br>Hold, reopen, decline, assign, or auto-match | Required access: admin. | {<br>"action":<br>"assign",<br>"caregiverId":<br>"firebase-caregiver-uid"<br>} | <b>200</b><br>Hold, reopen, decline, assign, or auto-match is confirmed; re-run its related GET to verify persistence. |

## Admin assignments

| Method and path                                                                  | Access                     | Swagger input      | Expected                                                           |
|----------------------------------------------------------------------------------|----------------------------|--------------------|--------------------------------------------------------------------|
| <b>GET</b> /api/v1/admin/assignments<br>List all assignments                     | Required access:<br>admin. | No request<br>body | <b>200</b><br>JSON data for: List all assignments.                 |
| <b>GET</b> /api/v1/admin/assignments/visits<br>Read administrator visit calendar | Required access:<br>admin. | No request<br>body | <b>200</b><br>JSON data for: Read administrator<br>visit calendar. |
| <b>GET</b> /api/v1/admin/assignments/shifts<br>Read duty and GPS status          | Required access:<br>admin. | No request<br>body | <b>200</b><br>JSON data for: Read duty and GPS<br>status.          |

## Admin finance

| Method and path                                                                                     | Access                  | Swagger input                                                                                | Expected                                                                                                 |
|-----------------------------------------------------------------------------------------------------|-------------------------|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| <b>GET</b> /api/v1/admin/payments/overview<br>Read reconciled finance metrics                       | Required access: admin. | No request body                                                                              | <b>200</b><br>JSON data for: Read reconciled finance metrics.                                            |
| <b>GET</b> /api/v1/admin/payments/invoices<br>List all client invoices                              | Required access: admin. | No request body                                                                              | <b>200</b><br>JSON data for: List all client invoices.                                                   |
| <b>POST</b> /api/v1/admin/payments/invoices<br>Create a server-priced invoice                       | Required access: admin. | {<br>"confirmed": true<br>}                                                                  | <b>201</b><br>Create a server-priced invoice is confirmed; re-run its related GET to verify persistence. |
| <b>GET</b> /api/v1/admin/payments/payouts<br>List caregiver payouts                                 | Required access: admin. | No request body                                                                              | <b>200</b><br>JSON data for: List caregiver payouts.                                                     |
| <b>GET</b> /api/v1/admin/payments/assignment-payout-quotes<br>Calculate payable assignment balances | Required access: admin. | No request body                                                                              | <b>200</b><br>JSON data for: Calculate payable assignment balances.                                      |
| <b>POST</b> /api/v1/admin/payments/assignment-payouts<br>Record an assignment payout                | Required access: admin. | {<br>"assignmentId": "assignment-id",<br>"method": "bKash",<br>"note": "Service payout"<br>} | <b>201</b><br>Record an assignment payout is confirmed; re-run its related GET to verify persistence.    |
| <b>PATCH</b> /api/v1/admin/payments/payouts/{payoutId}<br>Process or reject withdrawal              | Required access: admin. | {<br>"confirmed": true<br>}                                                                  | <b>200</b><br>Process or reject withdrawal is confirmed; re-run its related GET to verify persistence.   |

## Admin communications

| Method and path                                                                                                              | Access                          | Swagger input               | Expected                                                                                              |
|------------------------------------------------------------------------------------------------------------------------------|---------------------------------|-----------------------------|-------------------------------------------------------------------------------------------------------|
| <b>GET</b><br><code>/api/v1/admin/communications/conversations</code><br>List support and flagged conversations              | Required access: admin.         | No request body             | <b>200</b><br>JSON data for: List support and flagged conversations.                                  |
| <b>GET</b><br><code>/api/v1/admin/communications/conversations/{conversationId}/messages</code><br>Read support messages     | Required access: support admin. | No request body             | <b>200</b><br>JSON data for: Read support messages.                                                   |
| <b>POST</b><br><code>/api/v1/admin/communications/conversations/{conversationId}/messages</code><br>Send support reply       | Required access: support admin. | {<br>"confirmed": true<br>} | <b>201</b><br>Send support reply is confirmed; re-run its related GET to verify persistence.          |
| <b>PATCH</b><br><code>/api/v1/admin/communications/conversations/{conversationId}/flag</code><br>Flag or unflag conversation | Required access: admin.         | {<br>"confirmed": true<br>} | <b>200</b><br>Flag or unflag conversation is confirmed; re-run its related GET to verify persistence. |
| <b>PATCH</b><br><code>/api/v1/admin/communications/conversations/{conversationId}/support</code><br>Assign support agent     | Required access: admin.         | {<br>"confirmed": true<br>} | <b>200</b><br>Assign support agent is confirmed; re-run its related GET to verify persistence.        |

## Admin incidents

| Method and path                                                                                         | Access                  | Swagger input               | Expected                                                                                                        |
|---------------------------------------------------------------------------------------------------------|-------------------------|-----------------------------|-----------------------------------------------------------------------------------------------------------------|
| <b>GET</b> <code>/api/v1/admin/incidents</code><br>List incidents and SOS cases                         | Required access: admin. | No request body             | <b>200</b><br>JSON data for: List incidents and SOS cases.                                                      |
| <b>GET</b> <code>/api/v1/admin/incidents/{incidentId}</code><br>Read an incident case                   | Required access: admin. | No request body             | <b>200</b><br>JSON data for: Read an incident case.                                                             |
| <b>PATCH</b> <code>/api/v1/admin/incidents/{incidentId}</code><br>Review, resolve, or escalate incident | Required access: admin. | {<br>"confirmed": true<br>} | <b>200</b><br>Review, resolve, or escalate incident is confirmed; re-run its related GET to verify persistence. |

## Admin directory

| Method and path                                                                                                                   | Access                  | Swagger input                      | Expected                                                                                                      |
|-----------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------------------|---------------------------------------------------------------------------------------------------------------|
| <b>PATCH</b><br><a href="#">/api/v1/admin/directory/caregivers/{caregiverId}/status</a><br>Activate or suspend caregiver          | Required access: admin. | <pre>{   "confirmed": true }</pre> | <b>200</b><br>Activate or suspend caregiver is confirmed; re-run its related GET to verify persistence.       |
| <b>PATCH</b><br><a href="#">/api/v1/admin/directory/caregivers/{caregiverId}/directory</a><br>Control public directory visibility | Required access: admin. | <pre>{   "confirmed": true }</pre> | <b>200</b><br>Control public directory visibility is confirmed; re-run its related GET to verify persistence. |
| <b>PATCH</b><br><a href="#">/api/v1/admin/directory/caregivers/{caregiverId}/profile</a><br>Edit caregiver directory profile      | Required access: admin. | <pre>{   "confirmed": true }</pre> | <b>200</b><br>Edit caregiver directory profile is confirmed; re-run its related GET to verify persistence.    |
| <b>PATCH</b> <a href="#">/api/v1/admin/directory/clients/{clientId}</a><br>Edit client details                                    | Required access: admin. | <pre>{   "confirmed": true }</pre> | <b>200</b><br>Edit client details is confirmed; re-run its related GET to verify persistence.                 |
| <b>DELETE</b> <a href="#">/api/v1/admin/directory/clients/{clientId}</a><br>Delete client and owned records                       | Required access: admin. | <pre>{   "confirmed": true }</pre> | <b>200</b><br>Confirmation returned and the following list/GET no longer contains the resource.               |
| <b>POST</b> <a href="#">/api/v1/admin/directory/clients/{clientId}/renew-care</a><br>Renew previous care                          | Required access: admin. | <pre>{   "confirmed": true }</pre> | <b>201</b><br>Renew previous care is confirmed; re-run its related GET to verify persistence.                 |
| <b>GET</b> <a href="#">/api/v1/admin/directory/documents</a><br>List system documents                                             | Required access: admin. | No request body                    | <b>200</b><br>JSON data for: List system documents.                                                           |

| Method and path                                                                                                       | Access                  | Swagger input   | Expected                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------|-----------------|------------------------------------------------------------------------------------------|
| <div>GET</div> <div>/api/v1/admin/directory/documents/{documentId}/download</div> <div>Download system document</div> | Required access: admin. | No request body | <b>200</b><br>Binary file with correct content type; unrelated accounts receive 403/404. |



## Admin users

| Method and path                                                                                    | Access                           | Swagger input                        | Expected                                                                                                     |
|----------------------------------------------------------------------------------------------------|----------------------------------|--------------------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>POST</b><br><code>/api/v1/admin/users/{uid}/claims</code><br>Set protected administrator claims | Required access:<br>super_admin. | {<br><br>"confirmed"<br>": true<br>} | <b>200</b><br>Set protected administrator claims is confirmed; re-run its related GET to verify persistence. |
| <b>POST</b><br><code>/api/v1/admin/users/{uid}/revoke-sessions</code><br>Revoke Firebase sessions  | Required access:<br>super_admin. | {<br><br>"confirmed"<br>": true<br>} | <b>200</b><br>Revoke Firebase sessions is confirmed; re-run its related GET to verify persistence.           |