St. Joseph Medical Center - Department of Orthopedic Surgery
FICTIONAL DOCUMENT FOR A HACKATHON DEMO - NOT A REAL PATIENT

DISCHARGE SUMMARY

Patient: Sarah Miller Age: 64 Sex: F
Procedure: Total knee replacement (arthroplasty), RIGHT knee
Date of surgery: 06/10/2026 Date of discharge: 08/10/2026
Surgeon: Dr. Elena Ruiz
Allergies: Penicillin (rash)
Course: uncomplicated. Mobilised day 1 with crutches. Wound dry at discharge.

MEDICATIONS AT DISCHARGE

1. Paracetamol 1 g by mouth at 08:00, 14:00 and 20:00 for pain (maximum 4 g per day).
2. Celecoxib 200 mg by mouth once daily at 09:00 with food (anti-inflammatory).
3. Pantoprazole 20 mg by mouth once daily at 08:00 (stomach protection).
4. Enoxaparin 40 mg subcutaneous injection once daily at 20:00 for 14 days (prevention of blood clots).
5. Cefuroxime 500 mg by mouth three times daily at 08:00, 14:00 and 20:00 for 7 days (antibiotic).

If a dose is missed: do not take two doses together; inform the care team.
Do not take ibuprofen or other NSAIDs in addition to celecoxib unless the surgeon agrees.

ACTIVITY

Weight bearing as tolerated with two crutches for 14 days.
No driving for at least 4 weeks.
Keep the leg elevated when resting; ice 15-20 minutes after exercises.

REHABILITATION EXERCISES

Knee bends 2 x 10, morning (09:30) and evening (18:00).
Straight-leg raises 2 x 10, morning (09:30) and evening (18:00).
Ankle pumps 3 x 15, at 09:30, 13:00 and 18:00.

WOUND CARE

Waterproof dressing: showering allowed with the dressing on. No bath or swimming until staples are removed.
Do not change the dressing unless instructed. Daily wound photo in the SurgiGuard app.

FOLLOW-UP APPOINTMENTS

Physiotherapy: 14/10/2026 at 15:00.
Staple removal: 16/10/2026 at 09:00.
Follow-up with Dr. Ruiz: 20/10/2026 at 10:30.

WARNING SIGNS - contact the surgeon's office the same day

Fever over 38 C, spreading redness, increasing warmth or swelling, drainage or bad smell from the wound, pain that keeps increasing.

EMERGENCY - call 112 immediately

Sudden shortness of breath or chest pain, calf pain or swelling in either leg, fainting, heavy bleeding.