Azizal Inlam Nayem.

oll201262 Section A

Problem-01

Here given; $Z = 3N_1 + 5N_2$ Subject to; $N_1 \le 4$ $2N_2 \le 12$ $3N_1 + 2N_2 \le 18$ And $N_1 \ne 0$; $N_2 \ne 0$

Here, $n_1 \leq 4$ $\Rightarrow n_1 \leq 4$ $\Rightarrow n_1 \leq 4$ $\Rightarrow n_1 \leq 4$ $\Rightarrow n_1 + n_3 = 4$ then, $2n_2 \leq 12$ $\Rightarrow 2n_2 \leq 12$ or $2n_2 = 12$ $\Rightarrow 2n_2 \leq 12$ or $2n_2 = 12$ $\Rightarrow 2n_2 + n_4 = 12$ And, $3n_1 + 2n_2 \leq 18$

to equalities;

$$z = 3n_1 + 5n_2 = 0$$
 (0)

$$2n_2 + n_q = 12$$
 (2)

$$3n_1 + 2n_2 + n_5 = 18$$
 (3)

 $3n_1+2n_2=18$ $3n_1+2n_2+n_5=18$

P.T.0

Here, we find 5 different variable and 3 equation, so the degre of Areedow is (5-3) on 2.

Let, the basic variables 2, and 12 equal to zero. $n_1=0$, $n_2=0$.

(+) 3 2 0 0 1 18 (+) 0 -2 0 -1 0 -12 3 0 0 -1 1 6

29(5)	asic	E9.	Co	coefficient of;								Right	
Va —	miable		Z		4,	22	- 17	KB	12	4	25		pide Radio
0	Z	(0)	1	-	3	-5	2	0	C)	0	To safety	0
) ng	(1)	0	1		0	11 1	L	0		0		4 > 4/0=2
	ny	(2)	0	10		2	1		1		0		12 > 14/2 = 6) (+ min)
	715	(3)	0	3		2	C)	0		1		18 > 18/2 = 9
1	Z	(0)	1	E 02	3	0	C	1	5/2	-	0	100	30
	N3	(1)	0	1	1	D X	1		0		0		4 -> 4/1 = 4
	D712	(2)	0	10	M	1	0		42		0	1	6 > 6/0 2 ×
	25	(3)	0	3	0		0	-	-1		1	1	$ \Rightarrow 6 3 = 2 $ $(+min)$
	Z	(0)	1	0	C		0	6	3/2		1	(36)
2	uz	0	0	0	0	1 1	1	.1	13		43	-	2
	n2 ((2)	0	0	4	1	\int	4/	2	1	0	6)>n2
	NI	(3)	0	1	0)	-4	3	十一年	13	(2) > n,
										47			

: Manimize, z = 36.

And $(n_1, n_2) = (2,6)$ (Result).

Problem 02

manimize, Z= 34,+242

Subject to,

271+7246

nit 2 n2 4 6

And,
n,70, n27,0

Turning the inequalities

to equalities;

Z-34,-22=0 (0)

27,+2+2=6

n, +2n2+ny=6

Here, ()

 $2n_1 + n_2 \leq 6$

=> 27,+n26000

27,+72=6

 $\Rightarrow 2x_1 + n_2 + n_3 = 6$

then; n,+2n2 < 6

€ n,+2m2 < 6 000

n,+221= 6

> n,+242+ny = 6

Here, we find 4 different variables and 2 equations. So the degree of freedom is (4-2) on 2.

Let, the non Basic variables M1, n2 edual to ze no. n,=0, n2=0.

calculation

(+) 0 0 -1 3/6 0 9 1 0 0 1 -43 2/3 12 1 0 0 7/6 243 11

Basic			coeffic	Right	t of the					
Variable		Z	2,	2	213	ny	Side	Ratio		
· Z	(0)	1	(-3)	-2	0	0	0			
ny		0	2	1	1	0	6 >42	= 3 (+min)		
7	(0)	D	1	2	0	10	6 > 611	= 6		
- Ala W	(1)	M or	0	-1/2	AGE	00	9	WAR TO BE		
n,		ON	of me	1-1/2	1/2	6	3 > 3/(1/2)	= 6		
hyl	4	0	0	3/2	-42	1	3 > 3/(3/4)	= 2		
Z	(0)	11	6	0	163	1/2	(10)	(+min)		
n	(1)	0	1	0	43	-43	2			
	60	6	7	1	1-43	2/2	man,	7		
hL	(2)	O NA	FIM S AL	(1)			J> n	1		
				(2)						
. manimize, Z = 10										
200 - (2.2) (2.2)										
And (m1, m2) = (2,2) (Result).										
	THE PART OF STREET STREET, STR									

Problem 03

Marimize, 2234,+242

Subject to,

7,54

m1+3M2 415

241+42510

And n,>,0, n2>,0

1 Herre, n, = 4

>M1C4 00 M1=4

: n, +43 = 4.

then, 4,+3m2 < 15

≥M1+3M2 < 15 000 nt3M2 = 15

: n,+3n2+n4=15

Turning the inequalities

to equalities.

(0) Z-3x1-22=0

(1) 2, + u3 = A

(2) 4,+3m2+44=15

And, 24,+12 = 10

ラマツーナル2610 00

24,+22=10

: 2n,+n2+n5 = 10

(3) $2n_1 + n_2 + n_5 = 10$

Here, we find 5 different variable and the degree of freedom 3 equation, so

b (5-3) or 2.

	Light in							\$
Basic	FO		Right	140				
variabl	THE RESERVE AND ADDRESS OF THE PERSON NAMED IN	ZI	n, n	143	ny	145	pide	Ratio
7	The same of the sa	1 (3) - 2	0	0	0	0	0
(a) n	AT-POLY	0 1	1 0	1	0	0	4>41	(+ 8'II)
明二 以形		0 -	1 3	0	(1)	0	15->1	
7(5	5 (3)	0 2	1	0	0	1	10>	1%=5
7	2(0)	1 0	-2	3	0	100	12	7
(1) n	4 (1)	0 1	10	1	0	0/10	1A>410	= 0
	4(2)	0 0	3	-11	18/2	0	11711/3	= 3.67
4	5 (3)	0 0	111	-2	0		2721	=(2)
Z	(0)	10	0	(-D)	0	The state of the s	16	min
7	A COLOR	2 1	101	1	0	0	U_\W	_ (,
(2) n	(2)	0/0	0	5	1	-3	515/5	面
M.	(3)	0 0	1 -	-2	0	1	2 > 2/-2	
	Time	94 98	la la	3	Alla	tue!	ri subsid	
				1			beall	TIT
2	01	0	0 0	14.	5 4	5 1	17)>7	
(3) n	(1) 0	IV.	0 0	1-4	5 31	15 1	3) -> n,	
1) ho	3(2)	00	0 =	1 1/	5 -31	5 1		
2	(9) c	00	1 7) 2/0		45 R	7.40	
	11	1 1				3	D-2 12	

calculations

Let, the non Basic variables n_1, m_2 equal to zero. $n_1 = 0, m_2 = 0$.

(t);
$$0.3 - 2.00000$$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2.30012$
 $1.0 - 2$

Problem 04

manimize, Z = 6 n, +m2 + 4 mg Subject to, 34, +722+43 £ 15 n, - 2 n2 +3 n3 < 20 n1, , n2, n3>, 0; Turning the inequalities to equalities. Z-64,-n2-4ng=0 (0) 31,+72+43+44=15 (1) $n_1 - 2m_2 + 3m_3 + m_5 = 20(2)$ Here we find 5 different

(5-2) or 3.

3n, +7n2+n3 = 15 Hene, > 3m, +7m2+m3 <15 34, +742+43=15 3 m, +7 m2+m3+m4=15 n,-2n2+3n3 620 311-212+313 L 20 n,-242+343=20 >n,-2n2+3n3+n5=20 variables and 2 equation. so the degree of freedom

$$\begin{array}{c} \begin{array}{c} \begin{array}{c} \text{calculation} \\ \end{array}{} \\ \begin{array}{c} \begin{array}{c} 1 - 6 - 1 - 4 & 0 & 0 & 0 \\ \end{array}{} \\ \begin{array}{c} 0 & 6 & 14 & 2 & 2 & 0 & 30 \\ \end{array}{} \\ \begin{array}{c} 1 & 0 & 19 - 2 & 2 & 0 & 30 \\ \end{array}{} \\ \begin{array}{c} \begin{array}{c} 0 \\ \end{array}{} \\ \begin{array}{c} 1 - 2 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 0 \\ \end{array}{} \\ \begin{array}{c} 1 - 2 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 0 \\ \end{array}{} \\ \begin{array}{c} -1 \\ \end{array}{} \\ \begin{array}{c} -1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} -1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} -1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 0 \\ \end{array}{} \\ \begin{array}{c} -1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} -1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 1 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \end{array}{} \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \\ \end{array}{} \begin{array}{c} 3 \\ \end{array}{} \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \begin{array}{c} 3 \\ \end{array}{} \begin{array}{c} 3 \\ \end{array}{} \\ \begin{array}{c} 3 \\ \end{array}{} \begin{array}{c} 3 \\ \end{array}$$

Basic Coefficient of;	Right
raniable of 2 n, no no no ho	side Ratio
2011-6-1-400	0
200137110	157>18/3=5
n5 (2) 0 1 -2 3 0 1	20 -> 20/2 = 20
2 (0) 1 0 13 (-2) 2 0	30
	ラ ラ ラ ラ 15 T
	15 1943 (5.63)
	(u) (u)
	41.26)>2
	3.13 +m
ng (2) 0 0 -13/8 1 -48 3/8 E	5.637>22
	11.0
The value of 22 is value of 2 10 w	
the value of 22 is value of 2 10 w zero here. iteration will	340p here.
and mani mize, z	= 41.26
And (n, n2, n3).	
	()) , 9
	(Result)