









Comment	Description	Designator	Footprint	LibRef	Quantity
C0603C225K8PACTU	Ceramic Chip Capacitor - Standard	C1, C4	1608[0603]	C0603	2
	Ceramic Chip Capacitor		1608[0603]		
C0603C105K8PACTU	- Standard Tantalum Chip	C2, C3, C7, C9	1608[0603]	C0603	4
	Capacitor, 0.1uF, 35V, 20%, package 1206,				
T491A104M035AT	T491 Series Tantalum Chip	CS	A	T491A	1
	Capacitor, 22uF, 10V,				
T491A226M010ZT	20%, package 1206, T491 Series	C6	A	T491A	1
	Tantalum Chip Capacitor, 33uF, 10V,				
T491A336K010AT	20%, package 1206, T491 Series	C8	A	T491A	1
	High birghtness white				
LUW CR7P	LED, SMD, 150lm, 80 degree	D1	LUW CR7P	LUW CR7P	1
TEFT4300	Silicon NPN Phototransistor	D2	LED	TEFT4300	1
	Miniature Bi-Colour Surface Mount Chip				
HSMF-C165	LED (Red/Green) low profile connector,	D3	1.6X0.8X0.5	HSMF-C165	1
DEETH 2D 1 21/(21)	1.2mm pitch, SMD, 2	11	DEETH 20 1 20/21)	DEE711 3D 1 31/(31)	
DF57H-2P-1.2V(21)	pin Low Voltage Power		DF57H-2P-1.2V(21)	DF57H-2P-1.2V(21)	- '
PWR2.5	Supply Connector SMD power inductor,	J?	KLD-0202	PWR2.5	1
744029100	10uH, .75A	L1	WE-TPC	744029100	1
MHDR1X3	Header, 3-Pin Header, 3-Pin, Dual	P1, P2	MHDR1X3	MHDR1X3	2
MHDR2X3	row Precision Thick Film	P3	MHDR2X3	MHDR2X3	1
	Chip Resistor, 10 Ohm to 1M Ohm Range, 1%				
ED. 265/042/	and 0.5% Tolerance,		2 0502	501251	
ERJ-3GEYJ912V	0603 Size, 0.063 W Precision Thick Film	R1	3-0603	ERJ3EK	1
	Chip Resistor, 10 Ohm to 1M Ohm Range, 1%				
ERJ-3GEYJ332V	and 0.5% Tolerance, 0603 Size, 0.063 W	R2	3-0603	ERJ3EK	1
EIG SGEISSEV	3386 - 3/8 " Square	N.C.	3 0003	EIGSER	
3386F-1-502	Trimpot Trimming Potentiometer	R3, R4	3386F	3386F-1-XXX	2
	Precision Thick Film Chip Resistor, 10 Ohm				
	to 1M Ohm Range, 1% and 0.5% Tolerance,				
ERJ-3GEYJ473V	0603 Size, 0.063 W Precision Thick Film	R5	3-0603	ERJ3EK	1
	Chip Resistor, 10 Ohm				
	to 1M Ohm Range, 1% and 0.5% Tolerance,				
ERJ-3GEYJ103V	0603 Size, 0.063 W Precision Thick Film	R6, R7	3-0603	ERJ3EK	2
	Chip Resistor, 10 Ohm to 1M Ohm Range, 1%				
ERJ-3GEYJ331V	and 0.5% Tolerance, 0603 Size, 0.063 W	R8	3-0603	ERJ3EK	1
	Precision Thick Film Chip Resistor, 10 Ohm				
	to 1M Ohm Range, 1%				
ERJ-3GEYJ471V	and 0.5% Tolerance, 0603 Size, 0.063 W	R9, R10	3-0603	ERJ3EK	2
	Precision Thick Film Chip Resistor, 10 Ohm				
	to 1M Ohm Range, 1% and 0.5% Tolerance,				
ERJ-3GEYJ502V	0603 Size, 0.063 W Thick Film Chip	R11	3-0603	ERJ3EK	1
	Resistor, 10k Ohm				
ERJ2GEJ103X	Range, 5% Tolerance, 0402 Size, 0.063 W	R12	3-0603	ERJ2GE	1
	Precision Thick Film Chip Resistor, 10 Ohm				
	to 1M Ohm Range, 1% and 0.5% Tolerance,				
CRCW06031M65FKEA	0603 Size, 0.063 W Precision Thick Film	R13	3-0603	ERJ3EK	1
	Chip Resistor, 10 Ohm to 1M Ohm Range, 1%				
CRCW06031M47FKEA	and 0.5% Tolerance, 0603 Size, 0.063 W	R14	3-0603	ERJ3EK	1
CRCW00031W47FREA	Precision Thick Film	K 14	3-0003	ENJER	'
	Chip Resistor, 10 Ohm to 1M Ohm Range, 1%				
ERJ-3GEYJ105V	and 0.5% Tolerance, 0603 Size, 0.063 W	R15, R16	3-0603	ERJ3EK	2
	WLED driver, 600mA, linear LDO, constant				
MIC4801	current	U1	SOIC-8N	MIC4801	1
	8-bit Microcontrollers - MCU ZMotion MCU				
Z8FS040BSB20EG	Mot Det IC, 4KB Flash Pyroelectric Passive	U2	SOIC127P600X173-8N	Z8FS040BSB20EG	1
RE200B-P	Infrared Sensor Dual Source USB/AC Li	U3	RE200B-P	RE200B-P	1
LM3658	Chemistry Charger IC	U4	WSON10	LM3658	1
TPS627367	ultra-low power buck co	U5	QFN50P350X350X100_H5	TPS62737	1