

SERVER SIDE MODULE PART I

(REST API & AUTHORIZATION)

CONTENTS

This module has the following files:

1. MODULE_SERVER_SIDE_JT1_25.docx
2. MODULE_SERVER_SIDE_JT1_25.pdf
3. MODULE_SERVER_SIDE_MEDIA.zip

INTRODUCTION

In this module, you are asked to create a minimum viable product healthcare application for the specification of the doctor scheduling system. The detailed description and tools that you can use will be described below.

DESCRIPTION OF PROJECT AND TASKS

This module is divided into 2 phases. In the first phase, you will create a REST Api using Authentification then in the second phase you will create a frontend application with the following provided frameworks:

- Laravel (v11.x)
- React (v18.^ with react-router and axios module)
- Vue (v3.^ with vue-router and axios module)

Phase 1 - REST API & Authentication

For all endpoints, the request header as default sets Content-type: application/json, but some endpoints have specified Content-type header so you have to adjust it.

1. Authentication

You can use **sanctum** for the token management and it must be valid when placed in the Authorization request header as a **Bearer token**.

a. Login

Endpoint	/api/v3/auth/login
Method	POST
Description	For user to log into system



Request	Body: username password
Response Success	HTTP Status Code: 200 Body: { "message": "Login success", "token": "2lQnt2aqHii0EVwCz3rSH0yiFIKMqey38SdkUZntRvf0e507ff", "user": { "user_id": 1, "user_full_name": "Budiman", "user_username": "Admin", "created_at": "2023-10-14T15:04:33.000000Z" } }
Response Failed	HTTP Status Code: 401 Body: { "message": "username or password are incorrect" }

b. Logout

Endpoint	/api/v3/auth/logout
Method	POST
Description	user to logout
Request	Headers: Authorization: Bearer <token> Body: username password
Response Success	HTTP Status Code: 200 Body: { "message": "Logout success" }
Response Invalid Token	HTTP Status Code: 401 Body: { "message": "Unauthenticated." }

2. Poliklinik

a. Create Poliklinik

Endpoint	/api/v3/poliklinik
Method	POST
Description	Admin can create a Poliklinik



Request	Headers: Authorization: Bearer <token> Body: Poliklinik ID (string;maxlength:10;required) Name (string;required) Description (string;optional)
Response Success	HTTP Status Code: 200 Body: <pre>{ "message": "Poliklinik is created" }</pre>
Response Invalid Field	Body Status Code 422: <pre>{ "message": "Invalid field", "errors": { "PoliklinikID": ["Poliklinik ID field is required."], "name": ["Poliklinik Name field is required."] } }</pre>
Response Invalid Token	HTTP Status Code: 401 Body: <pre>{ "message": "Unauthenticated." }</pre>

b. Update Poliklinik

Endpoint	/api/v3/Poliklinik/:id
Method	PUT
Description	Admin can update the Poliklinik by id.
Request	Headers: Authorization: Bearer <token> Body: Name (string;required) Description (string;optional)
Response Success	HTTP Status Code: 200 Body: <pre>{ "message": "Poliklinik modified" }</pre>
Response Invalid Field	Body Status Code 422: <pre>{ "message": "Invalid field", "errors": { "name": ["Poliklinik Name field is required."] } }</pre>



	}
Response Not Found	HTTP Status Code: 404 Body: <pre>{ "message": "Poliklinik not found" }</pre>
Response Invalid Token	HTTP Status Code: 401 Body: <pre>{ "message": "Unauthenticated." }</pre>

c. Delete Poliklinik

Endpoint	/api/v3/Poliklinik/:id
Method	DELETE
Description	Admin can delete the Poliklinik if there is no schedule attached
Request	Headers: Authorization: Bearer <token>
Response Success	HTTP Status Code: 204
Response Constraint Error	HTTP Status Code: 422 Body: <pre>{ "message": "Poliklinik cannot deleted" }</pre>
Response Not Found	HTTP Status Code: 404 Body: <pre>{ "message": "Poliklinik not found" }</pre>
Response Invalid Token	HTTP Status Code: 401 Body: <pre>{ "message": "Unauthenticated." }</pre>

d. Get All Poliklinik

Endpoint	/api/v3/Poliklinik
Method	GET
Description	Admin to get all Poliklinik data
Request	Headers: Authorization: Bearer <token>



	Params: page (integer, minimum 0 and default 0) size (integer, minimum 1 and default 10)
Response Success	HTTP Status Code: 200 Body: <pre>{ "page": 0, "size": 10, "Polikliniks": [{ "PoliklinikID": "KD01", "PoliklinikName": "Poli Gigi", "PoliklinikDesc": "-----", "createdAt": "2025-01-20 00:34:10", "updatedAt": null, "schedules": { "id": 61, "doctorName": "Irving Greenfelder", "scheduleDate": "2025-01-30", "startTime": "10:00", "endTime": "12:00", "created_at": "2025-01-20 19:16:53" } }, ...] }</pre>
Response Invalid Params	HTTP Status Code: 422 Body: <pre>{ "message": "Invalid field", "errors": { "page": ["The page field must be at least 0."], "size": ["The size field must be a number."] } }</pre>
Response Invalid Token	HTTP Status Code: 401 Body: <pre>{ "message": "Unauthenticated." }</pre>

3. Doctor

a. Create Doctor

Endpoint	/api/v3/doctor
Method	POST
Description	Admin to create a doctor
Request	Headers: Authorization: Bearer <token> Body: Doctor ID (string;maxlength:15;required)



	Name (string;required) Gender (male/female;required) Phone Number (string;required) Address (string;required) Email (string;required) Bio (string;optional)
Response Success	HTTP Status Code: 200 Body: <pre>{ "message": "Doctor created" }</pre>
Response Invalid Field	Body Status Code 422: <pre>{ "message": "Invalid field", "errors": { "doctorID": ["Doctor ID field is required."], "name": ["Name field is required."], "gender": ["Gender field is required. and must be F or M"], "phone": ["Phone field is required."], "address": ["Address field is required."], "email": ["Email field is required."] } }</pre>
Response Invalid Token	HTTP Status Code: 401 Body: <pre>{ "message": "Unauthenticated." }</pre>

b. Update Doctor

Endpoint	/api/v3/doctor/:id
Method	PUT
Description	Admin can update existing doctors by id.
Request	Headers: Authorization: Bearer <token> Body: Name (string;required) Gender (male/female;required) Phone Number (string;required) Address (string;required) Email (string;required) Bio (string;optional)



Response Success	HTTP Status Code: 200 Body: <pre>{ "message": "Doctor modified" }</pre>
Response Invalid Field	Body Status Code 422: <pre>{ "message": "Invalid field", "errors": { "name": ["Name field is required."], "gender": ["Gender field is required. and must be F or M"], "phone": ["Phone field is required."], "address": ["Address field is required."], "email": ["Email field is required."] } }</pre>
Response Not Found	HTTP Status Code: 404 Body: <pre>{ "message": "Doctor not found" }</pre>
Response Invalid Token	HTTP Status Code: 401 Body: <pre>{ "message": "Unauthenticated." }</pre>

c. Delete Doctor

Endpoint	/api/v3/doctor/:id
Method	DELETE
Description	Admin can delete doctor transaction if there is no schedule attached
Request	Headers: Authorization: Bearer <token>
Response Success	HTTP Status Code: 204
Response Constraint Error	HTTP Status Code: 422 Body: <pre>{ "message": "Doctor cannot deleted" }</pre>
Response	HTTP Status Code: 404



Not Found	Body: { "message": "Doctor not found" }
Response Invalid Token	HTTP Status Code: 401 Body: { "message": "Unauthenticated." }

d. Get All Doctors

Endpoint	/api/v3/doctor
Method	GET
Description	Admin to get all doctor data
Request	Headers: Authorization: Bearer <token> Params: page (integer, minimum 0 and default 0) size (integer, minimum 1 and default 10)
Response Success	HTTP Status Code: 200 Body: { "page": 0, "size": 10, "doctors": [{ "doctorID": "DOC001", "doctorName": "Fulan", "gender": "M", "phone": "08881288", "address": "Jl. Sepanjang Kenangan", "email": "fulan@gmail.com", "bio": "---", "createdAt": "2025-01-20 00:34:10", "updatedAt": null, "schedules": { "id": 61, "PoliklinikName": "Poli Umum", "scheduleDate": "2025-01-30", "startTime": "09:00", "endTime": "15:00", "created_at": "2025-01-20 19:16:53" }, }, ...] }
Response Invalid Params	HTTP Status Code: 422 Body: { "message": "Invalid field", "errors": { "page": ["The page field must be at least 0."], "size": [...] }



	<pre> "The size field must be a number." } } } </pre>
Response Invalid Token	HTTP Status Code: 401 Body: <pre> { "message": "Unauthenticated." } </pre>

4. Schedule

a. Create Schedule

Endpoint	/api/v3/schedule
Method	POST
Description	Admin to create a schedule. Make sure that there is no conflicting schedule (1 doctor with 2 schedules with conflicting hours).
Request	Headers: Authorization: Bearer <token> Body: Doctor ID (string; maxlength:15; required) Poliklinik ID (string; maxlength: 10; required) Date (date; min:tomorrow; required) Start Time (time; required) End Time (time; required)
Response Success	HTTP Status Code: 200 Body: <pre> { "message": "Schedule created" } </pre>
Response Invalid Field	Body Status Code 422: <pre> { "message": "Invalid field", "errors": { "doctorID": ["Doctor field is required."], "PoliklinikID": ["Poliklinik field is required."], "date": ["Date field is required. Minimal tomorrow"], "startTime": ["Start Time field is required."], "endTime": ["End Time field is required."] } } </pre>
Response Invalid Token	HTTP Status Code: 401 Body: <pre> { </pre>



	<pre>"message": "Unauthenticated." }</pre>
--	--

b. Update Schedule

Endpoint	/api/v3/schedule/:id
Method	PUT
Description	Admin can update existing schedules by id. The schedule cannot be changed once the date has passed the current date.
Request	Headers: Authorization: Bearer <token> Body: Doctor ID (string; maxlength:15; required) Poliklinik ID (string; maxlength: 10; required) Date (date; min:tomorrow; required) Start Time (time; required) End Time (time; required)
Response Success	HTTP Status Code: 200 Body: <pre>{ "message": "Schedule modified" }</pre>

Response Invalid Field	Body Status Code 422: <pre>{ "message": "Invalid field", "errors": { "doctorID": ["Doctor field is required."], "PoliklinikID": ["Poliklinik field is required."], "date": ["Date field is required. Minimal tomorrow"], "startTime": ["Start Time field is required."], "endTime": ["End Time field is required."] } }</pre>
------------------------	--

Response Not Found	HTTP Status Code: 404 Body: <pre>{ "message": "Schedule not found" }</pre>
Response Invalid	HTTP Status Code: 401 Body: <pre>{</pre>



Token	<pre>{ "message": "Unauthenticated." }</pre>
-------	--

c. Delete Schedule

Endpoint	/api/v3/schedule/:id
Method	DELETE
Description	Admin can delete a schedule. The schedule cannot be deleted once the date has passed the current date.
Request	Headers: Authorization: Bearer <token>
Response Success	HTTP Status Code: 204
Response Constraint Error	HTTP Status Code: 422 Body: { "message": "Schedule cannot deleted" }
Response Not Found	HTTP Status Code: 404 Body: { "message": "Schedule not found" }
Response Invalid Token	HTTP Status Code: 401 Body: { "message": "Unauthenticated." }

d. Get All Schedules

Endpoint	/api/v3/schedule
Method	GET
Description	Admin to get all schedules data
Request	Headers: Authorization: Bearer <token> Params: page (integer, minimum 0 and default 0) size (integer, minimum 1 and default 10)
Response Success	HTTP Status Code: 200 Body: { "page": 0, "size": 10,



	<pre>"schedule": [{ "scheduleID": "1", "doctorID": "DOC000000000001", "doctorName": "Fulan", "PoliklinikID": "DEPT0000001", "PoliklinikName": "Poli Umum", "scheduleDate": "2025-01-30", "startTime": "09:00", "endTime": "15:00", "createdAt": "2025-01-20 00:34:10", "updatedAt": null }, ...]</pre>
Response Invalid Params	<pre>HTTP Status Code: 422 Body: { "message": "Invalid field", "errors": { "page": ["The page field must be at least 0."], "size": ["The size field must be a number."] } }</pre>
Response Invalid Token	<pre>HTTP Status Code: 401 Body: { "message": "Unauthenticated." }</pre>